





RONDA


SWISS MADE






RLM.1002

Size "" / Size mm	10 ½	23.90
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.211	
Stem	RL3000.169	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70	
Information	-	



RLM.1003

Size "" / Size mm	10 ½	23.90
Height mm	1.90	
Total height mm	3.45	
Hand-fitting	1	
Jewels	8	
Date position	-	
Hour wheel	RL3301.211	
Stem	RL3000.169	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70/20	
Information	-	




RLM.1004

Size "" / Size mm	10 ½	23.90
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	1	
Jewels	10	
Date position	-	
Hour wheel	RL3301.211	
Stem	RL3000.169	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec	

RLM.1004.2

Total height mm	3.30
Hand-fitting	2
Hour wheel	RL3301.245




RLM.1005

Size "" / Size mm	10 ½	23.90
Height mm	1.90	
Total height mm	3.45	
Hand-fitting	1	
Jewels	8	
Date position	D3	
Hour wheel	RL3301.211	
Stem	RL3000.169	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70/20	
Information	-	




RLM.1005/6

Date position	D6
---------------	----



RLM.1006

Size''' / Size mm	10 ½	23.90
Height mm	1.90	
Total height mm	3.10	
Hand-fitting	1	
Jewels	8	
Date position	D3	
Hour wheel	RL3301.211	
Stem	RL3000.169	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70	
Information	-	




RLM.1012

Size''' / Size mm	11 ½	26.20
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.211	
Stem	RL3000.170	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70	
Information	-	



RLM.1006/6

Date position	D6
---------------	----



RLM.1013

Size''' / Size mm	11 ½	26.20
Height mm	1.90	
Total height mm	3.50	
Hand-fitting	1	
Jewels	8	
Date position	-	
Hour wheel	RL3301.211	
Stem	RL3000.170	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70/20	
Information	-	



RLM.1009

Size''' / Size mm	10 ½	23.90
Height mm	1.90	
Total height mm	3.10	
Hand-fitting	1	
Jewels	10	
Date position	D3	
Hour wheel	RL3301.211	
Stem	RL3000.169	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec	



RLM.1009/6

Date position	D6
---------------	----




RLM.1014

Size''' / Size mm	11 ½	26.20
Height mm	1.90	
Total height mm	3.50	
Hand-fitting	1	
Jewels	10	
Date position	-	
Hour wheel	RL3301.211	
Stem	RL3000.170	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec	



RLM.1015

Size ''' / Size mm	11 ½	26.20
Height mm	1.90	
Total height mm	3.50	
Hand-fitting	1	
Jewels	8	
Date position	D3	
Hour wheel	RL3301.211	
Stem	RL3000.170	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70/20	
Information	-	



RLM.1019

Size ''' / Size mm	11 ½	26.20
Height mm	1.90	
Total height mm	3.10	
Hand-fitting	1	
Jewels	10	
Date position	D3	
Hour wheel	RL3301.211	
Stem	RL3000.170	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec	



RLM.1015/6

Date position	D6
---------------	----



RLM.1032

Size ''' / Size mm	3 ¾ x 6	9.00 x 13.20
Height mm	1.95	
Total height mm	2.89	
Hand-fitting	0	
Jewels	7	
Date position	-	
Hour wheel	RL3301.164	
Stem	RL3000.142	
Battery	317 / SR516SW	
Hands fitting Ø mm	80/40	
Information	-	



RLM.1016

Size ''' / Size mm	11 ½	26.20
Height mm	1.90	
Total height mm	3.10	
Hand-fitting	1	
Jewels	8	
Date position	D3	
Hour wheel	RL3301.211	
Stem	RL3000.170	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70	
Information	-	

RLM.1032.1

Total height mm	3.10
Hand-fitting	1
Hour wheel	RL3301.189

RLM.1032.2

Total height mm	3.39
Hand-fitting	2
Hour wheel	RL3301.203

RLM.1032.3

Total height mm	3.79
Hand-fitting	3
Hour wheel	RL3301.191



RLM.1016/6

Date position	D6
---------------	----



RLM.1042

Size ''' / Size mm	4 ¼	10.40
Height mm	2.90	
Total height mm	4.08	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.240	
Stem	RL3000.176	
Battery	335 / SR512SW	
Hands fitting Ø mm	80/40	
Information	-	

RLM.1042.0

Total height mm	3.90	
Hand-fitting	0	
Hour wheel	RL3301.239	

RLM.1042.Z

Total height mm	Not available	
Hour wheel	RL3301.264	
Information	Hour wheel height 1.48	



RLM.1062

Size ''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	1	
Jewels	4	
Date position	-	
Hour wheel	RL3301.234	
Stem	RL3000.160	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70	
Information	-	

RLM.1062.0

Total height mm	2.83	
Hand-fitting	0	
Hour wheel	RL3301.208	

RLM.1062.2

Total height mm	3.25	
Hand-fitting	2	
Hour wheel	RL3301.212	



RLM.1063


Size ''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.234	
Stem	RL3000.160	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/20	
Information	-	

RLM.1063.0

Total height mm	2.80	
Hand-fitting	0	
Hour wheel	RL3301.208	

RLM.1063.2

Total height mm	3.45	
Hand-fitting	2	
Hour wheel	RL3301.212	



RLM.1064


Size "" / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	1	
Jewels	6	
Date position	-	
Hour wheel	RL3301.234	
Stem	RL3000.160	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec	

RLM.1064.2

Total height mm	3.25	
Hand-fitting	2	
Hour wheel	RL3301.212	

RLM.1064.Z

Total height mm	Not available	
Hand-fitting	Z	
Hour wheel	RL3301.265	



RLM.1069

Size "" / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.30	
Total height mm	3.88	
Hand-fitting	1	
Jewels	6	
Date position	-	
Hour wheel	RL3301.220.FI	
Stem	RL3000.160	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec	

RLM.1069.0

Total height mm	3.68	
Hand-fitting	0	
Hour wheel	RL3301.208	

RLM.1069.2

Total height mm	3.98	
Hand-fitting	2	
Hour wheel	RL3301.212	




RLM.3520.D

Size "" / Size mm	10 ½ x 11 ½	23.90 x 25.60
Height mm	4.90	
Total height mm	7.50	
Hand-fitting	1	
Jewels	4	
Date position	D3	
Hour wheel	RL3301.317	
Stem	RL3000.205	
Battery	384 / SR41SW	
Hands fitting Ø mm	150/90/80/40/25/20	
Information	Small Sec at 6, 30 Min and 12 Hrs at 12	




RLM.3540.D

Size "" / Size mm	10 ½ x 11 ½	23.90 x 25.60
Height mm	4.90	
Total height mm	7.50	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.317	
Stem	RL3000.205	
Battery	384 / SR41SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Small Sec at 6, 30 Min at 9, 1/2 Sec at 12	



RLM.4002.B

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	5.50	
Hand-fitting	0	
Jewels	5	
Date position	BD12 (big date)	
Hour wheel	RL3301.285	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90	
Information	-	



RLM.4003.B/6

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	5.90	
Hand-fitting	0	
Jewels	5	
Date position	BD6 (big date)	
Hour wheel	RL3301.285	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25	
Information	-	



RLM.4003.B/12

Date position	BD12 (big date)
---------------	-----------------



RLM.4120.B

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.95	
Hand-fitting	2	
Jewels	7	
Date position	BD6 (big date)	
Hour wheel	RL3301.243	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/20	
Information	Small Sec at 3, Alarm at 9	



RLM.4120.B/12

Date position	BD12 (big date)
---------------	-----------------



RLM.4210.B

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.90	
Hand-fitting	2	
Jewels	8	
Date position	BD12 (big date)	
Hour wheel	RL3301.243	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/25	
Information	Dual Time at 6	



CHRONO
RLM.4220.B

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.35	
Hand-fitting	2	
Jewels	7	
Date position	BD6 (big date)	
Hour wheel	RL3301.243	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/20	
Information	Small Sec at 3, Dual Time at 9	



CHRONO
RLM.5021.D

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.75	
Hand-fitting	1	
Jewels	10	
Date position	D6	
Hour wheel	RL3301.241	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20	
Information	Small Sec at 3, 30 Min at 9	



CHRONO
RLM.5010.B

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	7.00	
Hand-fitting	2	
Jewels	10	
Date position	BD12 (big date)	
Hour wheel	RL3301.242	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/25	
Information	30 Min and 12 Hrs at 6	



RLM.503

Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.46	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.229	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



CHRONO
RLM.5020.B

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.90	
Hand-fitting	2	
Jewels	10	
Date position	BD6 (big date)	
Hour wheel	RL3301.242	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/25/20	
Information	Small Sec at 3, 30 Min and 12 Hrs at 9	



CHRONO
RLM.5030.D

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.75	
Hand-fitting	1	
Jewels	13	
Date position	D4	
Hour wheel	RL3301.241	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Small Sec at 3, 12 Hrs at 6, 30 Min at 9	



CHRONO

RLM.5030.D/12

Date position | D12



CHRONO

RLM.5030.D/4RH

Date position | D4 (round)



CHRONO

RLM.5040.B/12

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.65	
Hand-fitting	1	
Jewels	13	
Date position	BD12 (big date)	
Hour wheel	RL3301.241	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Small Sec at 3, 1/10 Sec at 6, 30 Min at 9	

CHRONO

RLM.5040.BN/12

Date position | BD12 (black big date)



CHRONO

RLM.5040.D



Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.65	
Hand-fitting	1	
Jewels	13	
Date position	D4	
Hour wheel	RL3301.241	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Small Sec at 3, 1/10 Sec at 6, 30 Min at 9	



CHRONO

RLM.5040.D/6

Date position | D6




CHRONO

RLM.5040.E

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.65	
Hand-fitting	1	
Jewels	13	
Date position	D&D12 (date/day)	
Hour wheel	RL3301.241	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Small Sec at 3, 1/10 Sec at 6, 30 Min at 9	



Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	7.18	
Hand-fitting	3	
Jewels	13	
Date position	D12M12 (day/month)	
Hour wheel	RL3301.247	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	250/150/90/25/20/20/20	
Information	Small Sec at 3, 1/10 Sec at 6, 30 Min at 9, Date by Center Hand	



Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.50	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.229	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	

RLM.505.2

Hand-fitting	2
Hour wheel	RL3301.230TA



Information	24 Hrs by Hand
-------------	----------------



Information	24 Hrs by Disc at 6
-------------	---------------------



Information	24 Hrs by Disc at 12
-------------	----------------------



Date position	D6
Information	24 Hrs by Hand

RLM.505.6

Hand-fitting	6
Hour wheel	RL3301.230TA



Date position	D6
---------------	----



Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	7.00	
Hand-fitting	2	
Jewels	13	
Date position	BD6	
Hour wheel	RL3301.242	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/25/20/20	
Information	Small Sec at 3, 1/10 Sec at 6, 30 Min and 12 Hrs at 9	



CHRONO

RLM.5050.C

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	7.00	
Hand-fitting	2	
Jewels	13	
Date position	BD6D12 (big date/day)	
Hour wheel	RL3301.242	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/25/20/20	
Information	Small Sec at 3, 1/10 Sec at 6, 30 Min and 12 Hrs at 9	



CHRONO

RLM.5051.C

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	7.00	
Hand-fitting	2	
Jewels	13	
Date position	BD12D6 (big date/day)	
Hour wheel	RL3301.242	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/25/20/20	
Information	Small Sec at 3, 1/10 Sec at 6, 30 Min and 12 Hrs at 9	



RLM.507/D1

Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.46	
Hand-fitting	1	
Jewels	1	
Date position	DD3 (day/date)	
Hour wheel	RL3301.231	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



RLM.507/D2

Date position	D6D6 (day/date)
---------------	-----------------



RLM.507/D3AL

Date position	D3D12 (day/date)
---------------	------------------




RLM.507/D4

Date position	D6D12 (day/date)
---------------	------------------



RLM.507/D5

Date position	D3D12 (day/date)
---------------	------------------



RLM.509/B1

Size ''' / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.46	
Hand-fitting	1	
Jewels	1	
Date position	BD3 (big date)	
Hour wheel	RL3301.231	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	




RLM.509/B3

Date position	BD6 (big date)
---------------	----------------

RLM.509.2

Total height mm	4.81
Hand-fitting	2
Hour wheel	RL3301.232



RLM.513

Size ''' / Size mm	11 ½	26.20
Height mm	3.00	
Total height mm	4.50	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.229	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	

RLM.513.2

Total height mm	4.81
Hand-fitting	2
Hour wheel	RL3301.230

RLM.513.6

Total height mm	5.30
Hand-fitting	6
Hour wheel	RL3301.237




RLM.5130.B

Size ''' / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	7.00	
Hand-fitting	2	
Jewels	13	
Date position	BD12 (big date)	
Hour wheel	RL3301.242	
Stem	RL3000.177	
Battery	395 / SR9276W	
Hands fitting Ø mm	150/90/80/80/40/40/25/20	
Information	Small Sec at 3, Hrs/Min Alarm at 6, 30 Min and 12 Hrs at 9	



RLM.5130.D

Size ''' / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	7.00	
Hand-fitting	2	
Jewels	13	
Date position	D4	
Hour wheel	RL3301.242	
Stem	RL3000.177	
Battery	395 / SR9275W	
Hands fitting Ø mm	150/90/80/80/40/40/25/20	
Information	Small Sec at 3, Hrs/Min Alarm at 6, 30 Min and 12Hrs at 9	



RLM.515

Size "" / Size mm	11 ½	26.20
Height mm	3.00	
Total height mm	4.46	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.229	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	

RLM.515.2

Total height mm	4.81
Hand-fitting	2
Hour wheel	RL3301.230



RLM.515.2/6

Total height mm	4.81
Hand-fitting	2
Date position	D6
Hour wheel	RL3301.230

RLM.515.6

Total height mm	5.31
Hand-fitting	6
Hour wheel	RL3301.237



RLM.515/4

Date position	D4
---------------	----



RLM.515/6

Date position	D6
---------------	----



RLM.515.24.D6/3

Size "" / Size mm	11 ½	26.20
Height mm	3.00	
Total height mm	4.46	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.237	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	24 Hrs by Disc at 6	



RLM.515.24.D12/3

Hour wheel	RL3301.222
Information	24 Hrs by Disc at 12



RLM.515.24.D12/6

Date position	D6
Hour wheel	RL3301.223
Information	24 Hrs by Disc at 12



RLM.515.24.H

Size "" / Size mm	11 ½	26.20
Height mm	3.00	
Total height mm	4.80	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.222	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	160/120/70/20	
Information	24 Hrs by Hand	



RLM.515.24.H/6.2

Total height mm	5.15
Hand-fitting	2
Date position	D6
Hour wheel	RL3301.223



RLM.5155

Size "" / Size mm	11 ½	26.20
Height mm	3.00	
Total height mm	4.46	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.229	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	Battery 24 Months	



RLM.517

Size "" / Size mm	11 ½	26.20
Height mm	3.00	
Total height mm	4.40	
Hand-fitting	1	
Jewels	1	
Date position	DD3 (day/date)	
Hour wheel	RL3301.231	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	

RLM.517.2

Total height mm	4.81
Hand-fitting	2
Hour wheel	RL3301.232



RLM.517/6

Date position	D3D6 (date/day)
Hour wheel	RL3301.229

RLM.517/BN

Date position	DD3 Black (day/date)
---------------	----------------------

RLM.517/BN.2

Total height mm	4.81
Hand-fitting	2
Date position	DD3 Black (day/date)
Hour wheel	RL3301.232

RLM.517/D1

Hour wheel	RL3301.229
------------	------------



RLM.517/D2

Date position	DD6 (day/date)
Hour wheel	RL3301.229



RLM.517/D3/ALL

Date position	D3D12 (date/day)
Hour wheel	RL3301.229

RLM.517/D3/J12

Date position	D3D12 (date/day)
Hour wheel	RL3301.229



RLM.517/D4

Date position	D6D12 (date/day)
Hour wheel	RL3301.229



RLM.517/D5

Date position	D3D12 (date/day)
Hour wheel	RL3301.229




RLM.517/D6

Date position	D6D12 (date/day)
Hour wheel	RL3301.229



RLM.519/6

Date position	BD6 (big date)
---------------	----------------



RLM.519

Size "" / Size mm	11 1/2	26.20
Height mm	3.00	
Total height mm	4.45	
Hand-fitting	1	
Jewels	1	
Date position	BD3 (big date)	
Hour wheel	RL3301.231	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	

RLM.519.2

Total height mm	4.81
Hand-fitting	2
Hour wheel	RL3301.232



RLM.519/4

Date position	BD4 (big date)
---------------	----------------



RLM.583

Size "" / Size mm	8 3/4	20.00
Height mm	3.00	
Total height mm	4.45	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.197	
Stem	RL3000.168	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70//20	
Information	-	



RLM.585

Size "" / Size mm	8 3/4	20.00
Height mm	3.00	
Total height mm	4.45	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.199	
Stem	RL3000.168	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70//20	
Information	-	

RLM.585.2

Total height mm	4.80
Hand-fitting	2
Hour wheel	RL3301.200



RLM.585/6

Date position	D6
---------------	----



RLM.6004.B

Size "" / Size mm	11 ½	26.20
Height mm	3.30	
Total height mm	4.70	
Hand-fitting	1	
Jewels	5	
Date position	BD12 (big date)	
Hour wheel	RL3301.271	
Stem	RL3000.189	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70//20	
Information	Small Sec at 6	



RLM.6003.B

Size "" / Size mm	11 ½	26.20
Height mm	3.30	
Total height mm	5.80	
Hand-fitting	1	
Jewels	4	
Date position	BD12 (big date)	
Hour wheel	RL3301.271	
Stem	RL3000.189	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70//20	
Information	-	



RLM.6004.D

Size "" / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.271	
Stem	RL3000.189	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70//20	
Information	Small Sec at 6	



RLM.6003.D

Size "" / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	4.00	
Hand-fitting	1	
Jewels	4	
Date position	D3	
Hour wheel	RL3301.271	
Stem	RL3000.189	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70//20	
Information	-	




RLM.6203.B

Size "" / Size mm	11 ½	26.20
Height mm	3.30	
Total height mm	5.40	
Hand-fitting	1	
Jewels	5	
Date position	BD12 (big date)	
Hour wheel	RL3301.273	
Stem	RL3000.189	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70/80/40/20	
Information	Dual Time at 6	



RLM.7003.B

Size "" / Size mm	15	34.60
Height mm	5.60	
Total height mm	7.96	
Hand-fitting	1	
Jewels	5	
Date position	BD12 (big date)	
Hour wheel	RL3301.296	
Stem	RL3000.194	
Battery	381 / SR1120SW	
Hands fitting Ø mm	150/90/25	
Information	-	




RLM.7004.B

Size "" / Size mm	15	34.60
Height mm	5.60	
Total height mm	7.35	
Hand-fitting	1	
Jewels	6	
Date position	BD12 (big date)	
Hour wheel	RL3301.296	
Stem	RL3000.194	
Battery	381 / SR1120SW	
Hands fitting Ø mm	150/90/20	
Information	Small Sec at 6	



RLM.7003.L

Size "" / Size mm	15	34.60
Height mm	5.60	
Total height mm	7.96	
Hand-fitting	1	
Jewels	5	
Date position	BD12 (big date)	
Hour wheel	RL3301.296	
Stem	RL3000.194	
Battery	381 / SR1120SW	
Hands fitting Ø mm	150/90/25/20	
Information	Retro Day at 6	



RLM.7004.N

Size "" / Size mm	15	34.60
Height mm	5.60	
Total height mm	7.33	
Hand-fitting	1	
Jewels	6	
Date position	BD6 (big date)	
Hour wheel	RL3301.296	
Stem	RL3000.194	
Battery	381 / SR1120SW	
Hands fitting Ø mm	150/90/20/20	
Information	Small Sec at 6, Retro Day at 12	



RLM.7003.N

Size "" / Size mm	15	34.60
Height mm	5.60	
Total height mm	7.96	
Hand-fitting	1	
Jewels	5	
Date position	BD6 (big date)	
Hour wheel	RL3301.296	
Stem	RL3000.194	
Battery	381 / SR1120SW	
Hands fitting Ø mm	150/90/25/20	
Information	Retro Day at 12	



RLM.7004.P

Size "" / Size mm	15	34.60
Height mm	5.60	
Total height mm	7.33	
Hand-fitting	1	
Jewels	6	
Date position	BD1 (big date)	
Hour wheel	RL3301.296	
Stem	RL3000.194	
Battery	381 / SR1120SW	
Hands fitting Ø mm	150/90/20/20	
Information	Small Sec at 6, Retro Day at 10	



RLM.702

Size "" / Size mm	10 ½	23.90
Height mm	2.50	
Total height mm	3.58	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.134	
Stem	RL3000.131	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70	
Information	-	



RLM.703

Size "" / Size mm	10 ½	23.90
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.134	
Stem	RL3000.131	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



RLM.704

Size "" / Size mm	10 ½	23.90
Height mm	2.50	
Total height mm	3.25	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.131	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70	
Information	-	



RLM.704/6

Date position	D6
---------------	----



RLM.705/3

Size "" / Size mm	10 ½	23.90
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.131	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70/20	
Information	-	

RLM.705/3.0

Total height mm	3.67
Hand-fitting	0
Hour wheel	RL3301.140

RLM.705/3.2

Total height mm	4.12
Hand-fitting	2
Hour wheel	RL3301.172

RLM.705/3.3

Total height mm	4.45
Hand-fitting	3
Hour wheel	RL3301.186

RLM.705/3.4

Total height mm	4.79
Hand-fitting	4
Hour wheel	RL3301.178

RLM.705/3.5

Total height mm	6.45
Hand-fitting	5
Hour wheel	RL3301.168

RLM.705/3.6

Total height mm	Not available
Hand-fitting	6
Hour wheel	RL3301.193



RLM.705/4

Date position	D4
---------------	----



RLM.705/6

Date position	D6
---------------	----

RLM.705/6.2

Total height mm	4.12
Hand-fitting	2
Date position	D6
Hour wheel	RL3301.172



RLM.706.1

Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.84	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.254	
Stem	RL3000.131	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20/20/20	
Information	Date at 3, Moon at 6, Day at 9	




RLM.706.3

Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.84	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.254	
Stem	RL3000.131	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20/20/20/20	
Information	Date at 3, Moon at 6, Day at 9, Month at 12	




RLM.706.B1

Size "" / Size mm	10 ½	23.90
Height mm	3.70	
Total height mm	6.50	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.255	
Stem	RL3000.131	
Battery	371 / SR920SW	
Hands fitting Ø mm	180/120/70/20/20	
Information	Date at 3, Moon at 6, Day at 9, Week and Month by Hand	



RLM.708/6/PH.L

Size "" / Size mm	10 ½	23.90
Height mm	2.98	
Total height mm	4.50	
Hand-fitting	1	
Jewels	5	
Date position	D6	
Hour wheel	RL3301.138	
Stem	RL3000.131	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	Month at 12	




RLM.712

Size ''' / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	3.64	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.134	
Stem	RL3000.155	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70	
Information	-	



RLM.714

Size ''' / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	3.58	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.155	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70	
Information	-	



RLM.713

Size ''' / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	3.97	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.132	
Stem	RL3000.155	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	

RLM.713.2

Total height mm	4.17
Hand-fitting	2
Hour wheel	RL3301.172C0

RLM.713.4

Total height mm	4.84
Hand-fitting	4
Hour wheel	RL3301.178



RLM.714/6

Date position	D6
---------------	----



RLM.715

Size ''' / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.155	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	

RLM.715.2

Total height mm	4.12
Hand-fitting	2
Hour wheel	RL3301.172

RLM.715.3

Total height mm	4.45
Hand-fitting	3
Hour wheel	RL3301.186

RLM.715.4

Total height mm	4.79
Hand-fitting	4
Hour wheel	RL3301.178

RLM.715.5

Total height mm	6.45
Hand-fitting	5
Hour wheel	RL3301.168

RLM.715.6

Total height mm	Not available
Hand-fitting	6
Hour wheel	RL3301.193



RLM.715/4

Date position	D4
---------------	----



RLM.715/6

Date position	D6
---------------	----



RLM.715/6.2

Total height mm	4.12
Hand-fitting	2
Date position	D6
Hour wheel	RL3301.172



RLM.715LI/3

Size "" / Size mm	11 ½	26.20
Height mm	4.60	
Total height mm	3.90	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.155	
Battery	CR2016	
Hands fitting Ø mm	120/70/20	
Information	Lithium Battery	



RLM.751

Size "" / Size mm	5 ½ x 6 ¾	13.00 x 15.55
Height mm	2.50	
Total height mm	3.60	
Hand-fitting	1	
Jewels	4	
Date position	-	
Hour wheel	RL3301.133	
Stem	RL3000.132	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70	
Information	-	

RLM.751.0

Total height mm	3.45
Hand-fitting	0
Hour wheel	RL3301.135

RLM.751.2


Total height mm	3.80
Hand-fitting	2
Hour wheel	RL3301.149

RLM.751.3

Total height mm	4.80
Hand-fitting	3
Hour wheel	RL3301.148

RLM.751.4

Total height mm	5.20
Hand-fitting	4
Hour wheel	RL3301.204



RLM.751E

Size "" / Size mm	5 1/2 x 6 3/4	13.00 x 15.55
Height mm	2.50	
Total height mm	3.73	
Hand-fitting	1	
Jewels	4	
Date position	-	
Hour wheel	RL3301.176	
Stem	RL3000.132	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70	
Information	-	

RLM.751E.0

Total height mm	3.53
Hand-fitting	0
Hour wheel	RL3301.209

RLM.751E.3

Total height mm	4.23
Hand-fitting	3
Hour wheel	RL3301.219




RLM.751B/5820

Size "" / Size mm	5 1/2 x 6 3/4	13.00 x 15.15
Height mm	2.21	
Total height mm	4.26	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	Not available	
Stem	FE51020.5120	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70	
Information	-	



RLM.751E.3/5820

Size "" / Size mm	5 1/2 x 6 3/4	13.00 x 15.15
Height mm	2.21	
Total height mm	4.16	
Hand-fitting	3	
Jewels	4	
Date position	-	
Hour wheel	Information not available	
Stem	FE51020.5120	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70	
Information	-	



RLM.753

Size "" / Size mm	5 1/2 x 6 3/4	13.00 x 15.55
Height mm	2.50	
Total height mm	3.78	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.133	
Stem	RL3000.132	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70/20	
Information	-	

RLM.753.2

Total height mm	4.15
Hand-fitting	2
Hour wheel	RL3301.149

RLM.753.3

Total height mm	4.52
Hand-fitting	3
Hour wheel	RL3301.215

RLM.753.4

Total height mm	5.55
Hand-fitting	4
Hour wheel	RL3301.204

RLM.753.5

Total height mm	6.15
Hand-fitting	5
Hour wheel	RL3301.154



RLM.762

Size''' / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.50	
Total height mm	3.70	
Hand-fitting	1	
Jewels	4	
Date position	-	
Hour wheel	RL3301.133	
Stem	RL3000.132	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	

RLM.762.0

Hand-fitting	3.45	
Hour wheel	0	
Information	RL3301.135	

RLM.762.2

Hand-fitting	3.80	
Hour wheel	2	
Information	RL3301.149	

RLM.762.3


Hand-fitting	4.30	
Hour wheel	3	
Information	RL3301.148	

RLM.762.4

Hand-fitting	5.20	
Hour wheel	4	
Information	RL3301.204	


RLM.762.5

Hand-fitting	5.80	
Hour wheel	5	
Information	RL3301.154	



RLM.762B/6320

Size''' / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	3.25	
Total height mm	4.26	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	Not available	
Stem	FE51020.6320	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	



RLM.763

Size''' / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.50	
Total height mm	3.95	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.133	
Stem	RL3000.132	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/20	
Information	-	

RLM.763.0

Total height mm	3.70	
Hand-fitting	0	
Hour wheel	RL3301.135	

RLM.763.2

Total height mm	4.15	
Hand-fitting	2	
Hour wheel	RL3301.149	

RLM.763.3

Total height mm	4.52	
Hand-fitting	3	
Hour wheel	RL3301.148	

RLM.763.4

Total height mm	5.55
Hand-fitting	4
Hour wheel	RL3301.204



RLM.763.5

Total height mm	6.15
Hand-fitting	5
Hour wheel	RL3301.216

RLM.763.6

Total height mm	5.10
Hand-fitting	6
Hour wheel	RL3301.217

Size "" / Size mm	7 3/4	17.50
Height mm	2.50	
Total height mm	3.58	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.134	
Stem	RL3000.131	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70/20	
Information	-	



RLM.772

Size "" / Size mm	7 3/4	17.50
Height mm	2.50	
Total height mm	3.58	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.134	
Stem	RL3000.131	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	



RLM.774

Size "" / Size mm	7 3/4	17.50
Height mm	2.50	
Total height mm	3.97	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.131	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	

RLM.772.3

Total height mm	3.90
Hand-fitting	3
Hour wheel	RL3301.174

RLM.772.6

Total height mm	4.63
Hand-fitting	6
Hour wheel	RL3301.202



RLM.774/6

Date position	D6
---------------	----



RLM.775/3

Size ''' / Size mm	7 ¾	17.50
Height mm	2.50	
Total height mm	3.92	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.131	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/20	
Information	-	

RLM.775/3.0

Hand-fitting	3.67	
Hour wheel	0	
Information	RL3301.140	

RLM.775.2

Hand-fitting	4.12	
Hour wheel	2	
Information	RL3301.171	

RLM.775.3

Hand-fitting	4.44	
Hour wheel	3	
Information	RL3301.186	

RLM.775.4

Hand-fitting	4.79	
Hour wheel	4	
Information	RL3301.178	




RLM.775/4H30

Date position	D4H30	
---------------	-------	--



RLM.775/6

Date position	D6	
---------------	----	--




RLM.782

Size ''' / Size mm	8 ¾	20.00
Height mm	2.50	
Total height mm	3.58	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.134	
Stem	RL3000.131	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70	
Information	-	

RLM.782.3

Total height mm	3.90	
Hand-fitting	3	
Hour wheel	RL3301.174	



RLM.783

Size ''' / Size mm	8 ¾	20.00
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	3	
Jewels	5	
Date position	-	
Hour wheel	RL3301.134	
Stem	RL3000.131	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70/20	
Information	-	

RLM.783.2

Total height mm	4.17
Hand-fitting	2
Hour wheel	RL3301.171

RLM.783.4

Total height mm	5.50
Hand-fitting	4
Hour wheel	RL3301.180



RLM.785/3

Size "" / Size mm	8 ¾	20.00
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.131	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70/20	
Information	-	



RLM.784

Size "" / Size mm	8 ¾	20.00
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.134	
Stem	RL3000.131	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70	
Information	-	



RLM.784/6

Date position	D6
---------------	----

RLM.785/3.2

Total height mm	4.12
Hand-fitting	2
Hour wheel	RL3301.172

RLM.785/3.3

Total height mm	4.44
Hand-fitting	3
Hour wheel	RL3301.186

RLM.785/3.6

Total height mm	4.79
Hand-fitting	6
Hour wheel	RL3301.134



RLM.785/6


Date position	D6
Hour wheel	RL3301.134

RLM.785/6.0

Total height mm	3.35
Hand-fitting	0
Date position	D6
Hour wheel	RL3301.140

RLM.785/6.2

Total height mm	3.78
Hand-fitting	2
Date position	D6
Hour wheel	RL3301.172



CHRONO


RLM.8040.N

Size "" / Size mm	15	34.60
Height mm	5.60	
Total height mm	8.21	
Hand-fitting	1	
Jewels	13	
Date position	BD6 (big date)	
Hour wheel	RL3301.292	
Stem	RL3000.203	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20/20/20	
Information	1/10 Sec at 3, Small Sec at 6, 30 Min at 9, Retro Day at 12	




RLM.788/6PH.L

Size "" / Size mm	8 3/4	20.00
Height mm	2.98	
Total height mm	4.50	
Hand-fitting	1	
Jewels	5	
Date position	D6	
Hour wheel	RL3301.138	
Stem	RL3000.131	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70/20	
Information	Month at 12	



RLM.R150

Size "" / Size mm	11 1/2	26
Height mm	4.40	
Total height mm	Information not available	
Hand-fitting	1	
Jewels	25	
Date position	D3	
Hour wheel	Information not available	
Stem	Information not available	
Battery	-	
Hands fitting Ø mm	Information not available	
Information	Automatic	



CHRONO

RLM.8040.B

Size "" / Size mm	15	34.60
Height mm	5.60	
Total height mm	8.21	
Hand-fitting	1	
Jewels	13	
Date position	BD12 (big date)	
Hour wheel	RL3301.292	
Stem	RL3000.203	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	1/10 Sec at 3, Small Sec at 6, 30 Min at 9	



CHRONO

RLM.Z50

Size "" / Size mm	13 1/4	30.6
Height mm	4.60	
Total height mm	6.78	
Hand-fitting	1	
Jewels	0	
Date position	D6	
Hour wheel	NC	
Stem	RL3000.208	
Battery	395	
Hands fitting Ø mm	150/90/25/20/20	
Information	Small Sec at 3, Min counter at 9	

RONDA (SWISS MADE)



CHRONO

RLM.Z60

Size''' / Size mm	13 ¼	30.60
Height mm	4.60	
Total height mm	6.90	
Hand-fitting	1	
Jewels	0	
Date position	D4	
Hour wheel	RL3301.332TA	
Stem	RL3000.208	
Battery	317 / SR516SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Small Sec at 2, 30 Min at 6, Day at 10	