




# RONDA

SWISS PARTS





### RLMP.1032

Size''' / Size mm	3 ¾ x 6	9.00 x 13.20
Height mm	1.95	
Total height mm	2.36	
Hand-fitting	0	
Jewels	7	
Date position	-	
Hour wheel	RL3301.240	
Stem	RL3000.164	
Battery	317 / SR516SW	
Hands fitting Ø mm	80/40	
Information	-	

### RLMP.1032.1

Hand-fitting	1
--------------	---



### RLMP.1062

Size''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.234	
Stem	RL3000.160	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70	
Information	-	



### RLMP.1063

Size''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	1.90	
Total height mm	3.30	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.207	
Stem	RL3000.160	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/20	
Information	-	

### RLMP.1063.0

Total height mm	3.05
Hand-fitting	0
Hour wheel	RL3301.208



### RLMP.1042

Size''' / Size mm	4 ¼	10.40
Height mm	2.90	
Total height mm	4.08	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.240	
Stem	RL3000.176	
Battery	335 / SR512SW	
Hands fitting Ø mm	80/40	
Information	-	



**RLMP.1064**

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	1	
Jewels	2	
Date position	-	
Hour wheel	RL3301.234	
Stem	RL3000.160	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec	



**RLMP.1069**

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.30	
Total height mm	3.88	
Hand-fitting	1	
Jewels	2	
Date position	-	
Hour wheel	RL3301.220.R	
Stem	RL3000.160	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec	

**RLMP.1069.0**

Total height mm	3.68
Hand-fitting	0
Hour wheel	RL3301.285

**RLMP.1069.2**

Total height mm	3.98
Hand-fitting	2
Hour wheel	RL3301.224



**RLMP.4120B**

Size "" / Size mm	12 1/2	28.60
Height mm	4.40	
Total height mm	6.95	
Hand-fitting	2	
Jewels	3	
Date position	BD6 (big date)	
Hour wheel	RL3301.243	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/25	
Information	Small Sec at 3, Alarm at 9	




**RLMP.4210B**

Size "" / Size mm	12 1/2	28.60
Height mm	4.40	
Total height mm	6.90	
Hand-fitting	2	
Jewels	4	
Date position	BD12 (big date)	
Hour wheel	RL3301.243	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/25	
Information	Dual Time at 6	




**RLMP.5020B**

Size "" / Size mm	12 1/2	28.60
Height mm	4.40	
Total height mm	6.90	
Hand-fitting	2	
Jewels	5	
Date position	BD6 (big date)	
Hour wheel	RL3301.242	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/25/20	
Information	Small Sec at 3, 30 Min and 12 Hrs at 9	




**RLMF.5021D**

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.75	
Hand-fitting	1	
Jewels	5	
Date position	D6	
Hour wheel	RL3301.241	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20	
Information	Small Sec at 3, 30 Min at 9	



**RLMF.503**

Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.46	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.229	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	




**RLMF.5030D**

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.75	
Hand-fitting	1	
Jewels	6	
Date position	D4	
Hour wheel	RL3301.241	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Small Sec at 3, 12 Hrs at 6, 30 Min at 9	




**RLMF.5030D/6**

Date position	D6
---------------	----



**RLMF.5040B**

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.65	
Hand-fitting	1	
Jewels	6	
Date position	BD12 (big date)	
Hour wheel	RL3301.241	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Small Sec at 3, 1/10 Sec at 6, 30 Min at 9	



**RLMF.5040D**

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.65	
Hand-fitting	1	
Jewels	6	
Date position	D4	
Hour wheel	RL3301.241	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Small Sec at 3, 1/10 Sec at 6, 30 Min at 9	



**RLMP.505**

Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.50	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.229	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	




**RLMP.505/6**

Date position	D6	
---------------	----	--



**RLMP.507/6**

Date position	D6D6 (day/date)	
---------------	-----------------	--




**RLMP.512**

Size "" / Size mm	11 ½	26.20
Height mm	3	
Total height mm	4.12	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	R3301.229	
Stem	RL3000.163	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70	
Information	-	



**RLMP.507**

Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.46	
Hand-fitting	1	
Jewels	1	
Date position	D3D3 (day/date)	
Hour wheel	RL3301.231	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



**RLMP.515**

Size "" / Size mm	11 ½	26.20
Height mm	3.00	
Total height mm	4.46	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.229	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



## RLMP.515/6

Date position	D6
---------------	----



## RLMP.585

Size "" / Size mm	8 3/4	20.00
Height mm	3.00	
Total height mm	4.45	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.199	
Stem	RL3000.168	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70/20	
Information	-	



## RLMP.517

Size "" / Size mm	11 1/2	26.20
Height mm	3.00	
Total height mm	4.45	
Hand-fitting	1	
Jewels	1	
Date position	D3D3 (day/date)	
Hour wheel	RL3301.231	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



## RLMP.585/6

Date position	D6
---------------	----




## RLMP.519

Size "" / Size mm	11 1/2	26.20
Height mm	3.00	
Total height mm	4.45	
Hand-fitting	1	
Jewels	1	
Date position	BD3 (big date)	
Hour wheel	RL3301.231	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	




## RLMP.6003B

Size "" / Size mm	11 1/2	26.20
Height mm	3.30	
Total height mm	4.80	
Hand-fitting	1	
Jewels	1	
Date position	BD12 (big date)	
Hour wheel	RL3301.271	
Stem	RL3000.189	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70/20	
Information	-	



### RLMP.705

Size "" / Size mm	10 ½	23.90
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.131	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



### RLMP.6004B

Size "" / Size mm	11 ½	26.20
Height mm	3.30	
Total height mm	4.70	
Hand-fitting	1	
Jewels	1	
Date position	BD12 (big date)	
Hour wheel	RL3301.272	
Stem	RL3000.189	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec	




### RLMP.705/6

Date position	D6
---------------	----




### RLMP.6203B

Size "" / Size mm	11 ½	26.20
Height mm	3.30	
Total height mm	5.40	
Hand-fitting	1	
Jewels	1	
Date position	BD12 (big date)	
Hour wheel	RL3301.273	
Stem	RL3000.189	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70/80/40/20	
Information	Dual Time at 6	



### RLMP.706

Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.84	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.254	
Stem	RL3000.131	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20/20/20	
Information	Date at 3, Moon at 6, Day at 9	




**RLMP.713**

Size "" / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	3.97	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.134	
Stem	RL3000.155	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



**RLMP.751**

Size "" / Size mm	5 ½	13.00 x 15.55
Height mm	2.50	
Total height mm	3.60	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.133	
Stem	RL3000.132	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70	
Information	-	



**RLMP.715**

Size "" / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.155	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



**RLMP.753**

Size "" / Size mm	5 ½	13.00 x 15.55
Height mm	2.50	
Total height mm	3.93	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.133	
Stem	RL3000.132	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70/20	
Information	-	



**RLMP.715/6**


Date position	D6
---------------	----



**RLMP.762**

Size "" / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.50	
Total height mm	3.70	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.133	
Stem	RL3000.132	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	





## RLMP.763

Size ''' / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.50	
Total height mm	3.95	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.133	
Stem	RL3000.132	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/20	
Information	-	




## RLMP.775/6

Date position	D6
---------------	----




## RLMP.774

Size ''' / Size mm	7 3/4	17.50
Height mm	2.50	
Total height mm	3.97	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.132	
Stem	RL3000.131	
Battery	364/SR621SW	
Hands fitting Ø mm	120/70	
Information	-	



## RLMP.783

Size ''' / Size mm	8 3/4	20.00
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.134	
Stem	RL3000.131	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70/20	
Information	-	



## RLMP.775

Size ''' / Size mm	7 3/4	17.50
Height mm	2.50	
Total height mm	3.92	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.131	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/20	
Information	-	



## RLMP.784

Size ''' / Size mm	8 3/4	20.00
Height mm	2.50	
Total height mm	3.58	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.131	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70	
Information	-	



**RLMP.784/6**

<b>Date position</b>	D6
----------------------	----



**RLMP.785**

<b>Size''' / Size mm</b>	8 ¾	20.00
<b>Height mm</b>	2.50	
<b>Total height mm</b>	3.90	
<b>Hand-fitting</b>	1	
<b>Jewels</b>	1	
<b>Date position</b>	D3	
<b>Hour wheel</b>	RL3301.142	
<b>Stem</b>	RL3000.131	
<b>Battery</b>	362 / SR721SW	
<b>Hands fitting Ø mm</b>	120/70/20	
<b>Information</b>	-	



**RLMP.785/6**

<b>Date position</b>	D6
----------------------	----