


# MIYOTA




# HIGH HAND SERIES


## BASIC




## SLIM / SMALL



## 6P SERIES




JS SERIES




JS05/JS06




JS15/JS16



JS25/JS26




JS05/JS15/JS25




JS06/JS16/JS26

OS SERIES



OS10/OS1A/OS1F




OS10


OS1A

OS1F

New




OS00/OS06




OS00

OS06



OS20/OS2B/OS2A/OS2F




OS20

OS2B

OS2A


OS2F

New




OS1F


FS SERIES



FS00/FS03




FS01/FS04




FS00/FS01

FS03/FS04




FS10/FS13




FS10

FS13



FS20/FS23



FS20

FS23



CHRONO

**MYM.0S00**

Size "" / Size mm	13 ½	30.80
Height mm	5.10	
Total height mm	6.95	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.A71	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, Hour at 9, 60 Min at 12	



CHRONO

**MYM.0S11**

Size "" / Size mm	13 ½	30.80
Height mm	4.13	
Total height mm	5.96	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.392	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26	
Information	Small Sec at 6, 60 Min at 12	



CHRONO

**MYM.0S10**

Size "" / Size mm	13 ½	30.80
Height mm	4.13	
Total height mm	5.96	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.392	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, Hour at 9, 60 Min at 12	



CHRONO

**MYM.0S20**

Size "" / Size mm	13 ½	30.80
Height mm	5.10	
Total height mm	6.95	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.523	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, Small Sec at 6, 60 Min at 9	



CHRONO

**MYM.0S10/4H**

Date position	D4
---------------	----



CHRONO

**MYM.0S10/6**

Date position	D6
---------------	----

CHRONO

**MYM.0S1A**

Total height mm	6.51
Hand-fitting	High Version of MYM.0S10
Hour wheel	MY075.472



CHRONO

**MYM.0S20/12**

Date position	D12
---------------	-----



CHRONO

**MYM.0S20/6**

Date position	D6
---------------	----

**CHRONO**

**MYM.0S2A**

Total height mm	7.40
Hand-fitting	High Version of MYM.0S20
Hour wheel	MY075.A38



**CHRONO**

**MYM.0S2B**

Total height mm	7.40
Hand-fitting	High Version of MYM.0S20
Hour wheel	MY075.A38



**CHRONO**

**MYM.0S22**


Size''' / Size mm	13 ½	30.80
Height mm	5.10	
Total height mm	6.95	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.523	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, Retro 1/20 Sec at 6, 60 Min at 9	



**CHRONO**

**MYM.0S21**

Size''' / Size mm	13 ½	30.80
Height mm	5.10	
Total height mm	6.95	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.523	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, 60 Min at 9	



**CHRONO**

**MYM.0S25**

Size''' / Size mm	13 ½	30.80
Height mm	5.10	
Total height mm	6.93	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.523	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, 1/20 Sec at 6, 60 Min at 9	

**CHRONO**

**MYM.0S21/6**

Date position	D6
---------------	----



**CHRONO**

**MYM.0S30**


Size''' / Size mm	13 ½	30.80
Height mm	4.13	
Total height mm	5.95	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.392	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, Hour at 9, Min at 12	



**CHRONO**

**MYM.0S60**

Size "" / Size mm	13 ½	30.80
Height mm	4.13	
Total height mm	5.95	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.392	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	1/20 Sec at 6, 12 Hrs at 9, 60 Min at 12	



**CHRONO**

**MYM.0S62**

Size "" / Size mm	13 ½	30.80
Height mm	4.13	
Total height mm	5.96	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.392	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro 1/20 at 6, 12 Hrs at 9, 60 Min at 12	



**CHRONO**

**MYM.0S60/4H**

Date position	D4
---------------	----



**CHRONO**

**MYM.0S60/4V**

Date position	D4
---------------	----



**CHRONO**

**MYM.0S60/6**

Date position	D6
---------------	----



**CHRONO**

**MYM.0S80**


Size "" / Size mm	13 ½	30.80
Height mm	4.68	
Total height mm	6.96	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.477	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26/-/-	
Information	1/20 Sec at 6, 12 Hrs at 9, 60 Min at 12, Alarm	



**CHRONO**

**MYM.0S80/4**

Date position	D4
---------------	----



**CHRONO**  
**MYM.0S90**

Size "" / Size mm	13 ½	30.80
Height mm	4.13	
Total height mm	5.95	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.392	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, 24 Hrs at 9, 60 Min at 12	



**MYM.1L02**

Size "" / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.94	
Total height mm	4.21	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.454	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.1L12**

Size "" / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.71	
Total height mm	3.98	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.1L12/6**

Date position	D6
---------------	----



**MYM.1L15**


Size "" / Size mm	6 ¾ x 8	15.30 x 17.80
Height mm	2.71	
Total height mm	3.73	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	



**MYM.1L15/6**


Date position	D6
---------------	----





### MYM.1L22

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.15	
Total height mm	3.16	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.446	
Stem	MY065.477	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70	
Information	-	



### MYM.1L40

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.93	
Total height mm	4.39	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.467	
Stem	MY065.477	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	Small Sec at 6 (5.00 from Centre)	


### MYM.1L26

Total height mm	3.61
Hand-fitting	High Version of MYM.1L22
Hour wheel	MY075.467



### MYM.1L45

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.93	
Total height mm	4.39	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.467	
Stem	MY065.477	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	Small Sec at 6 (6.61 from Centre)	



### MYM.1L32

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.28	
Total height mm	3.53	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.466	
Stem	MY065.477	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



### MYM.1L60

Size "" / Size mm	6 3/4 x 8	17.40 x 18.20
Height mm	4.30	
Total height mm	5.66	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.505	
Battery	CR1616	
Hands fitting Ø mm	120/70/17	
Information	-	






**MYM.1M02**

Size''' / Size mm	10 ½	23.70 x 22.60
Height mm	2.94	
Total height mm	4.23	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.454	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.1N12**

Size''' / Size mm	8 ¾	17.00 x 18.50
Height mm	2.58	
Total height mm	3.90	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.505	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.1M12**

Size''' / Size mm	10 ½	23.70 x 22.60
Height mm	2.71	
Total height mm	3.99	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	




**MYM.1N12/6**

Date position	D6
---------------	----




**MYM.1M12/6**

Date position	D6
---------------	----



**MYM.1S02**

Size''' / Size mm	11 ½	23.50 x 21.90
Height mm	3.07	
Total height mm	4.37	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.509	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.1S13**

Size''' / Size mm	11 ½	23.50 x 21.90
Height mm	2.71	
Total height mm	4.00	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.515	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.1S13/6**

Date position	D6
---------------	----



**MYM.2015**

Size''' / Size mm	6 ¾ x 8	16.30 x 18.30
Height mm	4.15	
Total height mm	5.73	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.545	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.2015/6**

Date position	D6
---------------	----



**MYM.2005**

Size''' / Size mm	6 ¾ x 8	16.30 x 18.30
Height mm	4.15	
Total height mm	5.71	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.195	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.2025**

Size''' / Size mm	6 ¾ x 8	15.30 x 18.50
Height mm	3.15	
Total height mm	4.19	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.193	
Stem	MY065.468	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70	
Information	-	

**MYM.2026**

Total height mm	5.66
Hand-fitting	High Version of MYM.2025
Hour wheel	MY075.304

**MYM.2033**

Total height mm	5.39
Hand-fitting	High Version of MYM.2035
Hour wheel	MY075.423

**MYM.2036**


Total height mm	4.98
Hand-fitting	High Version of MYM.2035
Hour wheel	MY075.304

**MYM.2039**

Total height mm	5.23
Hand-fitting	High Version of MYM.2035
Hour wheel	MY075.331


**MYM.203A**

Total height mm	6.26
Hand-fitting	High Version of MYM.2035
Hour wheel	MY075.491




**MYM.2034**

Size "" / Size mm	6 3/4 x 8	15.30 x 18.50
Height mm	3.15	
Total height mm	4.71	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.193	
Stem	MY065.468	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/20	
Information	High-Torque for Second Disc	



**MYM.2035**

Size "" / Size mm	6 3/4 x 8	15.30 x 18.50
Height mm	3.15	
Total height mm	4.57	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.193	
Stem	MY065.468	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.2035/SUPER**

Size "" / Size mm	6 3/4 x 8	15.30 x 18.50
Height mm	3.15	
Total height mm	4.45	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.993	
Stem	MY065.468	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	4 Years Battery Life, Fine Gold Colour, High Accuracy of ±15 Sec/Month, Covered Coil	



### MYM.2105

Size ''' / Size mm	10 ½	22.00 x 22.60
Height mm	4.15	
Total height mm	5.71	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.192	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



### MYM.2305

Size ''' / Size mm	11 ½	23.50
Height mm	4.15	
Total height mm	5.75	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.192	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



### MYM.2115

Size ''' / Size mm	10 ½	22.00 x 22.60
Height mm	4.15	
Total height mm	5.77	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.545	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



### MYM.2315

Size ''' / Size mm	11 ½	23.50
Height mm	4.15	
Total height mm	5.80	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.545	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



### MYM.2115/6

Date position	D6
---------------	----




### MYM.2315/6

Date position	D6
---------------	----



### MYM.2117

Total height mm	6.10
Hand-fitting	High Version of MYM.2115
Hour wheel	MY075.A01




**MYM.2353**

Size "" / Size mm	11 ½	23.50
Height mm	4.15	
Total height mm	5.77	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.545	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	




**MYM.2415/6**

Date position	D6
---------------	----




**MYM.2405**

Size "" / Size mm	13 ½	30.50
Height mm	4.35	
Total height mm	6.05	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.A22	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.2453**

Size "" / Size mm	13 ½	30.50
Height mm	4.35	
Total height mm	6.12	
Hand-fitting	-	
Jewels	0	
Date position	BD3 (big date)	
Hour wheel	MY075.A22	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.2415**

Size "" / Size mm	13 ½	30.50
Height mm	4.35	
Total height mm	6.00	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.A22	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	




**MYM.2S60**

Size "" / Size mm	10 ½	21.50 x 20.00
Height mm	3.99	
Total height mm	5.36	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.501	
Battery	CR2012	
Hands fitting Ø mm	120/70/17	
Information	-	




## MYM.2S65

Size ''' / Size mm	10 ½	21.50 x 20.00
Height mm	4.22	
Total height mm	Information not available	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.454	
Stem	MY065.501	
Battery	CR2012	
Hands fitting Ø mm	120/70/17	
Information	-	



## MYM.4S20

Size ''' / Size mm	4	9.40 x 9.90
Height mm	2.95	
Total height mm	3.71	
Hand-fitting	-	
Jewels	2	
Date position	-	
Hour wheel	MY075.297	
Stem	MY065.398	
Battery	335 / SR512SW	
Hands fitting Ø mm	80/40	
Information	-	




## MYM.5R21

Size ''' / Size mm	3 ¾	9.00 x 13.20
Height mm	1.90	
Total height mm	3.06	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.345	
Stem	MY065.413	
Battery	337 / SR416SW	
Hands fitting Ø mm	80/40	
Information	-	

## MYM.5R32

Total height mm	3.41
Hand-fitting	High Version of MYM.5R21
Hour wheel	MY075.401




## MYM.5Y20

Size ''' / Size mm	5 ½	13.00 x 15.15
Height mm	2.54	
Total height mm	3.68	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A34	
Stem	MY065.403	
Battery	379 / SR521SW	
Hands fitting Ø mm	100/65	
Information	-	

## MYM.5Y26E


Total height mm	4.23
Hand-fitting	High Version of MYM.5Y20
Hour wheel	MY075.323





**MYM.5Y30**

Size''' / Size mm	5 ½	13.00 x 15.15
Height mm	2.54	
Total height mm	3.98	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A34	
Stem	MY065.403	
Battery	379 / SR521SW	
Hands fitting Ø mm	100/65/17	
Information	-	



**MYM.6P05**

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17/17	
Information	Month at 3, Day at 9, Date at 12	


**MYM.5Y36**

Total height mm	4.54
Hand-fitting	High Version of MYM.5Y30
Hour wheel	MY075.323




**MYM.6P09**

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17/17/17	
Information	Month at 3, 24 Hrs at 6, Day at 9, Date at 12	



**MYM.6P00**

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.17	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17/17	
Information	Month at 3, Moon Phase at 6, Day at 9, Date at 12	



**MYM.6P20**

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17	
Information	Date at 3, Moon Phase at 6, Day at 9	






**MYM.6P22**

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	SR621SW	
Hands holes Ø mm	120/70/17/17/17	
Information	Date at 3, 24 Hrs at 6	



**MYM.6P24**

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.29	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	Moon Phase at 6	



**MYM.6P23**

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17	
Information	24 Hrs at 6, Date at 12	




**MYM.6P25**

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17	
Information	Date at 3, Day at 9	


**MYM.6P73**

Total height mm	5.58
Hand-fitting	High Version of MYM.6P23
Hour wheel	MY075.306



**MYM.6P26**

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17	
Information	Date at 3	



**MYM.6P27**

Size ''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17/17	
Information	24 Hrs at 6, Day at 9, Date at 12	



**MYM.6P29**

Size ''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17/17	
Information	Date at 3, 24 Hrs at 6, Day at 9	

**MYM.6P77**

Total height mm	5.58
Hand-fitting	High Version of MYM.6P27
Hour wheel	MY075.306




**MYM.6P88**

Size ''' / Size mm	10 ½	22.60
Height mm	3.85	
Total height mm	5.58	
Hand-fitting	-	
Jewels	0	
Date position	M3(month)	
Hour wheel	MY075.306	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands holes Ø mm	Information not available	
Information	Month at 3, 24 Hrs at 6, Week Day at 9	



**MYM.6P28**

Size ''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.20	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	SR621SW	
Hands fitting Ø mm	120/70/17/17/17	
Information	24 Hrs at 6	



**MYM.6P89**

Size ''' / Size mm	10 ½	22.60
Height mm	3.85	
Total height mm	5.58	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.306	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands holes Ø mm	120/70/17/17/17/17	
Information	24 Hrs at 6, Day at 9, Date at 12	

**MYM.6P79**

Total height mm	5.58
Hand-fitting	High Version of MYM.6P29
Hour wheel	MY075.306



CHRONO

**MYM.6S10**

Size "" / Size mm	15	34.60
Height mm	4.90	
Total height mm	7.41	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.A82	
Stem	MY065.A13	
Battery	395 / SR927SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, 60 Min at 9, 1/20 at 12	



CHRONO

**MYM.6S21**

Size "" / Size mm	15	34.60
Height mm	4.90	
Total height mm	7.39	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.A82	
Stem	MY065.A13	
Battery	395 / SR927SW	
Hands fitting Ø mm	Information not available	
Information	Small Sec at 3, Min at 9	



CHRONO

**MYM.6S11**

Size "" / Size mm	15	34.60
Height mm	4.90	
Total height mm	6.49	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.A82	
Stem	MY065.A13	
Battery	395 / SR927SW	
Hands fitting Ø mm	Information not available	
Information	Small Sec at 6, Min at 12	



CHRONO

**MYM.6S30**

Size "" / Size mm	15	34.60
Height mm	4.90	
Total height mm	7.40	
Hand-fitting	-	
Jewels	0	
Date position	D4	
Hour wheel	MY075.A82	
Stem	MY065.A13	
Battery	395 / SR927SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	1/20 at 2, Small Sec at 6, 60 Min at 10	



CHRONO

**MYM.6S20**

Size "" / Size mm	15	34.60
Height mm	4.90	
Total height mm	7.40	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.A82	
Stem	MY065.A13	
Battery	395 / SR927SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	1/20 at 3, Small Sec at 6, 60 Min at 9	



CHRONO

**MYM.6S50**

Size "" / Size mm	15	34.60
Height mm	5.95	
Total height mm	8.43	
Hand-fitting	-	
Jewels	0	
Date position	BD12 (big date)	
Hour wheel	MY075.A87	
Stem	MY065.A13	
Battery	395 / SR927SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	1/20 at 3, Small Sec at 6, 60 Min at 9	



**MYM.6T51**

Size''' / Size mm	8 ¾	19.80
Height mm	5.98	
Total height mm	7.56	
Hand-fitting	-	
Jewels	21	
Date position	D3D3 (day/date)	
Hour wheel	MY075.760	
Stem	MY065.117	
Battery	-	
Hands fitting Ø mm	Information not available	
Information	Automatic	



**MYM.8215**

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.41	
Hand-fitting	-	
Jewels	21	
Date position	D3	
Hour wheel	MY075.124	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Automatic	



**MYM.7T35**

Size''' / Size mm	6 ¾ x 8	15.30 x 17.80
Height mm	3.15	
Total height mm	4.71	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	Information not available	
Stem	MY065.434	
Battery	377	
Hands fitting Ø mm	120/70/16	
Information	-	



**MYM.8217**

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.87	
Hand-fitting	-	
Jewels	21	
Date position	D3	
Hour wheel	MY075.487	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17/17	
Information	24 Hrs at 9, Automatic	



**MYM.8205**

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.35	
Hand-fitting	-	
Jewels	21	
Date position	D3D3 (day/date)	
Hour wheel	MY075.124	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Automatic	



**MYM.8218**

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.46	
Hand-fitting	-	
Jewels	21	
Date position	D3	
Hour wheel	MY075.487	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Small Sec at 4H30, Automatic	





### MYM.8219

Size "" / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.47	
Hand-fitting	-	
Jewels	21	
Date position	D3	
Hour wheel	MY075.487	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17/17	
Information	Small Sec at 4H30, 24 Hrs at 9, Automatic	



### MYM.8247

Size "" / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.44	
Hand-fitting	-	
Jewels	21	
Date position	-	
Hour wheel	MY075.487	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17/17	
Information	Small Sec at 4H30, 24 Hrs at 9, Automatic	



### MYM.821A

Size "" / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.37	
Hand-fitting	-	
Jewels	21	
Date position	D3	
Hour wheel	MY075.124	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Automatic	




### MYM.8255

Size "" / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.49	
Hand-fitting	-	
Jewels	21	
Date position	-	
Hour wheel	MY075.487	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/70/17	
Information	Small Sec at 4H30, Skeleton, Automatic	



### MYM.8245

Size "" / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.47	
Hand-fitting	-	
Jewels	21	
Date position	-	
Hour wheel	MY075.487	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Small Sec at 4H30, Automatic	



### MYM.8257

Size "" / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.45	
Hand-fitting	-	
Jewels	21	
Date position	-	
Hour wheel	Information not available	
Stem	MY065.212	
Battery	MECA	
Hands fitting Ø mm	152/100/60/17/17	
Information	Small Sec at 5, Skeleton at 7, 24 Hrs at 9	



**MYM.8N24.C**

Size "" / Size mm	11 ½	26.00
Height mm	5.55	
Total height mm	6.81	
Hand-fitting	-	
Jewels	21	
Date position	-	
Hour wheel	MY075.213	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/70/17	
Information	Skeleton, Automatic, White	




**MYM.9015**

Size "" / Size mm	11 ½	26.00
Height mm	3.90	
Total height mm	5.98	
Hand-fitting	-	
Jewels	24	
Date position	D3	
Hour wheel	MY075.A51	
Stem	MY065.A05	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Automatic & Manual	



**MYM.8N24.G**

Size "" / Size mm	11 ½	26.00
Height mm	5.55	
Total height mm	6.81	
Hand-fitting	-	
Jewels	21	
Date position	-	
Hour wheel	MY075.213	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/70/17	
Information	Skeleton, Automatic, Yellow	




**MYM.9130**

Size "" / Size mm	13 ½	30.20
Height mm	5.52	
Total height mm	6.58	
Hand-fitting	1	
Jewels	26	
Date position	D6	
Hour wheel	MY075.A63	
Stem	MY065.A05	
Battery	-	
Hands fitting Ø mm	Information not available	
Information	Power Reserve at 12, Automatic & Manual Winding	



**MYM.8N33**

Size "" / Size mm	11 ½	26.00
Height mm	4.47	
Total height mm	5.57	
Hand-fitting	-	
Jewels	17	
Date position	-	
Hour wheel	MY075.213	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Skeleton, Manual	



**MYM.9T13**

Size "" / Size mm	6 x 8	16.10 x 17.80
Height mm	2.33	
Total height mm	3.71	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.495	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.9T13/6**

Date position	D6
---------------	----



**MYM.9T22**

Size''' / Size mm	6 x 8	15.30 x 17.60
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.446	
Stem	MY065.495	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70	
Information	-	



**MYM.9T15**

Size''' / Size mm	6 x 8	16.10 x 17.80
Height mm	2.33	
Total height mm	3.40	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.495	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70	
Information	-	




**MYM.9T33**

Size''' / Size mm	6 x 8	15.30 x 17.60
Height mm	1.90	
Total height mm	3.32	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.446	
Stem	MY065.495	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.9T15/6**

Date position	D6
---------------	----



**MYM.9U13**

Size''' / Size mm	10 ½	21.50 x 23.70
Height mm	2.33	
Total height mm	3.70	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.495	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.9U13/6**

Date position	D6
---------------	----

**MYM.9U15**

Size''' / Size mm	10 ½	21.50 x 23.70
Height mm	2.33	
Total height mm	3.41	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.495	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70	
Information	-	

**MYM.9U15/6**

Date position	D6
---------------	----

**CHRONO****MYM.FS00**

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	4.13	
Total height mm	5.92	
Hand-fitting	-	
Jewels	0	
Date position	D4	
Hour wheel	MY075.542	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 2, Small Sec at 6, 60 Min at 10, Pusher Parallel	

**CHRONO****MYM.FS00/6**

Date position	D6
---------------	----

**CHRONO****MYM.FS03**

Total height mm	6.58
Hand-fitting	High Version of MYM.FS00
Hour wheel	MY075.563
Information	24 Hrs at 2, Small Sec at 6, 60 Min at 10, Pusher Slanted

**CHRONO****MYM.FS01**

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	4.28	
Total height mm	6.12	
Hand-fitting	-	
Jewels	0	
Date position	D4	
Hour wheel	MY075.542	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 2, Small Sec at 6, 60 Min at 10, Pusher Parallel	



CHRONO

**MYM.FS01/6**

Date position	D6
---------------	----



CHRONO

**MYM.FS10**

Size ''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.10	
Total height mm	6.88	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, 60 Min at 9, 24 Hrs at 12, Pusher Slanted	



CHRONO

**MYM.FS10/4**

Date position	D4
---------------	----



CHRONO


**MYM.FS10/6**

Date position	D6
---------------	----

CHRONO

**MYM.FS13**

Total height mm	7.29
Hand-fitting	High Version of MYM.FS10
Hour wheel	MY075.A47



CHRONO

**MYM.FS11**


Size ''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.25	
Total height mm	7.06	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, 60 Min at 9, 24 Hrs at 12, Pusher Parallel	



CHRONO

**MYM.FS14**

Size ''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.25	
Total height mm	6.84	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	Information not available	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	Small Sec at 6, 60 Min at 9, 24 Hrs at 12, Pusher Parallel	



CHRONO

**MYM.FS16**

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.10	
Total height mm	7.28	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.A04	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26/-	
Information	Dual Time, Pusher Slanted	

CHRONO



**MYM.FS20/6**

Date position	D6
CHRONO	<b>MYM.FS23</b>
Total height mm	7.30
Hand-fitting	High Version of MYM.FS20
Hour wheel	MY075.A47



CHRONO

**MYM.FS17**

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.25	
Total height mm	7.48	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.A04	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26/-	
Information	Dual Time, Pusher Parallel	



CHRONO

**MYM.FS21**

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.25	
Total height mm	7.09	
Hand-fitting	-	
Jewels	0	
Date position	D4	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Pusher Parallel	



CHRONO

**MYM.FS20**

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.10	
Total height mm	6.89	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Pusher Slanted	



CHRONO

**MYM.FS26**

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.10	
Total height mm	7.30	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.A04	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26/-	
Information	Dual Time, Pusher Slanted	



CHRONO

## MYM.FS27

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.25	
Total height mm	7.48	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.A04	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26/-	
Information	Dual Time, Pusher Parallel	



CHRONO

## MYM.FS81

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.10	
Total height mm	7.10	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	NC	
Information	Retro Day Hand at 2, Small Sec at 6, 30 Min at 10, Pusher Slanted	



CHRONO

## MYM.FS60

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.10	
Total height mm	6.89	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro Day Hand at 2, Small Sec at 6, 60 Min at 10, Pusher Slanted	



## MYM.GL00

Size''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.94	
Total height mm	4.37	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.543	
Stem	MY065.547	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



CHRONO

## MYM.FS61

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.25	
Total height mm	7.09	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro Day Hand at 2, Small Sec at 6, 60 Min at 10, Pusher Parallel	



## MYM.GL10

Size''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.71	
Total height mm	4.16	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.537	
Stem	MY065.547	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	

**MYM.GL10/6**


Date position	D6
---------------	----

**MYM.GL15**

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.71	
Total height mm	3.88	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.537	
Stem	MY065.547	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	

**MYM.GL15/6**


Date position	D6
---------------	----

**MYM.GL20**

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.28	
Total height mm	3.40	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.535	
Stem	MY065.541	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	


**MYM.GL26**

Total height mm	3.85
Hand-fitting	High version of MYM.GL20
Hour wheel	Information not available

**MYM.GL30**

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.28	
Total height mm	3.68	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.535	
Stem	MY065.541	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	





### MYM.GL36

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.28	
Total height mm	4.41	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.B09	
Stem	MY065.541	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



### MYM.GM10

Size "" / Size mm	10 1/2	22.60
Height mm	2.71	
Total height mm	3.86	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.537	
Stem	MY065.543	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



### MYM.GM00

Size "" / Size mm	10 1/2	22.60
Height mm	2.94	
Total height mm	4.38	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.543	
Stem	MY065.543	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



### MYM.GM10/6

Date position	D6
---------------	----



### MYM.GM00/6

Date position	D6
---------------	----



### MYM.GM15

Size "" / Size mm	10 1/2	22.60
Height mm	2.71	
Total height mm	3.87	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.537	
Stem	MY065.543	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	

**MYM.GM15/6**

Date position	D6
---------------	----

**MYM.GN15**

Size "" / Size mm	8 3/4	20.00 x 18.00
Height mm	2.71	
Total height mm	3.89	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.537	
Stem	MY065.547	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	

**MYM.GN10**

Size "" / Size mm	8 3/4	20.00 x 18.00
Height mm	2.71	
Total height mm	4.17	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.537	
Stem	MY065.547	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	

**MYM.GN15/6**

Date position	D6
---------------	----

**MYM.GN10/6**

Date position	D6
---------------	----

**MYM.GP00**


Size "" / Size mm	12	27.00 x 25.00
Height mm	4.40	
Total height mm	6.52	
Hand-fitting	-	
Jewels	0	
Date position	BD12 (big date)	
Hour wheel	MY075.998	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17/26	
Information	Retro Dual Time at 6	






### MYM.GP01

Size "" / Size mm	12	27.00 x 25.00
Height mm	4.40	
Total height mm	6.52	
Hand-fitting	-	
Jewels	0	
Date position	BD3 (big date)	
Hour wheel	MY075.998	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17/26	
Information	Retro Dual Time at 6	




### MYM.GP11

Size "" / Size mm	12	27.00 x 25.00
Height mm	4.40	
Total height mm	6.15	
Hand-fitting	-	
Jewels	0	
Date position	BD3 (big date)	
Hour wheel	MY075.998	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17	
Information	Small Sec at 6	




### MYM.GP03

Size "" / Size mm	12	27.00 x 25.00
Height mm	4.40	
Total height mm	6.62	
Hand-fitting	-	
Jewels	0	
Date position	BD3 (big date)	
Hour wheel	MY075.998	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17/26/17	
Information	Retro Dual at 6, Small Hand at 9	




### MYM.GP30

Size "" / Size mm	12	27.00 x 25.00
Height mm	4.40	
Total height mm	6.52	
Hand-fitting	-	
Jewels	0	
Date position	BD12 (big date)	
Hour wheel	MY075.998	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17	
Information	-	




### MYM.GP10

Size "" / Size mm	12	27.00 x 25.00
Height mm	4.40	
Total height mm	6.15	
Hand-fitting	-	
Jewels	0	
Date position	BD12 (big date)	
Hour wheel	MY075.998	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17	
Information	Small Sec at 6	




### MYM.GP50

Size "" / Size mm	12	27.00 x 25.00
Height mm	3.80	
Total height mm	5.90	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A02	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17/26/26	
Information	Retro Dual Time at 6, Retro Date at 12	




**MYM.GP52**

Size "" / Size mm	12	27.00 x 25.00
Height mm	3.80	
Total height mm	5.91	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A02	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro Dual Time at 6, 24 Hrs at 9, Retro Date at 12	



**MYM.JP25**

Size "" / Size mm	12 ½	28.20
Height mm	4.30	
Total height mm	6.30	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	Information not available	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, Dual Time at 6, Day Hand at 9	




**MYM.JP11**

Size "" / Size mm	12 ½	28.20
Height mm	4.30	
Total height mm	6.35	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.B06	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17	
Information	Dual Time at 6, 24 Hrs at 12	




**MYM.JR00**

Size "" / Size mm	12 ½	28.20
Height mm	4.18	
Total height mm	5.98	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A36	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro Day at 4, 24 Hrs at 9, Date at 12	




**MYM.JP15**

Size "" / Size mm	12 ½	28.20
Height mm	4.30	
Total height mm	6.35	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.B06	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Dual Time at 6, Day Hand at 9, 24 Hrs at 12	




**MYM.JR10**

Size "" / Size mm	12 ½	28.20
Height mm	4.18	
Total height mm	5.99	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A36	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro Day at 6, 24 Hrs at 9, Date at 12	



**MYM.JR20**

Size ''' / Size mm	12 ½	28.20
Height mm	4.18	
Total height mm	5.99	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A36	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro Day at 6, 24 Hrs at 9, Date at 12	



**CHRONO**

**MYM.JS00**

Size ''' / Size mm	12 ½	28.20 x 26.00
Height mm	4.18	
Total height mm	6.00	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A18	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 2, Small Sec at 6, 30 Min at 10	



**MYM.JS10**


Size ''' / Size mm	12 ½	28.20 x 26.00
Height mm	4.18	
Total height mm	6.15	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A18	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, 30 Min at 9, 24 Hrs at 12	



**CHRONO**

**MYM.JS05**

Size ''' / Size mm	12 ½	28.20 x 26.00
Height mm	4.30	
Total height mm	6.11	
Hand-fitting	-	
Jewels	0	
Date position	D4	
Hour wheel	MY075.A59	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 2, Small Sec at 6, 30 Min at 10	



**CHRONO**

**MYM.JS15**

Size ''' / Size mm	12 ½	28.20 x 26.00
Height mm	4.30	
Total height mm	6.11	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.A59	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, 30 Min at 9, 24 Hrs at 12	

**CHRONO**

**MYM.JS16**

Total height mm	6.65
Hand-fitting	High Version of MYM.JS15
Hour wheel	MY07.A72



**MYM.JS25/6**

<b>CHRONO</b>	
Date position	D6

**CHRONO MYM.JS26**

Total height mm	6.66
Hand-fitting	High Version of MYM.JS25
Hour wheel	MY07.A72

**CHRONO MYM.JS26/6**

Total height mm	6.66
Hand-fitting	High Version of MYM.JS25
Date position	D6
Hour wheel	MY07.A72



**MYM.JS20**

Size "" / Size mm	12 ½	28.20 x 26.00
Height mm	4.18	
Total height mm	6.00	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A18	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, Small Sec at 6, 30 Min at 9	



**MYM.JS50**

Size "" / Size mm	12 ½	28.20 x 26.00
Height mm	4.18	
Total height mm	5.98	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A24	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs, 30 Min and Small Sec at 6	




**MYM.JS25**

Size "" / Size mm	12 ½	28.20 x 26.00
Height mm	4.30	
Total height mm	6.11	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.A59	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, Small Sec at 6, 30 Min at 9	



**MYM.JS55**

Size "" / Size mm	12 ½	28.20 x 26.00
Height mm	4.18	
Total height mm	5.99	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A24	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec, 30 Min and 24 Hrs at 9	



**MYM.T270**

<b>Size''' / Size mm</b>	13 ½	-
<b>Height mm</b>	-	
<b>Total height mm</b>	5.35	
<b>Hand-fitting</b>	-	
<b>Jewels</b>	0	
<b>Date position</b>	-	
<b>Hour wheel</b>	Information not available	
<b>Stem</b>	Information not available	
<b>Battery</b>	395 / SR297W	
<b>Hands fitting Ø mm</b>	120/70/17	
<b>Information</b>	Digital + Analogique	