








*L'outil Horloger...*

**MOUVEMENTS - MOVEMENTS - UHRWERKE  
MOVIMIENTOS - MOVIMENTI - MOVIMENTOS**



**2019**


BRANDS		PAGES
	<b>ETAM &amp; ETAMP</b> MECHANICAL (SWISS MADE)	1 - 2 ... 1 - 4
	<b>ETAM &amp; ETAMP</b> QUARTZ (SWISS MADE)	2 - 2 ... 2 - 16
	<b>RLM</b> (SWISS MADE)	3 - 2 ... 3 - 28
	<b>RLMP</b> (SWISS PARTS)	4 - 2 ... 4 - 10
	<b>ISM &amp; ISMP</b> (SWISS MADE + SWISSPARTS)	5 - 2 ... 5 - 8
 WATCH MECHANISMS	<b>SWM</b> (SWISS MADE)	6 - 2 ... 6 - 4
	<b>FEM</b> (SWISS MADE & SWISS PARTS)	7 - 2
 Le temps en mouvement	<b>SKM</b>	8 - 2 ... 8 - 12
	<b>SKMP</b> (Hattori, S.Epson, Shiojiri, SII, Sunon, Timex)	9 - 2 ... 9 - 38
	<b>MYM</b>	10 - 2 ... 10 - 34
	<b>ORM</b>	11 - 2
<b>CHINESEMOVEMENTS CNM</b>		12 - 2
Index numérique / Numerical index / Numerisches Inhaltsverzeichnis Índice numérico / Indice numerico / Índice numérico		13 - 7 ... 13 - 12

**Français (exemple)****RLM.751**

Dimensions "" / mm	6 3/4 x 8	15.30 x 17.80
Hauteur mm	2.55	
Hauteur totale mm	3.77	
Aiguillage	1	
Pierres	1	
Position de la date	-	
Roue des heures	FE3104601.5120	
Tige de remontoir	FE51020.5120	
Pile	364 / SR621SW	
Ajustement des aiguilles Ø mm	120/70	
Information	-	

**Deutsch****(Beispiel)****RLM.751**

Abmessungen "" / mm	6 3/4 x 8	15.30 x 17.80
Höhe mm	2.55	
Gesamthöhe mm	3.77	
Zeigersetzen	1	
Steine	1	
Datumsposition	-	
Stundenrad	FE3104601.5120	
AufzugWelle	FE51020.5120	
Batterie	364 / SR621SW	
Zeigerpassung Ø mm	120/70	
Information	-	

**RLM.751**

Size "" / Size mm	5 1/2	13.00 x 15.55
Height mm	2.50	
Total height mm	3.60	
Hand-fitting	1	
Jewels	4	
Date position	-	
Hour wheel	RL3301.133	
Stem	RL3000.132	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70	
Information	-	

**Español (ejemplo)****RLM.751**

Dimensiones "" / mm	6 3/4 x 8	15.30 x 17.80
Altura mm	2.55	
Altura total mm	3.77	
Aiguillage	1	
Piedras	1	
Posición de la fecha	-	
Rueda de horas	FE3104601.5120	
Tija de remontuar	FE51020.5120	
Batería	364 / SR621SW	
Ajuste de las agujas Ø mm	120/70	
Información	-	


**Italiano (esempio)****RLM.751**

Dimensioni "" / mm	6 3/4 x 8	15.30 x 17.80
Altezza mm	2.55	
Altezza totale mm	3.77	
Altezza sfere	1	
Pietre	1	
Posizione della data	-	
Ruota delle ore	FE3104601.5120	
Albero di carica	FE51020.5120	
Batteria	364 / SR621SW	
Aggiustaggio delle lancette Ø mm	120/70	
Informazione	-	

**Português (exemplo)****RLM.751**

Dimensões "" / mm	6 3/4 x 8	15.30 x 17.80
Altura mm	2.55	
Altura total mm	3.77	
Altura do canhão	1	
Rubis	1	
Posição da data	-	
Roda das horas	FE3104601.5120	
Tige de dar corda	FE51020.5120	
Pilha	364 / SR621SW	
Ajuste dos ponteiros Ø mm	120/70	
Informação	-	

**Total height mm - Hauteur totale mm - Gesamthöhe mm**  
**Altura total mm - Altezza totale mm - Altura total mm**





La liste des mouvements publiés dans ce catalogue n'est pas exhaustive ; veuillez nous contacter pour toutes autres demandes.

*The list of movements published in this catalogue is not exhaustive ; please contact us for any other requests.*

Die Liste der Uhrwerke, die in diesem Katalog veröffentlichte wurde, ist nicht erschöpfend ; für weitere Anfragen stehen wir gerne zur Verfügung.

*La lista de los movimientos publicados en este catálogo no es exhaustiva ; por favor póngase en contacto con nosotros para otros pedidos.*

La lista dei movimenti pubblicati in questo catalogo non è esaustiva ; vi preghiamo di contattarci per ogni altre domande.

*A lista dos movimentos publicados neste catálogo não é exhaustiva ; por favor contacte-nos para quaisquer outros pedidos.*

Le catalogue HOROTEC® MOVEMENTS est édité à La Chaux-de-Fonds, Suisse, Copyright © 2019.  
Reproduction, modification et diffusion partielles ou totales sont interdites sans l'autorisation écrite de l'éditeur.  
Tous droits réservés.

*The HOROTEC® MOVEMENTS catalogue is published in La Chaux-de-Fonds, Switzerland, Copyright © 2019.  
Reproduction, modification and distribution in part or whole is forbidden without written permission from the Editor.  
All rights reserved.*

Der HOROTEC® MOVEMENTS Katalog wird an La Chaux-de Fonds veröffentlicht, Copyright © 2019.  
Nachdruck, auch auszugsweise, ist nur mit schriftlicher Genehmigung gestattet.  
Alle Rechte vorbehalten.

*El catálogo HOROTEC® MOVEMENTS es publicado en La Chaux-de-Fonds, Suiza, Copyright © 2019.  
Reproducción, modificación y difusión parciales o totales son prohibidas sin la autorización escrita del editor.  
Todos los derechos reservados.*

Il catalogo HOROTEC® MOVEMENTS è pubblicato a La Chaux-de-Fonds, Svizzera, Copyright © 2019.  
Riproduzione, modificazione e diffusione parziali o totali sono vietate senza l'autorizzazione scritta dell'editore.  
Tutti i diritti riservati.

*O catálogo HOROTEC® MOVEMENTS é editado em La Chaux-de-Fonds, Suíça, Copyright © 2019.  
Reprodução, modificação e difusão parciais ou totais são proibidas sem autorização escrita do editor.  
Todos os direitos reservados.*

A series of horizontal dotted lines for writing notes.



MECHANICAL  
SWISS MADE



- \* **Mouvement illustré en version décorée, livré en version standard.**  
*Movement illustrated in decorated version, delivered in standard version.*
- Uhrwerk in geschmückter Version illustriert, in Standardversion geliefert.**  
*Movimiento ilustrado en versión decorada, suministrado en versión estándar.*
- Movimento illustrato in versione decorata, consegnato in versione standard.**  
*Movimento ilustrado em versão decorada, entregue em versão standard.*

# ETA MECHANICAL (SWISS MADE)



**ETAMP.2671**

Size''' / Size mm	7 ¾	17.50
Height mm	4.80	
Total height mm	6.28	
Hand-fitting	1	
Jewels	25	
Date position	D3	
Hour wheel	ETA066498	
Stem	ETA065943	
Battery	-	
Hands holes Ø mm	120/70/20	
Information	Automatic	



**ETAMP.2892-A2**

Size''' / Size mm	11 ½	26.20
Height mm	3.60	
Total height mm	8.31	
Hand-fitting	1	
Jewels	21	
Date position	D3	
Hour wheel	ETA283288	
Stem	ETA192273	
Battery	-	
Hands holes Ø mm	150/90/25	
Information	Automatic	



**ETAMP.2824-2**

Size''' / Size mm	11 ½	26.20
Height mm	4.60	
Total height mm	6.56	
Hand-fitting	2	
Jewels	25	
Date position	D3	
Hour wheel	ETA066515	
Stem	ETA146279	
Battery	-	
Hands holes Ø mm	150/90/25	
Information	Automatic	




**ETAMP.2894-2**

Size''' / Size mm	12 ½	28.00
Height mm	6.10	
Total height mm	Not available	
Hand-fitting	1	
Jewels	37	
Date position	D4:30 (inclined)	
Hour wheel	ETA200342	
Stem	ETA192273	
Battery	-	
Hands holes Ø mm	150/90/25/20/20/20	
Information	Small Sec at 3, 12 Hrs at 6, 30 Min at 9, Automatic	



**ETAMP.2836-2**

Size''' / Size mm	11 ½	26.20
Height mm	5.05	
Total height mm	7.05	
Hand-fitting	4	
Jewels	25	
Date position	D3D3 (day/date)	
Hour wheel	ETA106124	
Stem	ETA146279	
Battery	-	
Hands holes Ø mm	150/90/25	
Information	Automatic	




**ETAMP.2895-1**

Size''' / Size mm	11 ½	26.20
Height mm	4.35	
Total height mm	5.80	
Hand-fitting	4	
Jewels	30	
Date position	D3	
Hour wheel	ETA283307	
Stem	ETA192276	
Battery	-	
Hands holes Ø mm	150/90/25	
Information	Small Sec at 6, Automatic	



### ETAMP.6497-1

Size "" / Size mm	16 ½	36.60
Height mm	4.50	
Total height mm	6.04	
Hand-fitting	1	
Jewels	17	
Date position	-	
Hour wheel	ETA134015	
Stem	ETA134358	
Battery	-	
Hands holes Ø mm	200/115/27	
Information	Lépine, Small Sec at 6, Mechanical, 18'000 A/h	



### ETAMP.7750

Size "" / Size mm	13 ¼	30.00
Height mm	7.90	
Total height mm	10.78	
Hand-fitting	1	
Jewels	25	
Date position	D3D3 (day/date)	
Hour wheel	ETA105395	
Stem	ETA400583	
Battery	-	
Hands holes Ø mm	200/120/25/18/18/18	
Information	12 Hrs at 6, Small Sec at 9, 30 Min at 12, Automatic	




### ETAMP.6498-1

Size "" / Size mm	16 ½	36.60
Height mm	4.50	
Total height mm	6.04	
Hand-fitting	1	
Jewels	17	
Date position	-	
Hour wheel	ETA134015	
Stem	ETA134359	
Battery	-	
Hands holes Ø mm	200/115/27	
Information	Savonette, Small Sec at 6, Manual, Mechanical, 18'000 A/h	




### ETAMP.7751

Size "" / Size mm	13 ¼	30.00
Height mm	7.90	
Total height mm	Not available	
Hand-fitting	1	
Jewels	25	
Date position	-	
Hour wheel	ETA105506	
Stem	ETA400583	
Battery	-	
Hands holes Ø mm	250/200/120/25/18	
Information	12 Hrs + Moon Phase at 6, Sec + 24 Hrs at 9, Day + Month + 30 Min at 12, Date by Centre Hand	



### ETAMP.7001

Size "" / Size mm	10 ½	23.90
Height mm	2.50	
Total height mm	3.74	
Hand-fitting	2	
Jewels	17	
Date position	-	
Hour wheel	ETA085061	
Stem	ETA0401.7001	
Battery	-	
Hands holes Ø mm	130/80/17	
Information	Small Sec at 6	



### ETAMP.7753

Size "" / Size mm	13 ¼	30.00
Height mm	7.90	
Total height mm	Not available	
Hand-fitting	1	
Jewels	17	
Date position	D4	
Hour wheel	ETA275013	
Stem	ETA400583	
Battery	-	
Hands holes Ø mm	200/120/25/18/18/18	
Information	30 Min at 3, 12 Hrs at 6, Small Sec at 9	



# NOTES


A series of horizontal dotted lines for writing notes.



QUARTZ  
SWISS MADE



# ETA QUARTZ (SWISS MADE)



## ETAMP.210001

Size "" / Size mm	9	20.00
Height mm	0.98	
Total height mm	1.89	
Hand-fitting	1	
Jewels	8	
Date position	-	
Hour wheel	ETA001458	
Stem	ETA001762	
Battery	346 / SR712SW + 341 / SR714SW	
Hands fitting Ø mm	100/50	
Information	-	

REPLACED  
BY ETAMP.251264



## ETAMP.251262

Hour wheel	ETA296262
Stem	ETA107156



CHRONO

## ETAMP.251264

Size "" / Size mm	13 ¼	30.60
Height mm	5.00	
Total height mm	7.88	
Hand-fitting	1	
Jewels	27	
Date position	D4 (inclined)	
Hour wheel	ETA296262	
Stem	ETA066370	
Battery	394 / SR936SW	
Hands fitting Ø mm	200/150/80/20/20/20	
Information	1/10 Sec at 2, Small Sec at 6, 12 Hrs at 10, Hour Hand	

REPLACED  
BY ETAMP.251274



## ETAMP.251272

Hour wheel	ETA296262
Stem	ETA066370



CHRONO

## ETAMP.251274


Size "" / Size mm	13 ¼	30.60
Height mm	5.00	
Total height mm	7.06	
Hand-fitting	1	
Jewels	22	
Date position	D4 (inclined)	
Hour wheel	ETA296262	
Stem	ETA066370	
Battery	394 / SR936SW	
Hands fitting Ø mm	200/150/80/20/20/20	
Information	1/10 Sec at 2, Small Sec at 6, 30 Min at 10	

REPLACED  
BY ETAMP.251474



## ETAMP.251471

Hour wheel	ETA262280
Stem	ETA213158



**CHRONO**

## ETAMP.251474

Size "" / Size mm	10 ½	23.90
Height mm	4.70	
Total height mm	6.63	
Hand-fitting	1	
Jewels	23	
Date position	D4 (inclined)	
Hour wheel	ETA262280	
Stem	ETA213158	
Battery	394 / SR936SW	
Hands fitting Ø mm	150/90/30/20/20/20	
Information	1/10 Sec at 2, Small Sec at 6, 30 Min at 10	

**REPLACED  
BY ETAMP.E64111**



## ETAMP.255112

Hour wheel	ETA066543
Stem	ETA001776

**REPLACED  
BY ETAMP.E63111**



## ETAMP.255411

Hour wheel	ETA066543
Stem	ETA001776

**REPLACED  
BY ETAMP.E63041**



## ETAM.255441

Hour wheel	ETA066543
Stem	ETA001776

**REPLACED  
BY ETAMP.E61031**



## ETAM.256031

Hour wheel	ETA042268
Stem	ETA001770

**REPLACED  
BY ETAMP.E61041**



## ETAMP.256041

Hour wheel	ETA042269
Stem	ETA001770

**REPLACED  
BY ETAMP.E61111**



## ETAMP.256112

Hour wheel	ETA074196
Stem	ETA001771



## ETAMP.280002

Size "" / Size mm	3 ¾ x 6 ¾	9.00 x 15.15
Height mm	1.80	
Total height mm	2.82	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	ETA001537	
Stem	ETA001817	
Battery	321 / SR616SW	
Hands fitting Ø mm	100/55	
Information	= 280001	



## ETAMP.282001

Size "" / Size mm	5 ½ x 8	13.00 x 18.20
Height mm	1.20	
Total height mm	2.18	
Hand-fitting	1	
Jewels	13	
Date position	-	
Hour wheel	ETA130537	
Stem	ETA224188	
Battery	346 / SR712SW	
Hands fitting Ø mm	100/55	
Information	-	

# ETA QUARTZ (SWISS MADE)



**ETA 802002**

Size "" / Size mm	6 3/4 x 8	15.30 x 17.80
Height mm	2.95	
Total height mm	4.19	
Hand-fitting	2	
Jewels	0	
Date position	-	
Hour wheel	Not available	
Stem	ETA455748	
Battery	377 / SR626SW	
Hands holes Ø mm	120/70	
Information	Not Dismountable, = 802001, = 802005	



**ETA 802102**

Size "" / Size mm	6 3/4 x 8	15.30 x 17.80
Height mm	2.95	
Total height mm	4.50	
Hand-fitting	2	
Jewels	0	
Date position	-	
Hour wheel	Information not available	
Stem	ETA455748	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/20	
Information	Not Dismountable, = 802101, = 802105	



**ETA 803112**

Size "" / Size mm	8 3/4	19.40
Height mm	3.65	
Total height mm	5.15	
Hand-fitting	2	
Jewels	0	
Date position	D3	
Hour wheel	Information not available	
Stem	ETA171998	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/20	
Information	Not Dismountable, = 803111, = 803114	



**ETA 804112**

Size "" / Size mm	10 1/2	23.90
Height mm	3.65	
Total height mm	5.15	
Hand-fitting	2	
Jewels	0	
Date position	D3	
Hour wheel	Information not available	
Stem	ETA425613	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/20	
Information	Not Dismountable, = 804111, = 804114	



**ETA 804112/6**

Date position	D6
---------------	----




**ETA 804192**

Size "" / Size mm	10 1/2	23.90
Height mm	4.05	
Total height mm	6.02	
Hand-fitting	1	
Jewels	0	
Date position	D3	
Hour wheel	Information not available	
Stem	Information not available	
Battery	397 / SR726SW	
Hands fitting Ø mm	120/70/190/20	
Information	Alarm Hand	



## ETAMP.805112

Size ''' / Size mm	11 ½	26.20
Height mm	3.40	
Total height mm	4.92	
Hand-fitting	2	
Jewels	0	
Date position	D3	
Hour wheel	Information not available	
Stem	ETA171998	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/20	
Information	Not Dismountable, = 805111, = 805114	



## ETAMP.901001

Size ''' / Size mm	5 ½ x 6 ¾	13.00 x 15.15
Height mm	2.20	
Total height mm	3.38	
Hand-fitting	1	
Jewels	3	
Date position	-	
Hour wheel	ETA153203	
Stem	ETA195752	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70	
Information	= 901005	



## ETAMP.805112/6

Date position	D6
---------------	----


## ETAMP.901001.0

Total height mm	2.89
Hand-fitting	0
Hour wheel	ETA178783



## ETAMP.805122


Size ''' / Size mm	11 ½	26.20
Height mm	3.65	
Total height mm	5.13	
Hand-fitting	2	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	Information not available	
Stem	ETA425613	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/20	
Information	Not Dismountable	



## ETAMP.902002

Size ''' / Size mm	6 ¾ x 8	15.30 x 17.80
Height mm	2.35	
Total height mm	3.39	
Hand-fitting	1	
Jewels	4	
Date position	-	
Hour wheel	ETA222388	
Stem	ETA129854	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	= 902001, = 902005	

# ETA QUARTZ (SWISS MADE)




**ETA 902101**

Size''' / Size mm	6 ¾ x 8	15.30 x 17.80
Height mm	2.35	
Total height mm	3.70	
Hand-fitting	1	
Jewels	4	
Date position	-	
Hour wheel	ETA222388	
Stem	ETA129854	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/20	
Information	= 902102, = 902105	



**ETA 902501**

Size''' / Size mm	6 ¾ x 8	15.30 x 17.80
Height mm	2.90	
Total height mm	4.07	
Hand-fitting	5	
Jewels	4	
Date position	-	
Hour wheel	ETA222391	
Stem	ETA129854	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec at 6	



**ETA 955112**

Size''' / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	3.95	
Hand-fitting	1	
Jewels	7	
Date position	D3	
Hour wheel	ETA066498	
Stem	ETA001745	
Battery	371 / SR920SW + 395 / SR927SW	
Hands fitting Ø mm	120/70/20	
Information	= 955114	



**ETA 955112/6**

Date position	D6
---------------	----



**ETA 955112/A**

Total height mm	3.61
Hand-fitting	0
Hour wheel	ETA066503



**ETA 955112/C**

Total height mm	3.47
Hand-fitting	0
Hour wheel	ETA066503
Hands fitting Ø mm	120/70



**ETA 955112/E**

Total height mm	3.61
Hands fitting Ø mm	120/70



**ETA 955112/F**

Total height mm	3.61
Date position	D6
Hands fitting Ø mm	120/70



## ETAMP.955132

Size "" / Size mm	11 ½	26.20
Height mm	3.00	
Total height mm	4.42	
Hand-fitting	3	
Jewels	7	
Date position	D3D12 (date/day)	
Hour wheel	ETA259290	
Stem	ETA001745	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



## ETAMP.955412

Size "" / Size mm	10 ½	23.90
Height mm	2.50	
Total height mm	3.94	
Hand-fitting	1	
Jewels	7	
Date position	D3	
Hour wheel	ETA066498	
Stem	ETA001745	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	= 955414	



## ETAMP.955412/6

Date position	D6
---------------	----



## ETAMP.955412/A

Total height mm	3.61
Hand-fitting	0
Hour wheel	ETA066503



## ETAMP.955412/C

Total height mm	3.47
Hand-fitting	0
Hour wheel	ETA066503
Hands fitting Ø mm	120/70



## ETAMP.955412/D

Total height mm	3.47
Hand-fitting	0
Date position	D6
Hour wheel	ETA066503
Hands fitting Ø mm	120/70



## ETAMP.955412/E

Total height mm	3.61
Hand-fitting	1
Hands fitting Ø mm	120/70



## ETAMP.955422

Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.49	
Hand-fitting	3	
Jewels	7	
Date position	D3D3 (day/date)	
Hour wheel	ETA259290	
Stem	ETA001745	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



# ETA QUARTZ (SWISS MADE)



## ETAMP.956032

Size "" / Size mm	7 ¾	17.50
Height mm	2.50	
Total height mm	3.63	
Hand-fitting	1	
Jewels	7	
Date position	-	
Hour wheel	ETA066498	
Stem	ETA001745	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	



## ETAMP.956112

Size "" / Size mm	7 ¾	17.50
Height mm	2.50	
Total height mm	3.92	
Hand-fitting	1	
Jewels	7	
Date position	D3	
Hour wheel	ETA066498	
Stem	ETA001745	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/20	
Information	= 956114	



## ETAMP.956112/6

Date position	D6
---------------	----



## ETAMP.956112/A

Total height mm	3.61
Hand-fitting	0
Hour wheel	ETA066503



## ETAMP.956112/B

Total height mm	3.61
Hand-fitting	0
Date position	D6
Hour wheel	ETA066503



## ETAMP.956112/C

Total height mm	3.47
Hand-fitting	0
Hour wheel	ETA066503
Hands fitting Ø mm	120/70



## ETAMP.956112/D

Total height mm	3.47
Hand-fitting	0
Date position	D6
Hour wheel	ETA066503
Hands fitting Ø mm	120/70




## ETAMP.956112/E

Total height mm	3.61
Hands fitting Ø mm	120/70



## ETAMP.956112/F

Total height mm	3.61
Date position	D6
Hands fitting Ø mm	120/70



## ETAM.956122

Size "" / Size mm	7 ¾	17.50
Height mm	3.00	
Total height mm	4.41	
Hand-fitting	3	
Jewels	7	
Date position	D3D3 (day/date)	
Hour wheel	ETA259290	
Stem	ETA001745	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/20	
Information	= 956414	



## ETAMP.956412

Size "" / Size mm	8 ¾	19.20
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	7	
Date position	D3	
Hour wheel	ETA066498	
Stem	ETA001745	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70/20	
Information	= 956414	



## ETAMP.956412/6

Date position	D6
---------------	----



## ETAMP.956412/A

Total height mm	3.61
Hand-fitting	0
Hour wheel	ETA066503



## ETAMP.956412/E

Total height mm	3.61
Hands fitting Ø mm	120/70



## ETAMP.956412/F

Total height mm	3.61
Date position	D6
Hands fitting Ø mm	120/70



## ETAMP.976001


Size "" / Size mm	5 ½ x 6 ¾	13.00 x 15.15
Height mm	1.95	
Total height mm	2.90	
Hand-fitting	1	
Jewels	6	
Date position	-	
Hour wheel	ETA001491	
Stem	ETA001948	
Battery	321 / SR616SW	
Hands fitting Ø mm	100/55	
Information	-	



## ETAMP.980106

Size "" / Size mm	5 ½ x 6 ¾	13.00 x 15.15
Height mm	2.20	
Total height mm	3.46	
Hand-fitting	1	
Jewels	7	
Date position	-	
Hour wheel	ETA067223	
Stem	ETA105289	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70/20	
Information	-	

# ETA QUARTZ (SWISS MADE)



**ETAMP.980153**

Size "" / Size mm	5 1/2 x 6 3/4	13.00 x 15.15
Height mm	2.20	
Total height mm	3.20	
Hand-fitting	1	
Jewels	11	
Date position	-	
Hour wheel	ETA067223	
Stem	ETA105289	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec 4.25 from Centre	



**ETAMP.E01701**

Size "" / Size mm	4 7/8	11.00
Height mm	2.50	
Total height mm	3.50	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	Information not available	
Stem	Information not available	
Battery	317 / SR516SW	
Hands fitting Ø mm	100/50	
Information	-	



**ETAMP.980163**

Size "" / Size mm	5 1/2 x 6 3/4	13.00 x 15.15
Height mm	2.20	
Total height mm	3.20	
Hand-fitting	1	
Jewels	11	
Date position	-	
Hour wheel	ETA067223	
Stem	ETA105289	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70/20	




**ETAMP.E03001**

Size "" / Size mm	5 1/2 x 6 3/4	13.00 x 15.15
Height mm	1.35	
Total height mm	2.21	
Hand-fitting	1	
Jewels	6	
Date position	-	
Hour wheel	ETA001518	
Stem	ETA042551	
Battery	335 / SR512SW	
Hands fitting Ø mm	100/55	
Information	-	



**ETAMP.E01001**

Size "" / Size mm	4 7/8	11.00
Height mm	2.50	
Total height mm	3.39	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	ETA190601	
Stem	ETA190606	
Battery	317 / SR516SW	
Hands fitting Ø mm	70/50	
Information	-	



**ETAMP.E61031**

Size "" / Size mm	8 1/4	18.60
Height mm	1.95	
Total height mm	2.89	
Hand-fitting	0	
Jewels	8	
Date position	-	
Hour wheel	ETA445100	
Stem	ETA529623	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70	
Information	-	




**ETAMP.E61041**

Size "" / Size mm	8 ¼	18.60
Height mm	1.95	
Total height mm	2.89	
Hand-fitting	1	
Jewels	8	
Date position	D3	
Hour wheel	ETA455579	
Stem	ETA529623	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70	
Information	-	



**ETAMP.E63111**

Size "" / Size mm	10 ½	23.90
Height mm	1.95	
Total height mm	3.20	
Hand-fitting	0	
Jewels	8	
Date position	D3	
Hour wheel	ETA460012	
Stem	ETA529622	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/50	
Information	-	



**ETAMP.E61111**

Size "" / Size mm	8 ¼	18.60
Height mm	1.95	
Total height mm	3.18	
Hand-fitting	0	
Jewels	8	
Date position	D3	
Hour wheel	ETA445100	
Stem	ETA529623	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/20	
Information	-	



**ETAMP.E64111**

Size "" / Size mm	11 ½	26.20
Height mm	1.95	
Total height mm	3.20	
Hand-fitting	0	
Jewels	8	
Date position	D3	
Hour wheel	ETA445132	
Stem	ETA529622	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70/50	
Information	-	



**ETAMP.E63041**

Size "" / Size mm	10 ½	23.90
Height mm	1.95	
Total height mm	2.96	
Hand-fitting	0	
Jewels	8	
Date position	D3	
Hour wheel	ETA445132	
Stem	ETA529623	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70	
Information	-	



**ETAMP.F03111**

Size "" / Size mm	7 ¾	17.50
Height mm	2.50	
Total height mm	3.98	
Hand-fitting	1	
Jewels	3	
Date position	D3	
Hour wheel	ETA314139	
Stem	ETA250651	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/20	
Information	= F03114	



## ETAMP.F03111.3

Total height mm	4.45
Hand-fitting	3
Hour wheel	ETA314194



## ETAMP.F03111/6

Date position	D6
---------------	----



## ETAMP.F03111/SS

Total height mm	3.65
Hands fitting Ø mm	120/70



## ETAMP.F04111

Size "" / Size mm	8 3/4	19.40
Height mm	2.50	
Total height mm	3.98	
Hand-fitting	1	
Jewels	3	
Date position	D3	
Hour wheel	ETA314139	
Stem	ETA250651	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/20	
Information	= F04114	



## ETAMP.F04111/6

Date position	D6
---------------	----



## ETAMP.F04111/SS

Total height mm	3.65
Hands fitting Ø mm	120/70



## ETAMP.F04111/SS/6

Total height mm	3.65
Date position	D6
Hands fitting Ø mm	120/70



## ETAMP.F05111

Size "" / Size mm	10 1/2	23.90
Height mm	2.50	
Total height mm	3.98	
Hand-fitting	1	
Jewels	3	
Date position	D3	
Hour wheel	ETA314139	
Stem	ETA291923	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	= F05114	



## ETAMP.F05111/6

Date position	D6
---------------	----




## ETAMP.F05111/SS

Total height mm	3.65
Hands fitting Ø mm	120/70



## ETAMP.F05111/SS/6

Total height mm	3.65
Date position	D6
Hands fitting Ø mm	120/70



## ETAMP.F06101

Size "" / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	3.98	
Hand-fitting	1	
Jewels	3	
Date position	-	
Hour wheel	ETA314139	
Stem	ETA291923	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	= F06114	



## ETAMP.F06111

Size "" / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	3.98	
Hand-fitting	1	
Jewels	3	
Date position	D3	
Hour wheel	ETA314139	
Stem	ETA291923	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	= F06114	



## ETAMP.F06111/6

Date position	D6
---------------	----



## ETAMP.F06111/SS

Total height mm	3.65
Hands fitting Ø mm	120/70




## ETAMP.F06111/SS/6

Total height mm	3.65
Date position	D6
Hands fitting Ø mm	120/70



## ETAMP.F06161

Size "" / Size mm	11 ½	26.20
Height mm	3.60	
Total height mm	5.06	
Hand-fitting	1	
Jewels	3	
Date position	BD3 (big date)	
Hour wheel	ETA318586	
Stem	ETA291923	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



## ETAMP.F07111

Size "" / Size mm	13 ¼	30.00
Height mm	2.50	
Total height mm	3.96	
Hand-fitting	1	
Jewels	3	
Date position	D3	
Hour wheel	ETA314139	
Stem	ETA291923	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	

REPLACED  
BY ETAMP.G10212



**ETAMP.G10211**

Hour wheel	Information not available
Stem	ETA254995

REPLACED  
BY ETAMP.G10212/3



**ETAMP.G10211/3**

Hour wheel	Information not available
Stem	ETA254995

REPLACED  
BY ETAMP.G10212/6



**ETAMP.G10211/6**

Hour wheel	Information not available
Stem	ETA254995

REPLACED  
BY ETAMP.G10212/H



**ETAMP.G10211/H**

Hour wheel	Information not available
Stem	ETA254995



**CHRONO**

**ETAMP.G10212**

Size "" / Size mm	13 ¼	31.75
Height mm	5.12	
Total height mm	7.45	
Hand-fitting	1	
Jewels	4	
Date position	D4:30 (inclined)	
Hour wheel	Information not available	
Stem	ETA254995	
Battery	394 / SR936SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Not Dismountable, 1/10 Sec at 2, Small Sec at 6, 30 Min at 10	



**CHRONO**

**ETAMP.G10212/3**

Date position	D3
---------------	----



**CHRONO**

**ETAMP.G10212/6**

Date position	D6
---------------	----



**CHRONO**

**ETAMP.G10212/H**

Date position	D4 (horizontal)
---------------	-----------------

REPLACED  
BY ETAMP.G10712



**ETAMP.G10711**

Hour wheel	ETA214269
Stem	ETA254995

REPLACED  
BY ETAMP.G10712/3



**ETAMP.G10711/3**

Hour wheel	ETA214269
Stem	ETA254995

REPLACED  
BY ETAMP.G10712/H



**ETAMP.G10711/H**

Hour wheel	ETA214269
Stem	ETA254995



**CHRONO**

## ETAMP.G10712

Size ''' / Size mm	13 ¼	31.75
Height mm	5.62	
Total height mm	8.01	
Hand-fitting	1	
Jewels	4	
Date position	D4 (inclined)	
Hour wheel	Information not available	
Stem	ETA254995	
Battery	394 / SR936SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Not Dismountable, 1/10 Sec at 2, Small Sec at 6, 30 Min at 10	



**CHRONO**

## ETAMP.G10712/H

Date position	D4 (horizontal)
---------------	-----------------

**REPLACED  
BY ETAMP.G15212**



## ETAMP.G15211

Hour wheel	ETA258624
Stem	ETA270658

**REPLACED  
BY ETAMP.G15212/3**



## ETAMP.G15211/3

Hour wheel	ETA258624
Stem	ETA270658

**REPLACED  
BY ETAMP.G15212/6**



## ETAMP.G15211/6

Hour wheel	ETA258624
Stem	ETA270658

**REPLACED  
BY ETAMP.G15212/H**



## ETAMP.G15211/H

Hour wheel	ETA258624
Stem	ETA270658



**CHRONO**

## ETAMP.G15212

Size ''' / Size mm	10 ½	23.90
Height mm	5.12	
Total height mm	7.23	
Hand-fitting	1	
Jewels	6	
Date position	D4 (inclined)	
Hour wheel	Information not available	
Stem	ETA258657	
Battery	394 / SR936SW	
Hands fitting Ø mm	150/90/30/20/20/20	
Information	Not Dismountable, 1/10 Sec at 2, Small Sec at 6, 30 Min at 10	



**CHRONO**

## ETAMP.G15212/3

Date position	D3
---------------	----



**CHRONO**

## ETAMP.G15212/6

Date position	D6
---------------	----






**CHRONO**

**ETAMP.G15212/H**

<b>Date position</b>	D4 (horizontal)
----------------------	-----------------




**ETAMP.G15261**


<b>Size''' / Size mm</b>	10 ½	23.90
<b>Height mm</b>	5.25	
<b>Total height mm</b>	7.21	
<b>Hand-fitting</b>	1	
<b>Jewels</b>	6	
<b>Date position</b>	D4 (inclined)	
<b>Hour wheel</b>	Information not available	
<b>Stem</b>	ETA258657	
<b>Battery</b>	394 / SR936SW	
<b>Hands fitting Ø mm</b>	150/90/30/20/20/20	
<b>Information</b>	Not Dismountable, 5 Min Retro at 2, Small Sec at 6, 60 Min Retro at 10	



# RONDA


SWISS MADE






### RLM.1002

Size "" / Size mm	10 ½	23.90
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.211	
Stem	RL3000.169	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70	
Information	-	



### RLM.1003

Size "" / Size mm	10 ½	23.90
Height mm	1.90	
Total height mm	3.45	
Hand-fitting	1	
Jewels	8	
Date position	-	
Hour wheel	RL3301.211	
Stem	RL3000.169	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70/20	
Information	-	




### RLM.1004

Size "" / Size mm	10 ½	23.90
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	1	
Jewels	10	
Date position	-	
Hour wheel	RL3301.211	
Stem	RL3000.169	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec	

### RLM.1004.2

Total height mm	3.30
Hand-fitting	2
Hour wheel	RL3301.245



### RLM.1005

Size "" / Size mm	10 ½	23.90
Height mm	1.90	
Total height mm	3.45	
Hand-fitting	1	
Jewels	8	
Date position	D3	
Hour wheel	RL3301.211	
Stem	RL3000.169	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70/20	
Information	-	




### RLM.1005/6

Date position	D6
---------------	----



### RLM.1006

Size''' / Size mm	10 ½	23.90
Height mm	1.90	
Total height mm	3.10	
Hand-fitting	1	
Jewels	8	
Date position	D3	
Hour wheel	RL3301.211	
Stem	RL3000.169	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70	
Information	-	




### RLM.1012

Size''' / Size mm	11 ½	26.20
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.211	
Stem	RL3000.170	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70	
Information	-	




### RLM.1006/6

Date position	D6
---------------	----



### RLM.1013

Size''' / Size mm	11 ½	26.20
Height mm	1.90	
Total height mm	3.50	
Hand-fitting	1	
Jewels	8	
Date position	-	
Hour wheel	RL3301.211	
Stem	RL3000.170	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70/20	
Information	-	



### RLM.1009

Size''' / Size mm	10 ½	23.90
Height mm	1.90	
Total height mm	3.10	
Hand-fitting	1	
Jewels	10	
Date position	D3	
Hour wheel	RL3301.211	
Stem	RL3000.169	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec	



### RLM.1009/6

Date position	D6
---------------	----




### RLM.1014

Size''' / Size mm	11 ½	26.20
Height mm	1.90	
Total height mm	3.50	
Hand-fitting	1	
Jewels	10	
Date position	-	
Hour wheel	RL3301.211	
Stem	RL3000.170	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec	



**RLM.1015**

Size ''' / Size mm	11 ½	26.20
Height mm	1.90	
Total height mm	3.50	
Hand-fitting	1	
Jewels	8	
Date position	D3	
Hour wheel	RL3301.211	
Stem	RL3000.170	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70/20	
Information	-	



**RLM.1019**

Size ''' / Size mm	11 ½	26.20
Height mm	1.90	
Total height mm	3.10	
Hand-fitting	1	
Jewels	10	
Date position	D3	
Hour wheel	RL3301.211	
Stem	RL3000.170	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec	



**RLM.1015/6**

Date position	D6
---------------	----



**RLM.1032**

Size ''' / Size mm	3 ¾ x 6	9.00 x 13.20
Height mm	1.95	
Total height mm	2.89	
Hand-fitting	0	
Jewels	7	
Date position	-	
Hour wheel	RL3301.164	
Stem	RL3000.142	
Battery	317 / SR516SW	
Hands fitting Ø mm	80/40	
Information	-	



**RLM.1016**

Size ''' / Size mm	11 ½	26.20
Height mm	1.90	
Total height mm	3.10	
Hand-fitting	1	
Jewels	8	
Date position	D3	
Hour wheel	RL3301.211	
Stem	RL3000.170	
Battery	341 / SR714SW	
Hands fitting Ø mm	120/70	
Information	-	

**RLM.1032.1**

Total height mm	3.10
Hand-fitting	1
Hour wheel	RL3301.189

**RLM.1032.2**

Total height mm	3.39
Hand-fitting	2
Hour wheel	RL3301.203

**RLM.1032.3**

Total height mm	3.79
Hand-fitting	3
Hour wheel	RL3301.191



**RLM.1016/6**

Date position	D6
---------------	----



**RLM.1042**

Size ''' / Size mm	4 1/4	10.40
Height mm	2.90	
Total height mm	4.08	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.240	
Stem	RL3000.176	
Battery	335 / SR512SW	
Hands fitting Ø mm	80/40	
Information	-	

**RLM.1042.0**

Total height mm	3.90	
Hand-fitting	0	
Hour wheel	RL3301.239	

**RLM.1042.Z**

Total height mm	Not available	
Hour wheel	RL3301.264	
Information	Hour wheel height 1.48	



**RLM.1062**

Size ''' / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	1	
Jewels	4	
Date position	-	
Hour wheel	RL3301.234	
Stem	RL3000.160	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70	
Information	-	

**RLM.1062.0**

Total height mm	2.83	
Hand-fitting	0	
Hour wheel	RL3301.208	

**RLM.1062.2**

Total height mm	3.25	
Hand-fitting	2	
Hour wheel	RL3301.212	



**RLM.1063**


Size ''' / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.234	
Stem	RL3000.160	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/20	
Information	-	

**RLM.1063.0**

Total height mm	2.80	
Hand-fitting	0	
Hour wheel	RL3301.208	

**RLM.1063.2**

Total height mm	3.45	
Hand-fitting	2	
Hour wheel	RL3301.212	



### RLM.1064


Size "" / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	1	
Jewels	6	
Date position	-	
Hour wheel	RL3301.234	
Stem	RL3000.160	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec	

### RLM.1064.2

Total height mm	3.25	
Hand-fitting	2	
Hour wheel	RL3301.212	

### RLM.1064.Z

Total height mm	Not available	
Hand-fitting	Z	
Hour wheel	RL3301.265	



### RLM.1069

Size "" / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.30	
Total height mm	3.88	
Hand-fitting	1	
Jewels	6	
Date position	-	
Hour wheel	RL3301.220.FI	
Stem	RL3000.160	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec	

### RLM.1069.0

Total height mm	3.68	
Hand-fitting	0	
Hour wheel	RL3301.208	

### RLM.1069.2

Total height mm	3.98	
Hand-fitting	2	
Hour wheel	RL3301.212	



CHRONO

### RLM.3520.D


Size "" / Size mm	10 ½ x 11 ½	23.90 x 25.60
Height mm	4.90	
Total height mm	7.50	
Hand-fitting	1	
Jewels	4	
Date position	D3	
Hour wheel	RL3301.317	
Stem	RL3000.205	
Battery	384 / SR41SW	
Hands fitting Ø mm	150/90/80/40/25/20	
Information	Small Sec at 6, 30 Min and 12 Hrs at 12	



CHRONO


### RLM.3540.D

Size "" / Size mm	10 ½ x 11 ½	23.90 x 25.60
Height mm	4.90	
Total height mm	7.50	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.317	
Stem	RL3000.205	
Battery	384 / SR41SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Small Sec at 6, 30 Min at 9, 1/2 Sec at 12	



**RLM.4002.B**

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	5.50	
Hand-fitting	0	
Jewels	5	
Date position	BD12 (big date)	
Hour wheel	RL3301.285	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90	
Information	-	



**RLM.4003.B/6**

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	5.90	
Hand-fitting	0	
Jewels	5	
Date position	BD6 (big date)	
Hour wheel	RL3301.285	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25	
Information	-	



**RLM.4003.B/12**

Date position	BD12 (big date)
---------------	-----------------



**RLM.4120.B**

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.95	
Hand-fitting	2	
Jewels	7	
Date position	BD6 (big date)	
Hour wheel	RL3301.243	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/20	
Information	Small Sec at 3, Alarm at 9	



**RLM.4120.B/12**

Date position	BD12 (big date)
---------------	-----------------



**RLM.4210.B**

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.90	
Hand-fitting	2	
Jewels	8	
Date position	BD12 (big date)	
Hour wheel	RL3301.243	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/25	
Information	Dual Time at 6	



# RONDA (SWISS MADE)



**CHRONO**  
**RLM.4220.B**

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.35	
Hand-fitting	2	
Jewels	7	
Date position	BD6 (big date)	
Hour wheel	RL3301.243	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/20	
Information	Small Sec at 3, Dual Time at 9	



**CHRONO**  
**RLM.5021.D**

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.75	
Hand-fitting	1	
Jewels	10	
Date position	D6	
Hour wheel	RL3301.241	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20	
Information	Small Sec at 3, 30 Min at 9	



**CHRONO**  
**RLM.5010.B**

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	7.00	
Hand-fitting	2	
Jewels	10	
Date position	BD12 (big date)	
Hour wheel	RL3301.242	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/25	
Information	30 Min and 12 Hrs at 6	



**RLM.503**

Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.46	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.229	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



**CHRONO**  
**RLM.5020.B**

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.90	
Hand-fitting	2	
Jewels	10	
Date position	BD6 (big date)	
Hour wheel	RL3301.242	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/25/20	
Information	Small Sec at 3, 30 Min and 12 Hrs at 9	



**CHRONO**  
**RLM.5030.D**

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.75	
Hand-fitting	1	
Jewels	13	
Date position	D4	
Hour wheel	RL3301.241	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Small Sec at 3, 12 Hrs at 6, 30 Min at 9	



**CHRONO**

## RLM.5030.D/12

Date position | D12



**CHRONO**

## RLM.5030.D/4RH

Date position | D4 (round)



**CHRONO**

## RLM.5040.B/12

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.65	
Hand-fitting	1	
Jewels	13	
Date position	BD12 (big date)	
Hour wheel	RL3301.241	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Small Sec at 3, 1/10 Sec at 6, 30 Min at 9	

**CHRONO**

## RLM.5040.BN/12

Date position | BD12 (black big date)



**CHRONO**

## RLM.5040.D



Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.65	
Hand-fitting	1	
Jewels	13	
Date position	D4	
Hour wheel	RL3301.241	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Small Sec at 3, 1/10 Sec at 6, 30 Min at 9	



**CHRONO**

## RLM.5040.D/6

Date position | D6




**CHRONO**

## RLM.5040.E

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.65	
Hand-fitting	1	
Jewels	13	
Date position	D&D12 (date/day)	
Hour wheel	RL3301.241	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Small Sec at 3, 1/10 Sec at 6, 30 Min at 9	



Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	7.18	
Hand-fitting	3	
Jewels	13	
Date position	D12M12 (day/month)	
Hour wheel	RL3301.247	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	250/150/90/25/20/20/20	
Information	Small Sec at 3, 1/10 Sec at 6, 30 Min at 9, Date by Center Hand	



Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.50	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.229	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	

## RLM.505.2

Hand-fitting	2
Hour wheel	RL3301.230TA



## RLM.505.24.H

Information	24 Hrs by Hand
-------------	----------------



## RLM.505.24D/G1

Information	24 Hrs by Disc at 6
-------------	---------------------



## RLM.505.24D/G2

Information	24 Hrs by Disc at 12
-------------	----------------------



## RLM.505.24H/6

Date position	D6
Information	24 Hrs by Hand

## RLM.505.6

Hand-fitting	6
Hour wheel	RL3301.230TA



## RLM.505/6

Date position	D6
---------------	----



Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	7.00	
Hand-fitting	2	
Jewels	13	
Date position	BD6	
Hour wheel	RL3301.242	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/25/20/20	
Information	Small Sec at 3, 1/10 Sec at 6, 30 Min and 12 Hrs at 9	



CHRONO

## RLM.5050.C

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	7.00	
Hand-fitting	2	
Jewels	13	
Date position	BD6D12 (big date/day)	
Hour wheel	RL3301.242	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/25/20/20	
Information	Small Sec at 3, 1/10 Sec at 6, 30 Min and 12 Hrs at 9	



CHRONO

## RLM.5051.C

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	7.00	
Hand-fitting	2	
Jewels	13	
Date position	BD12D6 (big date/day)	
Hour wheel	RL3301.242	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/25/20/20	
Information	Small Sec at 3, 1/10 Sec at 6, 30 Min and 12 Hrs at 9	



## RLM.507/D1

Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.46	
Hand-fitting	1	
Jewels	1	
Date position	DD3 (day/date)	
Hour wheel	RL3301.231	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



## RLM.507/D2

Date position	D6D6 (day/date)
---------------	-----------------



## RLM.507/D3AL

Date position	D3D12 (day/date)
---------------	------------------




## RLM.507/D4

Date position	D6D12 (day/date)
---------------	------------------



## RLM.507/D5

Date position	D3D12 (day/date)
---------------	------------------



**RLM.509/B1**

Size ''' / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.46	
Hand-fitting	1	
Jewels	1	
Date position	BD3 (big date)	
Hour wheel	RL3301.231	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	




**RLM.509/B3**

Date position	BD6 (big date)
---------------	----------------

**RLM.509.2**

Total height mm	4.81
Hand-fitting	2
Hour wheel	RL3301.232



**RLM.513**

Size ''' / Size mm	11 ½	26.20
Height mm	3.00	
Total height mm	4.50	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.229	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	

**RLM.513.2**

Total height mm	4.81
Hand-fitting	2
Hour wheel	RL3301.230

**RLM.513.6**

Total height mm	5.30
Hand-fitting	6
Hour wheel	RL3301.237




**RLM.5130.B**

Size ''' / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	7.00	
Hand-fitting	2	
Jewels	13	
Date position	BD12 (big date)	
Hour wheel	RL3301.242	
Stem	RL3000.177	
Battery	395 / SR9276W	
Hands fitting Ø mm	150/90/80/80/40/40/25/20	
Information	Small Sec at 3, Hrs/Min Alarm at 6, 30 Min and 12 Hrs at 9	



**RLM.5130.D**

Size ''' / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	7.00	
Hand-fitting	2	
Jewels	13	
Date position	D4	
Hour wheel	RL3301.242	
Stem	RL3000.177	
Battery	395 / SR9275W	
Hands fitting Ø mm	150/90/80/80/40/40/25/20	
Information	Small Sec at 3, Hrs/Min Alarm at 6, 30 Min and 12Hrs at 9	



**RLM.515**

Size "" / Size mm	11 ½	26.20
Height mm	3.00	
Total height mm	4.46	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.229	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	

**RLM.515.2**

Total height mm	4.81
Hand-fitting	2
Hour wheel	RL3301.230



**RLM.515.2/6**

Total height mm	4.81
Hand-fitting	2
Date position	D6
Hour wheel	RL3301.230

**RLM.515.6**

Total height mm	5.31
Hand-fitting	6
Hour wheel	RL3301.237



**RLM.515/4**

Date position	D4
---------------	----



**RLM.515/6**

Date position	D6
---------------	----



**RLM.515.24.D6/3**

Size "" / Size mm	11 ½	26.20
Height mm	3.00	
Total height mm	4.46	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.237	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	24 Hrs by Disc at 6	



**RLM.515.24.D12/3**

Hour wheel	RL3301.222
Information	24 Hrs by Disc at 12



**RLM.515.24.D12/6**

Date position	D6
Hour wheel	RL3301.223
Information	24 Hrs by Disc at 12



**RLM.515.24.H**

Size "" / Size mm	11 ½	26.20
Height mm	3.00	
Total height mm	4.80	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.222	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	160/120/70/20	
Information	24 Hrs by Hand	



## RLM.515.24.H/6.2

Total height mm	5.15
Hand-fitting	2
Date position	D6
Hour wheel	RL3301.223



## RLM.5155

Size "" / Size mm	11 ½	26.20
Height mm	3.00	
Total height mm	4.46	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.229	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	Battery 24 Months	



## RLM.517

Size "" / Size mm	11 ½	26.20
Height mm	3.00	
Total height mm	4.40	
Hand-fitting	1	
Jewels	1	
Date position	DD3 (day/date)	
Hour wheel	RL3301.231	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	

## RLM.517.2

Total height mm	4.81
Hand-fitting	2
Hour wheel	RL3301.232



## RLM.517/6

Date position	D3D6 (date/day)
Hour wheel	RL3301.229

## RLM.517/BN

Date position	DD3 Black (day/date)
---------------	----------------------

## RLM.517/BN.2

Total height mm	4.81
Hand-fitting	2
Date position	DD3 Black (day/date)
Hour wheel	RL3301.232


## RLM.517/D1

Hour wheel	RL3301.229
------------	------------



## RLM.517/D2

Date position	DD6 (day/date)
Hour wheel	RL3301.229



## RLM.517/D3/ALL

Date position	D3D12 (date/day)
Hour wheel	RL3301.229

## RLM.517/D3/J12

Date position	D3D12 (date/day)
Hour wheel	RL3301.229



## RLM.517/D4

Date position	D6D12 (date/day)
Hour wheel	RL3301.229



### RLM.517/D5

Date position	D3D12 (date/day)
Hour wheel	RL3301.229



### RLM.517/D6

Date position	D6D12 (date/day)
Hour wheel	RL3301.229



### RLM.519/6

Date position	BD6 (big date)
---------------	----------------



### RLM.519

Size "" / Size mm	11 ½	26.20
Height mm	3.00	
Total height mm	4.45	
Hand-fitting	1	
Jewels	1	
Date position	BD3 (big date)	
Hour wheel	RL3301.231	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	

### RLM.519.2

Total height mm	4.81
Hand-fitting	2
Hour wheel	RL3301.232



### RLM.519/4

Date position	BD4 (big date)
---------------	----------------



### RLM.583

Size "" / Size mm	8 ¾	20.00
Height mm	3.00	
Total height mm	4.45	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.197	
Stem	RL3000.168	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70//20	
Information	-	



### RLM.585

Size "" / Size mm	8 ¾	20.00
Height mm	3.00	
Total height mm	4.45	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.199	
Stem	RL3000.168	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70//20	
Information	-	



## RLM.585.2

Total height mm	4.80
Hand-fitting	2
Hour wheel	RL3301.200



## RLM.585/6

Date position	D6
---------------	----



## RLM.6004.B

Size "" / Size mm	11 ½	26.20
Height mm	3.30	
Total height mm	4.70	
Hand-fitting	1	
Jewels	5	
Date position	BD12 (big date)	
Hour wheel	RL3301.271	
Stem	RL3000.189	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70//20	
Information	Small Sec at 6	



## RLM.6003.B

Size "" / Size mm	11 ½	26.20
Height mm	3.30	
Total height mm	5.80	
Hand-fitting	1	
Jewels	4	
Date position	BD12 (big date)	
Hour wheel	RL3301.271	
Stem	RL3000.189	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70//20	
Information	-	



## RLM.6004.D

Size "" / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.271	
Stem	RL3000.189	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70//20	
Information	Small Sec at 6	



## RLM.6003.D

Size "" / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	4.00	
Hand-fitting	1	
Jewels	4	
Date position	D3	
Hour wheel	RL3301.271	
Stem	RL3000.189	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70//20	
Information	-	




## RLM.6203.B

Size "" / Size mm	11 ½	26.20
Height mm	3.30	
Total height mm	5.40	
Hand-fitting	1	
Jewels	5	
Date position	BD12 (big date)	
Hour wheel	RL3301.273	
Stem	RL3000.189	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70/80/40/20	
Information	Dual Time at 6	



**RLM.7003.B**

Size "" / Size mm	15	34.60
Height mm	5.60	
Total height mm	7.96	
Hand-fitting	1	
Jewels	5	
Date position	BD12 (big date)	
Hour wheel	RL3301.296	
Stem	RL3000.194	
Battery	381 / SR1120SW	
Hands fitting Ø mm	150/90/25	
Information	-	




**RLM.7004.B**

Size "" / Size mm	15	34.60
Height mm	5.60	
Total height mm	7.35	
Hand-fitting	1	
Jewels	6	
Date position	BD12 (big date)	
Hour wheel	RL3301.296	
Stem	RL3000.194	
Battery	381 / SR1120SW	
Hands fitting Ø mm	150/90/20	
Information	Small Sec at 6	



**RLM.7003.L**

Size "" / Size mm	15	34.60
Height mm	5.60	
Total height mm	7.96	
Hand-fitting	1	
Jewels	5	
Date position	BD12 (big date)	
Hour wheel	RL3301.296	
Stem	RL3000.194	
Battery	381 / SR1120SW	
Hands fitting Ø mm	150/90/25/20	
Information	Retro Day at 6	



**RLM.7004.N**

Size "" / Size mm	15	34.60
Height mm	5.60	
Total height mm	7.33	
Hand-fitting	1	
Jewels	6	
Date position	BD6 (big date)	
Hour wheel	RL3301.296	
Stem	RL3000.194	
Battery	381 / SR1120SW	
Hands fitting Ø mm	150/90/20/20	
Information	Small Sec at 6, Retro Day at 12	



**RLM.7003.N**

Size "" / Size mm	15	34.60
Height mm	5.60	
Total height mm	7.96	
Hand-fitting	1	
Jewels	5	
Date position	BD6 (big date)	
Hour wheel	RL3301.296	
Stem	RL3000.194	
Battery	381 / SR1120SW	
Hands fitting Ø mm	150/90/25/20	
Information	Retro Day at 12	



**RLM.7004.P**

Size "" / Size mm	15	34.60
Height mm	5.60	
Total height mm	7.33	
Hand-fitting	1	
Jewels	6	
Date position	BD1 (big date)	
Hour wheel	RL3301.296	
Stem	RL3000.194	
Battery	381 / SR1120SW	
Hands fitting Ø mm	150/90/20/20	
Information	Small Sec at 6, Retro Day at 10	



**RLM.702**

Size "" / Size mm	10 ½	23.90
Height mm	2.50	
Total height mm	3.58	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.134	
Stem	RL3000.131	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70	
Information	-	



**RLM.703**

Size "" / Size mm	10 ½	23.90
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.134	
Stem	RL3000.131	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



**RLM.704**

Size "" / Size mm	10 ½	23.90
Height mm	2.50	
Total height mm	3.25	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.131	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70	
Information	-	



**RLM.704/6**

Date position	D6
---------------	----



**RLM.705/3**

Size "" / Size mm	10 ½	23.90
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.131	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70/20	
Information	-	

**RLM.705/3.0**

Total height mm	3.67
Hand-fitting	0
Hour wheel	RL3301.140

**RLM.705/3.2**

Total height mm	4.12
Hand-fitting	2
Hour wheel	RL3301.172

**RLM.705/3.3**

Total height mm	4.45
Hand-fitting	3
Hour wheel	RL3301.186

## RLM.705/3.4

Total height mm	4.79
Hand-fitting	4
Hour wheel	RL3301.178

## RLM.705/3.5

Total height mm	6.45
Hand-fitting	5
Hour wheel	RL3301.168

## RLM.705/3.6

Total height mm	Not available
Hand-fitting	6
Hour wheel	RL3301.193



## RLM.705/4

Date position	D4
---------------	----



## RLM.705/6

Date position	D6
---------------	----

## RLM.705/6.2

Total height mm	4.12
Hand-fitting	2
Date position	D6
Hour wheel	RL3301.172



## RLM.706.1

Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.84	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.254	
Stem	RL3000.131	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20/20/20	
Information	Date at 3, Moon at 6, Day at 9	



## RLM.706.3

Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.84	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.254	
Stem	RL3000.131	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20/20/20/20	
Information	Date at 3, Moon at 6, Day at 9, Month at 12	




## RLM.706.B1

Size "" / Size mm	10 ½	23.90
Height mm	3.70	
Total height mm	6.50	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.255	
Stem	RL3000.131	
Battery	371 / SR920SW	
Hands fitting Ø mm	180/120/70/20/20	
Information	Date at 3, Moon at 6, Day at 9, Week and Month by Hand	



## RLM.708/6/PH.L

Size "" / Size mm	10 ½	23.90
Height mm	2.98	
Total height mm	4.50	
Hand-fitting	1	
Jewels	5	
Date position	D6	
Hour wheel	RL3301.138	
Stem	RL3000.131	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	Month at 12	




**RLM.712**

Size''' / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	3.64	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.134	
Stem	RL3000.155	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70	
Information	-	



**RLM.714**

Size''' / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	3.58	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.155	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70	
Information	-	



**RLM.713**

Size''' / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	3.97	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.132	
Stem	RL3000.155	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	

**RLM.713.2**

Total height mm	4.17
Hand-fitting	2
Hour wheel	RL3301.172C0

**RLM.713.4**

Total height mm	4.84
Hand-fitting	4
Hour wheel	RL3301.178



**RLM.714/6**

Date position	D6
---------------	----



**RLM.715**

Size''' / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.155	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	

## RLM.715.2

Total height mm	4.12
Hand-fitting	2
Hour wheel	RL3301.172

## RLM.715.3

Total height mm	4.45
Hand-fitting	3
Hour wheel	RL3301.186

## RLM.715.4

Total height mm	4.79
Hand-fitting	4
Hour wheel	RL3301.178

## RLM.715.5

Total height mm	6.45
Hand-fitting	5
Hour wheel	RL3301.168

## RLM.715.6

Total height mm	Not available
Hand-fitting	6
Hour wheel	RL3301.193



## RLM.715/4

Date position	D4
---------------	----



## RLM.715/6

Date position	D6
---------------	----



## RLM.715/6.2

Total height mm	4.12
Hand-fitting	2
Date position	D6
Hour wheel	RL3301.172



## RLM.715LI/3

Size "" / Size mm	11 ½	26.20
Height mm	4.60	
Total height mm	3.90	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.155	
Battery	CR2016	
Hands fitting Ø mm	120/70/20	
Information	Lithium Battery	



## RLM.751

Size "" / Size mm	5 ½ x 6 ¾	13.00 x 15.55
Height mm	2.50	
Total height mm	3.60	
Hand-fitting	1	
Jewels	4	
Date position	-	
Hour wheel	RL3301.133	
Stem	RL3000.132	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70	
Information	-	

## RLM.751.0

Total height mm	3.45
Hand-fitting	0
Hour wheel	RL3301.135

## RLM.751.2


Total height mm	3.80
Hand-fitting	2
Hour wheel	RL3301.149

## RLM.751.3

Total height mm	4.80
Hand-fitting	3
Hour wheel	RL3301.148

## RLM.751.4

Total height mm	5.20
Hand-fitting	4
Hour wheel	RL3301.204



## RLM.751E

Size "" / Size mm	5 1/2 x 6 3/4	13.00 x 15.55
Height mm	2.50	
Total height mm	3.73	
Hand-fitting	1	
Jewels	4	
Date position	-	
Hour wheel	RL3301.176	
Stem	RL3000.132	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70	
Information	-	

## RLM.751E.0

Total height mm	3.53
Hand-fitting	0
Hour wheel	RL3301.209

## RLM.751E.3

Total height mm	4.23
Hand-fitting	3
Hour wheel	RL3301.219




## RLM.751B/5820

Size "" / Size mm	5 1/2 x 6 3/4	13.00 x 15.15
Height mm	2.21	
Total height mm	4.26	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	Not available	
Stem	FE51020.5120	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70	
Information	-	



## RLM.751E.3/5820

Size "" / Size mm	5 1/2 x 6 3/4	13.00 x 15.15
Height mm	2.21	
Total height mm	4.16	
Hand-fitting	3	
Jewels	4	
Date position	-	
Hour wheel	Information not available	
Stem	FE51020.5120	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70	
Information	-	



## RLM.753

Size "" / Size mm	5 1/2 x 6 3/4	13.00 x 15.55
Height mm	2.50	
Total height mm	3.78	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.133	
Stem	RL3000.132	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70/20	
Information	-	

## RLM.753.2

Total height mm	4.15
Hand-fitting	2
Hour wheel	RL3301.149

## RLM.753.3


Total height mm	4.52
Hand-fitting	3
Hour wheel	RL3301.215

## RLM.753.4

Total height mm	5.55
Hand-fitting	4
Hour wheel	RL3301.204

## RLM.753.5

Total height mm	6.15
Hand-fitting	5
Hour wheel	RL3301.154



**RLM.762**

Size''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.50	
Total height mm	3.70	
Hand-fitting	1	
Jewels	4	
Date position	-	
Hour wheel	RL3301.133	
Stem	RL3000.132	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	

**RLM.762.0**

Hand-fitting	3.45	
Hour wheel	0	
Information	RL3301.135	

**RLM.762.2**

Hand-fitting	3.80	
Hour wheel	2	
Information	RL3301.149	

**RLM.762.3**


Hand-fitting	4.30	
Hour wheel	3	
Information	RL3301.148	

**RLM.762.4**

Hand-fitting	5.20	
Hour wheel	4	
Information	RL3301.204	


**RLM.762.5**

Hand-fitting	5.80	
Hour wheel	5	
Information	RL3301.154	



**RLM.762B/6320**

Size''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	3.25	
Total height mm	4.26	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	Not available	
Stem	FE51020.6320	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	



**RLM.763**

Size''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.50	
Total height mm	3.95	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.133	
Stem	RL3000.132	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/20	
Information	-	

**RLM.763.0**

Total height mm	3.70	
Hand-fitting	0	
Hour wheel	RL3301.135	

**RLM.763.2**

Total height mm	4.15	
Hand-fitting	2	
Hour wheel	RL3301.149	

**RLM.763.3**

Total height mm	4.52	
Hand-fitting	3	
Hour wheel	RL3301.148	



## RLM.763.4

Total height mm	5.55
Hand-fitting	4
Hour wheel	RL3301.204



## RLM.763.5

Total height mm	6.15
Hand-fitting	5
Hour wheel	RL3301.216

## RLM.763.6

Total height mm	5.10
Hand-fitting	6
Hour wheel	RL3301.217

Size "" / Size mm	7 ¾	17.50
Height mm	2.50	
Total height mm	3.58	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.134	
Stem	RL3000.131	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70/20	
Information	-	



## RLM.772

Size "" / Size mm	7 ¾	17.50
Height mm	2.50	
Total height mm	3.58	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.134	
Stem	RL3000.131	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	



## RLM.774

Size "" / Size mm	7 ¾	17.50
Height mm	2.50	
Total height mm	3.97	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.131	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	

## RLM.772.3

Total height mm	3.90
Hand-fitting	3
Hour wheel	RL3301.174

## RLM.772.6

Total height mm	4.63
Hand-fitting	6
Hour wheel	RL3301.202



## RLM.774/6

Date position	D6
---------------	----



**RLM.775/3**

Size "" / Size mm	7 ¾	17.50
Height mm	2.50	
Total height mm	3.92	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.131	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/20	
Information	-	

**RLM.775/3.0**

Hand-fitting	3.67	
Hour wheel	0	
Information	RL3301.140	

**RLM.775.2**

Hand-fitting	4.12	
Hour wheel	2	
Information	RL3301.171	

**RLM.775.3**

Hand-fitting	4.44	
Hour wheel	3	
Information	RL3301.186	

**RLM.775.4**

Hand-fitting	4.79	
Hour wheel	4	
Information	RL3301.178	




**RLM.775/4H30**

Date position	D4H30	
---------------	-------	--



**RLM.775/6**

Date position	D6	
---------------	----	--




**RLM.782**

Size "" / Size mm	8 ¾	20.00
Height mm	2.50	
Total height mm	3.58	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.134	
Stem	RL3000.131	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70	
Information	-	

**RLM.782.3**

Total height mm	3.90	
Hand-fitting	3	
Hour wheel	RL3301.174	



**RLM.783**

Size "" / Size mm	8 ¾	20.00
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	3	
Jewels	5	
Date position	-	
Hour wheel	RL3301.134	
Stem	RL3000.131	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70/20	
Information	-	

## RLM.783.2

Total height mm	4.17
Hand-fitting	2
Hour wheel	RL3301.171

## RLM.783.4

Total height mm	5.50
Hand-fitting	4
Hour wheel	RL3301.180



## RLM.785/3

Size "" / Size mm	8 ¾	20.00
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.131	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70/20	
Information	-	



## RLM.784

Size "" / Size mm	8 ¾	20.00
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	5	
Date position	D3	
Hour wheel	RL3301.134	
Stem	RL3000.131	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70	
Information	-	

## RLM.785/3.2

Total height mm	4.12
Hand-fitting	2
Hour wheel	RL3301.172

## RLM.785/3.3

Total height mm	4.44
Hand-fitting	3
Hour wheel	RL3301.186

## RLM.785/3.6

Total height mm	4.79
Hand-fitting	6
Hour wheel	RL3301.134



## RLM.784/6

Date position	D6
---------------	----



## RLM.785/6


Date position	D6
Hour wheel	RL3301.134

## RLM.785/6.0

Total height mm	3.35
Hand-fitting	0
Date position	D6
Hour wheel	RL3301.140

## RLM.785/6.2

Total height mm	3.78
Hand-fitting	2
Date position	D6
Hour wheel	RL3301.172



CHRONO

## RLM.8040.N

Size "" / Size mm	15	34.60
Height mm	5.60	
Total height mm	8.21	
Hand-fitting	1	
Jewels	13	
Date position	BD6 (big date)	
Hour wheel	RL3301.292	
Stem	RL3000.203	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20/20/20	
Information	1/10 Sec at 3, Small Sec at 6, 30 Min at 9, Retro Day at 12	




## RLM.788/6PH.L

Size "" / Size mm	8 3/4	20.00
Height mm	2.98	
Total height mm	4.50	
Hand-fitting	1	
Jewels	5	
Date position	D6	
Hour wheel	RL3301.138	
Stem	RL3000.131	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70/20	
Information	Month at 12	



## RLM.R150

Size "" / Size mm	11 1/2	26
Height mm	4.40	
Total height mm	Information not available	
Hand-fitting	1	
Jewels	25	
Date position	D3	
Hour wheel	Information not available	
Stem	Information not available	
Battery	-	
Hands fitting Ø mm	Information not available	
Information	Automatic	



CHRONO

## RLM.8040.B

Size "" / Size mm	15	34.60
Height mm	5.60	
Total height mm	8.21	
Hand-fitting	1	
Jewels	13	
Date position	BD12 (big date)	
Hour wheel	RL3301.292	
Stem	RL3000.203	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	1/10 Sec at 3, Small Sec at 6, 30 Min at 9	



CHRONO

## RLM.Z50

Size "" / Size mm	13 1/4	30.6
Height mm	4.60	
Total height mm	6.78	
Hand-fitting	1	
Jewels	0	
Date position	D6	
Hour wheel	NC	
Stem	RL3000.208	
Battery	395	
Hands fitting Ø mm	150/90/25/20/20	
Information	Small Sec at 3, Min counter at 9	

# RONDA (SWISS MADE)



CHRONO


## RLM.Z60

Size ''' / Size mm	13 ¼	30.60
Height mm	4.60	
Total height mm	6.90	
Hand-fitting	1	
Jewels	0	
Date position	D4	
Hour wheel	RL3301.332TA	
Stem	RL3000.208	
Battery	317 / SR516SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Small Sec at 2, 30 Min at 6, Day at 10	



# RONDA

SWISS PARTS





## RLMP.1032

Size''' / Size mm	3 ¾ x 6	9.00 x 13.20
Height mm	1.95	
Total height mm	2.36	
Hand-fitting	0	
Jewels	7	
Date position	-	
Hour wheel	RL3301.240	
Stem	RL3000.164	
Battery	317 / SR516SW	
Hands fitting Ø mm	80/40	
Information	-	

## RLMP.1032.1

Hand-fitting	1
--------------	---



## RLMP.1062

Size''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.234	
Stem	RL3000.160	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70	
Information	-	




## RLMP.1063

Size''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	1.90	
Total height mm	3.30	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.207	
Stem	RL3000.160	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/20	
Information	-	

## RLMP.1063.0

Total height mm	3.05
Hand-fitting	0
Hour wheel	RL3301.208



## RLMP.1042

Size''' / Size mm	4 ¼	10.40
Height mm	2.90	
Total height mm	4.08	
Hand-fitting	1	
Jewels	5	
Date position	-	
Hour wheel	RL3301.240	
Stem	RL3000.176	
Battery	335 / SR512SW	
Hands fitting Ø mm	80/40	
Information	-	



**RLMP.1064**

Size "" / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	1	
Jewels	2	
Date position	-	
Hour wheel	RL3301.234	
Stem	RL3000.160	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec	



**RLMP.1069**


Size "" / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.30	
Total height mm	3.88	
Hand-fitting	1	
Jewels	2	
Date position	-	
Hour wheel	RL3301.220.R	
Stem	RL3000.160	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec	

**RLMP.1069.0**

Total height mm	3.68
Hand-fitting	0
Hour wheel	RL3301.285

**RLMP.1069.2**

Total height mm	3.98
Hand-fitting	2
Hour wheel	RL3301.224



**RLMP.4120B**

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.95	
Hand-fitting	2	
Jewels	3	
Date position	BD6 (big date)	
Hour wheel	RL3301.243	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/25	
Information	Small Sec at 3, Alarm at 9	



**RLMP.4210B**


Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.90	
Hand-fitting	2	
Jewels	4	
Date position	BD12 (big date)	
Hour wheel	RL3301.243	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/25	
Information	Dual Time at 6	



**RLMP.5020B**


Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.90	
Hand-fitting	2	
Jewels	5	
Date position	BD6 (big date)	
Hour wheel	RL3301.242	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/80/40/25/20	
Information	Small Sec at 3, 30 Min and 12 Hrs at 9	






**RLMF.5021D**

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.75	
Hand-fitting	1	
Jewels	5	
Date position	D6	
Hour wheel	RL3301.241	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20	
Information	Small Sec at 3, 30 Min at 9	



**RLMF.503**

Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.46	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.229	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



**RLMF.5030D**

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.75	
Hand-fitting	1	
Jewels	6	
Date position	D4	
Hour wheel	RL3301.241	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Small Sec at 3, 12 Hrs at 6, 30 Min at 9	




**RLMF.5030D/6**

Date position	D6
---------------	----




**RLMF.5040B**

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.65	
Hand-fitting	1	
Jewels	6	
Date position	BD12 (big date)	
Hour wheel	RL3301.241	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Small Sec at 3, 1/10 Sec at 6, 30 Min at 9	



**RLMF.5040D**

Size "" / Size mm	12 ½	28.60
Height mm	4.40	
Total height mm	6.65	
Hand-fitting	1	
Jewels	6	
Date position	D4	
Hour wheel	RL3301.241	
Stem	RL3000.177	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/25/20/20/20	
Information	Small Sec at 3, 1/10 Sec at 6, 30 Min at 9	




### RLMP.505

Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.50	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.229	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



### RLMP.505/6

Date position	D6
---------------	----




### RLMP.507

Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.46	
Hand-fitting	1	
Jewels	1	
Date position	D3D3 (day/date)	
Hour wheel	RL3301.231	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



### RLMP.507/6

Date position	D6D6 (day/date)
---------------	-----------------



### RLMP.512

Size "" / Size mm	11 ½	26.20
Height mm	3	
Total height mm	4.12	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	R3301.229	
Stem	RL3000.163	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70	
Information	-	



### RLMP.515

Size "" / Size mm	11 ½	26.20
Height mm	3.00	
Total height mm	4.46	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.229	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



### RLMP.515/6

Date position	D6
---------------	----



### RLMP.585

Size "" / Size mm	8 3/4	20.00
Height mm	3.00	
Total height mm	4.45	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.199	
Stem	RL3000.168	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70/20	
Information	-	



### RLMP.517

Size "" / Size mm	11 1/2	26.20
Height mm	3.00	
Total height mm	4.45	
Hand-fitting	1	
Jewels	1	
Date position	D3D3 (day/date)	
Hour wheel	RL3301.231	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



### RLMP.585/6

Date position	D6
---------------	----



### RLMP.519

Size "" / Size mm	11 1/2	26.20
Height mm	3.00	
Total height mm	4.45	
Hand-fitting	1	
Jewels	1	
Date position	BD3 (big date)	
Hour wheel	RL3301.231	
Stem	RL3000.164	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



### RLMP.6003B

Size "" / Size mm	11 1/2	26.20
Height mm	3.30	
Total height mm	4.80	
Hand-fitting	1	
Jewels	1	
Date position	BD12 (big date)	
Hour wheel	RL3301.271	
Stem	RL3000.189	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70/20	
Information	-	

## RLMP.6003B.2

Total height mm	6.00
Hand-fitting	2
Hour wheel	RL3301.279




## RLMP.705

Size "" / Size mm	10 ½	23.90
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.131	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



## RLMP.6004B

Size "" / Size mm	11 ½	26.20
Height mm	3.30	
Total height mm	4.70	
Hand-fitting	1	
Jewels	1	
Date position	BD12 (big date)	
Hour wheel	RL3301.272	
Stem	RL3000.189	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec	



## RLMP.705/6

Date position	D6
---------------	----




## RLMP.6203B

Size "" / Size mm	11 ½	26.20
Height mm	3.30	
Total height mm	5.40	
Hand-fitting	1	
Jewels	1	
Date position	BD12 (big date)	
Hour wheel	RL3301.273	
Stem	RL3000.189	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70/80/40/20	
Information	Dual Time at 6	



## RLMP.706

Size "" / Size mm	10 ½	23.90
Height mm	3.00	
Total height mm	4.84	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.254	
Stem	RL3000.131	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20/20/20	
Information	Date at 3, Moon at 6, Day at 9	




**RLMP.713**

Size "" / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	3.97	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.134	
Stem	RL3000.155	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



**RLMP.751**

Size "" / Size mm	5 ½	13.00 x 15.55
Height mm	2.50	
Total height mm	3.60	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.133	
Stem	RL3000.132	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70	
Information	-	



**RLMP.715**

Size "" / Size mm	11 ½	26.20
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.155	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



**RLMP.753**

Size "" / Size mm	5 ½	13.00 x 15.55
Height mm	2.50	
Total height mm	3.93	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.133	
Stem	RL3000.132	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70/20	
Information	-	




**RLMP.715/6**

Date position	D6
---------------	----



**RLMP.762**

Size "" / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.50	
Total height mm	3.70	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.133	
Stem	RL3000.132	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	



## RLMP.763

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.50	
Total height mm	3.95	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.133	
Stem	RL3000.132	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/20	
Information	-	




## RLMP.775/6

Date position	D6
---------------	----




## RLMP.774

Size "" / Size mm	7 3/4	17.50
Height mm	2.50	
Total height mm	3.97	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.132	
Stem	RL3000.131	
Battery	364/SR621SW	
Hands fitting Ø mm	120/70	
Information	-	



## RLMP.783

Size "" / Size mm	8 3/4	20.00
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	RL3301.134	
Stem	RL3000.131	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70/20	
Information	-	



## RLMP.775

Size "" / Size mm	7 3/4	17.50
Height mm	2.50	
Total height mm	3.92	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.131	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/20	
Information	-	



## RLMP.784

Size "" / Size mm	8 3/4	20.00
Height mm	2.50	
Total height mm	3.58	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.131	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70	
Information	-	



## RLMP.784/6

Date position	D6
---------------	----



## RLMP.785

Size ''' / Size mm	8 ¾	20.00
Height mm	2.50	
Total height mm	3.90	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	RL3301.142	
Stem	RL3000.131	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70/20	
Information	-	





## RLMP.785/6

Date position	D6
---------------	----


# ***ISA*SWISS**<sup>+</sup>

WATCH MECHANISMS

SWISS MADE + SWISS PARTS







**ISM.1198/101**

Size "" / Size mm	11 ½	25.60
Height mm	3.25	
Total height mm	4.96	
Hand-fitting	2	
Jewels	1	
Date position	-	
Hour wheel	IS1198.01005	
Stem	IS1198.1117	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/20	
Information	-	




**ISM.11981**  
*(ISM.1198/105)*

Size "" / Size mm	13	29.00
Height mm	4.10	
Total height mm	5.86	
Hand-fitting	2	
Jewels	1	
Date position	D3D12 (date/day)	
Hour wheel	IS1198.01107	
Stem	IS1198.1117	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/20	
Information	-	



**ISM.1198F**  
*(ISM.1198/103)*

Size "" / Size mm	11 ½	25.60
Height mm	3.70	
Total height mm	5.17	
Hand-fitting	2	
Jewels	1	
Date position	D3	
Hour wheel	IS1198.01106	
Stem	IS1198.1117	
Battery	395 / SR927SW	
Hands fitting Ø mm	150/90/20	
Information	-	




**ISM.125B**  
*(ISM.125/130)*

Size "" / Size mm	7 ¾ x 5 ½	17.20 x 13.00 x 15.50
Height mm	1.40	
Total height mm	2.30	
Hand-fitting	1	
Jewels	8	
Date position	-	
Hour wheel	IS125.1910	
Stem	IS125.01903	
Battery	341 / SR714SW	
Hands fitting Ø mm	90/50	
Information	-	




**ISM.1198F/6** *(ISM.1198/103/6)*

Date position	D6
---------------	----




**ISM.127B**  
*(ISM.127/130)*

Size "" / Size mm	7 ¾	17.20
Height mm	1.40	
Total height mm	2.26	
Hand-fitting	1	
Jewels	8	
Date position	-	
Hour wheel	IS125.31046	
Stem	IS125.01903	
Battery	341 / SR714SW	
Hands fitting Ø mm	90/50	
Information	-	




**ISM.220E/6**  
*(ISM.220/1332/6)*

Size''' / Size mm	10 ½	23.30
Height mm	1.90	
Total height mm	2.78	
Hand-fitting	2	
Jewels	0	
Date position	D6	
Hour wheel	Information not available	
Stem	IS137.1816	
Battery	315 / SR716SW	
Hands fitting Ø mm	120/70	
Information	-	



**ISM.222B**  
*(ISM.222/130)*

Size''' / Size mm	7 ¾	17.20
Height mm	1.60	
Total height mm	2.43	
Hand-fitting	1	
Jewels	6	
Date position	-	
Hour wheel	IS120.3301X	
Stem	IS222.51171	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70	
Information	-	



**ISM.230/103**

Size''' / Size mm	10 ½	23.30
Height mm	1.90	
Total height mm	3.35	
Hand-fitting	1	
Jewels	6	
Date position	D3	
Hour wheel	IS137.01827	
Stem	IS137.1816	
Battery	315 / SR716SW	
Hands fitting Ø mm	120/70/20	
Information	-	



**ISM.230/103/6**

Date position	D6
---------------	----




**ISM.2330F**  
*(ISM.2330/103)*

Size''' / Size mm	10 ½	23.30
Height mm	2.95	
Total height mm	4.63	
Hand-fitting	2	
Jewels	0	
Date position	D3	
Hour wheel	Information not available	
Stem	Information not available	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/55	
Information	-	




**ISMP.2331F**  
*(ISMP.2331/103)*

Size''' / Size mm	11 ½	25.60
Height mm	2.95	
Total height mm	4.64	
Hand-fitting	2	
Jewels	0	
Date position	D3	
Hour wheel	IS2321.01208	
Stem	IS328.01842	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	




**ISM.307/103**

Size''' / Size mm	10 ½	23.30
Height mm	3.20	
Total height mm	4.48	
Hand-fitting	2	
Jewels	5	
Date position	D3	
Hour wheel	IS307.3104601	
Stem	IS307.51020	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



**ISM.330/133**

Size''' / Size mm	10 ½	23.30
Height mm	2.50	
Total height mm	3.98	
Hand-fitting	2	
Jewels	5	
Date position	D3	
Hour wheel	IS328.01847	
Stem	IS328.1842	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70	
Information	-	




**ISM.317/103**

Size''' / Size mm	11 ½	25.60
Height mm	3.20	
Total height mm	4.64	
Hand-fitting	2	
Jewels	5	
Date position	D3	
Hour wheel	IS307.3104601	
Stem	IS307.51020	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	




**ISM.330/133/6**

Date position	D6
---------------	----




**ISM.330/103**

Size''' / Size mm	10 ½	23.30
Height mm	2.50	
Total height mm	3.98	
Hand-fitting	2	
Jewels	5	
Date position	D3	
Hour wheel	IS328.01847	
Stem	IS328.1842	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



**ISM.331/103**

Size''' / Size mm	11 ½	25.60
Height mm	2.50	
Total height mm	3.96	
Hand-fitting	2	
Jewels	5	
Date position	D3	
Hour wheel	IS328.01847	
Stem	IS328.1842	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20	
Information	-	



**ISM.336D**  
*(ISM.336/168)*

Size "" / Size mm	6 3/4 x 8	15.30 x 17.80
Height mm	2.50	
Total height mm	4.17	
Hand-fitting	2	
Jewels	5	
Date position	-	
Hour wheel	IS326.01786	
Stem	IS63.1460	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/20	
Information	Small Sec at 6	




**ISM.8171B**  
*(ISM.8171/201)*

Size "" / Size mm	11 1/2	25.60
Height mm	3.70	
Total height mm	5.06	
Hand-fitting	2	
Jewels	3	
Date position	D6	
Hour wheel	IS815.01309	
Stem	IS815.31210	
Battery	399 / SR927W	
Hands fitting Ø mm	150/90/20/16/16	
Information	Small Sec at 2, 30 Min at 10	




**ISM.338/103**

Size "" / Size mm	8 3/4	19.40
Height mm	2.50	
Total height mm	3.98	
Hand-fitting	2	
Jewels	5	
Date position	D3	
Hour wheel	IS328.01847	
Stem	IS328.1842	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70/20	
Information	-	



**ISM.8173A**  
*(ISM.8173)*

Size "" / Size mm	11 1/2	25.60
Height mm	4.60	
Total height mm	6.19	
Hand-fitting	2	
Jewels	9	
Date position	D4	
Hour wheel	IS62.01407	
Stem	IS8173.51529	
Battery	395 / SR927SW	
Hands fitting Ø mm	220/150/90/20/16/16/16	
Information	Alarm, Small Sec at 2, Day at 6, Power Reserve at 10	




**ISM.338/133**

Size "" / Size mm	8 3/4	19.40
Height mm	2.50	
Total height mm	3.71	
Hand-fitting	2	
Jewels	5	
Date position	D3	
Hour wheel	IS328.01847	
Stem	IS328.1842	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70	
Information	-	




**ISM.8176B**  
*(ISM.8176/2050)*

Size "" / Size mm	11 1/2	25.60
Height mm	3.70	
Total height mm	4.90	
Hand-fitting	2	
Jewels	3	
Date position	D6	
Hour wheel	IS815.01309	
Stem	IS815.31210	
Battery	399 / SR927W	
Hands fitting Ø mm	150/90/20/16	
Information	Small Sec at 2, Time Zone	




**ISMP.8176B**  
(ISMP.8176/2050)

Size''' / Size mm	11 ½	25.60
Height mm	3.70	
Total height mm	Information not available	
Hand-fitting	2	
Jewels	3	
Date position	D6	
Hour wheel	IS815.01309	
Stem	IS8153.31233	
Battery	399 / SR927W	
Hands fitting Ø mm	150/90/20/16	
Information	Small Sec at 2, Alarm by Centre Hand, Time Zone, GMT Dual Time	




**ISM.8272A**  
(ISM.8272)

Size''' / Size mm	11 ½	25.60
Height mm	4.60	
Total height mm	5.69	
Hand-fitting	2	
Jewels	9	
Date position	D6	
Hour wheel	IS8271.51133	
Stem	IS8271.51207	
Battery	399 / SR927W	
Hands fitting Ø mm	220/150/90/16/16	
Information	Small Sec at 2, Moon Phases at 10	




**CHRONO**  
**ISM.8270B**  
(ISM.8270)

Size''' / Size mm	11 ½	25.60
Height mm	4.60	
Total height mm	6.16	
Hand-fitting	2	
Jewels	9	
Date position	D6	
Hour wheel	IS8271.51133	
Stem	IS8153.31233	
Battery	399 / SR927W	
Hands fitting Ø mm	220/150/90/20/20	
Information	Small Sec at 2, Alarm, Central Countdown Min, Yachting at 10	




**CHRONO**  
**ISM.8371B**  
(ISM.8371/2010)

Size''' / Size mm	13 ¼	30.60
Height mm	5.50	
Total height mm	7.40	
Hand-fitting	2	
Jewels	0	
Date position	D6	
Hour wheel	Information Information not available	
Stem	Information Information not available	
Battery	394/SR936W	
Hands fitting Ø mm	150/90/65/20/20	
Information	Small Sec at 3, 30 Min at 9	




**CHRONO**  
**ISM.8271B**  
(ISM.8271)

Size''' / Size mm	11 ½	25.60
Height mm	4.60	
Total height mm	5.69	
Hand-fitting	2	
Jewels	9	
Date position	D6	
Hour wheel	IS8271.51133	
Stem	IS8271.51207	
Battery	399 / SR927W	
Hands fitting Ø mm	220/150/90/16/16	
Information	Football, Small Sec at 2, 60 Sec Chrono at 10	



**ISM.8371B**  
(ISM.8371/2010)

Size''' / Size mm	13 ¼	30.60
Height mm	5.50	
Total height mm	Information not available	
Hand-fitting	2	
Jewels	0	
Date position	D6	
Hour wheel	Information not available	
Stem	Information not available	
Battery	394 / SR936W	
Hands fitting Ø mm	Information not available	
Information	Small Sec at 3, 30 Min at 9	



**ISM.83F**  
(ISM.83/103)

Size "" / Size mm	8 ¾	19.40
Height mm	3.25	
Total height mm	4.26	
Hand-fitting	2	
Jewels	0	
Date position	D3	
Hour wheel	IS83.01670	
Stem	IS83.1678	
Battery	362 / SR721SW	
Hands fitting Ø mm	120/70/20	
Information	-	




**ISM.9230M1**  
(ISM.9230/0005)

Size "" / Size mm	13 ¼	30.60
Height mm	4.20	
Total height mm	6.54	
Hand-fitting	2	
Jewels	0	
Date position	D3	
Hour wheel	IS9230.52727	
Stem	IS328.1842	
Battery	371 / SR920SW	
Hands fitting Ø mm	150/90/20/16/16/16	
Information	Dual Time and Day/Night at 6, Day at 9, 24 Hrs at 12	




**ISM.83F/6** (ISM.83/103/6)

Date position	D6
---------------	----




**ISMP.9231C1**  
(ISMP.9231/1900)

Size "" / Size mm	10 ½	23.30
Height mm	4.13	
Total height mm	Information not available	
Hand-fitting	2	
Jewels	0	
Date position	-	
Hour wheel	IS9238.B1106	
Stem	IS328.01842	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20/16/16	
Information	Date at 3, Sun & Moon at 6, Day at 9	




**CHRONO**  
**ISM.9012A**  
(ISM.9012/7000)

Size "" / Size mm	14	31.80
Height mm	6.20	
Total height mm	6.45	
Hand-fitting	2	
Jewels	0	
Date position	-	
Hour wheel	IS9000.01238	
Stem	IS9011.51663	
Battery	CR2016	
Hands fitting Ø mm	90/55	
Information	Analogical, Dual Time, Alarm, Date, 1/100 Sec, Compass, EL Back Light, Split Time	




**ISMP.9232B2**  
(ISMP.9232/1930)


Size "" / Size mm	10 ½	23.30
Height mm	4.13	
Total height mm	6.18	
Hand-fitting	2	
Jewels	0	
Date position	D3	
Hour wheel	IS9232.B1106	
Stem	IS328.01842	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20/16/16	
Information	Dual Time at 6, Month at 12	




Size "" / Size mm	10 ½	23.30
Height mm	4.13	
Total height mm	6.24	
Hand-fitting	2	
Jewels	0	
Date position	D3	
Hour wheel	IS9232.B1106	
Stem	IS328.01842	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20/16	
Information	Dual Time at 6	




Size "" / Size mm	10 ½	23.30
Height mm	4.13	
Total height mm	6.22	
Hand-fitting	2	
Jewels	0	
Date position	-	
Hour wheel	IS9238.B1106	
Stem	IS328.01842	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20/16/16	
Information	Date at 3, Day at 9	



Size "" / Size mm	10 ½	23.30
Height mm	4.13	
Total height mm	6.22	
Hand-fitting	2	
Jewels	0	
Date position	D3	
Hour wheel	IS9232.B1106	
Stem	IS328.01842	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20/16	
Information	Day at 9	



Size "" / Size mm	10 ½	23.30
Height mm	4.13	
Total height mm	6.23	
Hand-fitting	2	
Jewels	0	
Date position	-	
Hour wheel	IS9238.B1106	
Stem	IS328.01842	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20/16	
Information	Date at 3	



Size "" / Size mm	10 ½	23.30
Height mm	4.13	
Total height mm	6.19	
Hand-fitting	2	
Jewels	0	
Date position	-	
Hour wheel	IS9238.B1106	
Stem	IS328.01842	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/20/16/16/16	
Information	Date at 3, Dual Time at 6, Day at 9	



# SELLITA

*Le temps en mouvement*



- \* **Mouvement illustré en version décorée, livré en version standard.**  
*Movement illustrated in decorated version, delivered in standard version.*
- Uhrwerk in geschmückter Version illustriert, in Standardversion geliefert.**  
*Movimiento ilustrado en versión decorada, suministrado en versión estándar.*
- Movimento illustrato in versione decorata, consegnato in versione standard.**  
*Movimento illustrato em versão decorada, entregue em versão standard.*




# SELLITA (SWISS MADE)



**SWM.200-1**

Size ''' / Size mm	11 ½	26.00
Height mm	4.60	
Total height mm	6.56	
Hand-fitting	2	
Jewels	26	
Date position	D3	
Hour wheel	A0255.2.200-1	
Stem	A0401.200-1	
Battery	-	
Hands fitting Ø mm	150/90/25	
Information	Automatic (Compatible with ETA 2824-2)	



**SWM.240-1**

Size ''' / Size mm	13"	29.00
Height mm	5.05	
Total height mm	Information not available	
Hand-fitting	4	
Jewels	26	
Date position	D3D12 (date/day)	
Hour wheel	A0255.240-1	
Stem	A0401.200-1	
Battery	-	
Hands fitting Ø mm	150/90/25	
Information	Automatic	



**SWM.210-1**

Size ''' / Size mm	11 ½	25.60
Height mm	3.35	
Total height mm	5.09	
Hand-fitting	2	
Jewels	19	
Date position	-	
Hour wheel	A0255.2.200-1	
Stem	A0401.200-1	
Battery	-	
Hands fitting Ø mm	150/90/70	
Information	Mechanical / Manual	



**SWM.260-1**

Size ''' / Size mm	11 ½	26.00
Height mm	5.60	
Total height mm	6.65	
Hand-fitting	7	
Jewels	31	
Date position	D3	
Hour wheel	A0255.7.200-1	
Stem	A0401.200-1	
Battery	-	
Hands fitting Ø mm	150/90/20	
Information	Small Sec, Automatic	



**SWM.220-1**

Size ''' / Size mm	11 ½	26.00
Height mm	5.05	
Total height mm	7.05	
Hand-fitting	4	
Jewels	26	
Date position	D3D3 (day/date)	
Hour wheel	A0255.4.220-1	
Stem	A0401.200-1	
Battery	-	
Hands fitting Ø mm	150/90/25	
Information	Automatic (Compatible with ETA 2836-2)	



**SWM.300-1**

Size ''' / Size mm	11 ½	26.20
Height mm	3.60	
Total height mm	8.31	
Hand-fitting	1	
Jewels	25	
Date position	D3	
Hour wheel	A0255.1.300	
Stem	A0401.300	
Battery	-	
Hands fitting Ø mm	150/90/25	
Information	Automatic (Compatible with ETA 2892-A2)	



## SWM.500

<b>Size''' / Size mm</b>	13 ¼	30.40
<b>Height mm</b>	7.90	
<b>Total height mm</b>	10.78	
<b>Hand-fitting</b>	1	
<b>Jewels</b>	25	
<b>Date position</b>	D3D3 (day/date)	
<b>Hour wheel</b>	A0255.500	
<b>Stem</b>	A0401.500	
<b>Battery</b>	-	
<b>Hands fitting Ø mm</b>	200/120/25/18/18/18	
<b>Information</b>	12 Hrs at 6, Small Sec at 9H30, Min at 12, Automatic (Compatible with EIA7750)	




## SWM.1000-1

<b>Size''' / Size mm</b>	9"	20
<b>Height mm</b>	3.90	
<b>Total height mm</b>	5.35	
<b>Hand-fitting</b>	1	
<b>Jewels</b>	18	
<b>Date position</b>	D3	
<b>Hour wheel</b>	A0255.1.1000-1	
<b>Stem</b>	A0401.1000-1	
<b>Battery</b>	-	
<b>Hands fitting Ø mm</b>	200/120/70	
<b>Information</b>	-	

A series of horizontal dotted lines for writing notes.

# FRANCE ÉBAUCHES

SWISS MADE & SWISS PARTS



# FRANCE ÉBAUCHES (SWISS MADE & SWISS PARTS)




**RLM.751B/5820**

Size ''' / Size mm	5 ½ x 6 ¾	13.00 x 15.15
Height mm	2.21	
Total height mm	4.26	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	Information not available	
Stem	FE51020.5120	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70	
Information	-	



**RLM.751E.3/5820**


Size ''' / Size mm	5 ½ x 6 ¾	13.00 x 15.15
Height mm	2.21	
Total height mm	4.16	
Hand-fitting	3	
Jewels	4	
Date position	-	
Hour wheel	Information not available	
Stem	FE51020.5120	
Battery	379 / SR521SW	
Hands fitting Ø mm	120/70	
Information	-	



**RLM.762B/6320**

Size ''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	3.25	
Total height mm	4.26	
Hand-fitting	1	
Jewels	1	
Date position	-	
Hour wheel	Information not available	
Stem	FE51020.6320	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	

# SEIKO



**Les tiges de remontoir et disques des jours ne sont pas livrés avec les mouvements.**


***The winding stems and day discs are not delivered with the movements.***

**Die Aufzugwellen und Tages-Kalenderscheiben werden nicht mit den Uhrwerke geliefert.**

***Las tijas de remontuar y discos de los días no se suministran con los movimientos.***

**I alberi di carica e dischi dei giorni non sono consegnati con i movimenti.**

***As tiges de dar corda e discos dos dias não são entregues com os movimentos.***




**SKM.1E2020**

Size "" / Size mm	-	9.00 x 9.35
Height mm	2.60	
Total height mm	3.35	
Hand-fitting	-	
Jewels	5	
Date position	-	
Hour wheel	S0271930	
Stem	S0354930	
Battery	335 / SR512SW	
Hands fitting Ø mm	90/45	
Information	-	




**SKM.1F2040**

Size "" / Size mm	-	10.00 x 12.50
Height mm	1.80	
Total height mm	3.15	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	Information not available	
Stem	S0351807	
Battery	337 / SR416SW	
Hands fitting Ø mm	90/45	
Information	-	




**SKM.1E2040**

Size "" / Size mm	-	9.00 x 9.35
Height mm	2.60	
Total height mm	3.59	
Hand-fitting	-	
Jewels	5	
Date position	-	
Hour wheel	Information not available	
Stem	S0351930 / S0351931	
Battery	335 / SR512SW	
Hands fitting Ø mm	90/45	
Information	-	




**SKM.1F2120**

Size "" / Size mm	-	10.00 x 12.50
Height mm	2.40	
Total height mm	3.47	
Hand-fitting	-	
Jewels	2	
Date position	-	
Hour wheel	S0271803	
Stem	S0351807	
Battery	337 / SR416SW	
Hands fitting Ø mm	90/45/20	
Information	-	




**SKM.1F2020**

Size "" / Size mm	-	10.00 x 12.50
Height mm	1.80	
Total height mm	2.94	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	S0271807	
Stem	S0351807	
Battery	337 / SR416SW	
Hands fitting Ø mm	90/45	
Information	-	




**SKM.1F2140**


Size "" / Size mm	-	10.00 x 12.50
Height mm	2.40	
Total height mm	3.62	
Hand-fitting	-	
Jewels	2	
Date position	-	
Hour wheel	Information not available	
Stem	S0351807	
Battery	337 / SR416SW	
Hands fitting Ø mm	90/45/20	
Information	-	

**SKM.1N0020**

Size "" / Size mm	-	10.80 x 14.50
Height mm	1.90	
Total height mm	3.16	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	S0271813	
Stem	S0351807	
Battery	317 / SR516SW	
Hands fitting Ø mm	45/90	
Information	-	

**SKM.1N0140**


Size "" / Size mm	-	10.80 x 14.50
Height mm	2.20	
Total height mm	4.23	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	Information not available	
Stem	S0351807	
Battery	379 / SR521SW	
Hands fitting Ø mm	110/65/20	
Information	-	

**SKM.1N0120**

Size "" / Size mm	-	10.80 x 14.50
Height mm	2.20	
Total height mm	3.69	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	S0271803	
Stem	S0351807	
Battery	379 / SR521SW	
Hands fitting Ø mm	110/65/20	
Information	-	

**SKM.2E2010**

Size "" / Size mm	-	15.50 x 8.40
Height mm	2.20	
Total height mm	3.39	
Hand-fitting	-	
Jewels	2	
Date position	-	
Hour wheel	S0271202	
Stem	S0351205 / S0351206 / S0351207	
Battery	379 / SR521SW	
Hands fitting Ø mm	90/45	
Information	-	


**SKM.1N0130**

Size "" / Size mm	-	10.80 x 14.50
Height mm	2.20	
Total height mm	4.14	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	Information not available	
Stem	S0351807	
Battery	379 / SR521SW	
Hands fitting Ø mm	110/65/20	
Information	-	

**SKM.2E2020**

Size "" / Size mm	-	15.50 x 8.40
Height mm	2.20	
Total height mm	3.15	
Hand-fitting	-	
Jewels	2	
Date position	-	
Hour wheel	S0271203	
Stem	S0351207	
Battery	379 / SR521SW	
Hands fitting Ø mm	90/45	
Information	-	






## SKM.2E2030

Size "" / Size mm	-	15.50 x 8.40
Height mm	2.20	
Total height mm	3.27	
Hand-fitting	-	
Jewels	2	
Date position	-	
Hour wheel	S0271204	
Stem	S0351207	
Battery	379 / SR521SW	
Hands fitting Ø mm	90/45	
Information	-	




## SKM.5D4420

Size "" / Size mm	-	30.00
Height mm	6.25	
Total height mm	8.90	
Hand-fitting	-	
Jewels	12	
Date position	D6	
Hour wheel	S0271618	
Stem	S0351512	
Battery	S302324L	
Hands fitting Ø mm	Information not available	
Information	Direct Drive Indicator at 4, Retro Day Indicator at 9, Autoquartz	




## SKM.420710

Size "" / Size mm	-	17.50
Height mm	5.60	
Total height mm	7.40	
Hand-fitting	-	
Jewels	21	
Date position	D3D3 (day/date)	
Hour wheel	S0271425	
Stem	S0351420	
Battery	-	
Hands fitting Ø mm	Information not available	
Information	Automatic	




## SKM.6G2820

Size "" / Size mm	-	23.70
Height mm	3.45	
Total height mm	4.95	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	S0273169	
Stem	S0351177	
Battery	377 / SR626SW	
Hands fitting Ø mm	Information not available	
Information	Small Sec at 6	



## SKM.5D2220

Size "" / Size mm	-	30.00
Height mm	6.25	
Total height mm	8.10	
Hand-fitting	-	
Jewels	12	
Date position	D3	
Hour wheel	S0271619	
Stem	S0351512	
Battery	S302324L	
Hands fitting Ø mm	Information not available	
Information	Retro Drive Indicator at 9, Autoquartz	



**CHRONO**

## SKM.6G3420

Size "" / Size mm	-	23.70
Height mm	3.45	
Total height mm	4.95	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	S0273169	
Stem	S0351177	
Battery	377 / SR626SW	
Hands fitting Ø mm	Information not available	
Information	Date at 3, Small Sec at 6, Retro Day at 9, 24 Hrs at 12	




CHRONO

**SKM.6T6320**

Size "" / Size mm	-	30.80
Height mm	5.10	
Total height mm	7.12	
Hand-fitting	-	
Jewels	0	
Date position	D4	
Hour wheel	S0273038	
Stem	S0351177	
Battery	394 / SR936SW	
Hands fitting Ø mm	Information not available	
Information	24 Hrs at 3, Small Sec at 6, 60 Min at 9	

**SKM.7D4820**

Size "" / Size mm	-	32.00
Height mm	6.10	
Total height mm	Information not available	
Hand-fitting	-	
Jewels	16	
Date position	BD12 (big date)	
Hour wheel	S0271564	
Stem	S0351510	
Battery	S302324X	
Hands fitting Ø mm	Information not available	
Information	24 Hrs at 4, Month at 6, Year at 9, Autoquartz	

**SKM.7C1720**

Size "" / Size mm	-	28.60 x 27.00
Height mm	3.70	
Total height mm	6.18	
Hand-fitting	-	
Jewels	7	
Date position	-	
Hour wheel	S0271927	
Stem	S0351925	
Battery	301 / SR43SW	
Hands fitting Ø mm	Information not available	
Information	-	

**SKM.7N0010**

Size "" / Size mm	-	18.20 x 15.30
Height mm	2.10	
Total height mm	3.34	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	S0271891	
Stem	S0351890	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70	
Information	-	

**SKM.7C4620**

Size "" / Size mm	-	28.60
Height mm	3.70	
Total height mm	6.30	
Hand-fitting	-	
Jewels	7	
Date position	D3D3 (day/date)	
Hour wheel	S0271925	
Stem	Information not available	
Battery	301 / SR43SW	
Hands fitting Ø mm	Information not available	
Information	-	


**SKM.7N0110**

Size "" / Size mm	-	18.20 x 15.30
Height mm	2.10	
Total height mm	3.64	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	S0271890	
Stem	S0351890	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/20	
Information	-	




### SKM.7N0120

Size''' / Size mm	-	18.20 x 15.30
Height mm	2.10	
Total height mm	4.07	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	S0271892	
Stem	S0351890	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/20	
Information	-	



### SKM.7N3220

Size''' / Size mm	-	21.50 x 21.30
Height mm	2.57	
Total height mm	4.50	
Hand-fitting	-	
Jewels	1	
Date position	D3	
Hour wheel	S0271929	
Stem	S0351892	
Battery	370 / SR920W	
Hands fitting Ø mm	110/65/20	
Information	-	




### SKM.7N3320

Size''' / Size mm	-	21.50 x 21.30
Height mm	2.78	
Total height mm	4.79	
Hand-fitting	-	
Jewels	1	
Date position	D3D3 (day/date)	
Hour wheel	S0271934	
Stem	S0351892	
Battery	370 / SR920W	
Hands fitting Ø mm	110/65/20	
Information	-	



### SKM.7N3210

Size''' / Size mm	-	21.50 x 21.30
Height mm	2.57	
Total height mm	4.50	
Hand-fitting	-	
Jewels	1	
Date position	D6	
Hour wheel	S0271929	
Stem	S0351892	
Battery	370 / SR920W	
Hands fitting Ø mm	110/65/20	
Information	-	



### SKM.7N3520

Size''' / Size mm	-	21.50 x 21.30
Height mm	2.78	
Total height mm	Information not available	
Hand-fitting	-	
Jewels	1	
Date position	D3	
Hour wheel	S0271934	
Stem	S0351892	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20	
Information	-	

**SKM.7N3620**

Size "" / Size mm	-	21.50 x 21.30
Height mm	2.78	
Total height mm	4.85	
Hand-fitting	-	
Jewels	1	
Date position	D3D3 (day/date)	
Hour wheel	S0271934	
Stem	S0351892	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20	
Information	-	

**SKM.7N4220**

Size "" / Size mm	-	23.50
Height mm	2.90	
Total height mm	4.82	
Hand-fitting	-	
Jewels	1	
Date position	D3	
Hour wheel	S0271893	
Stem	S0351892	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20	
Information	-	

**SKM.7N3910**

Size "" / Size mm	-	21.50 x 21.30
Height mm	2.57	
Total height mm	3.80	
Hand-fitting	-	
Jewels	1	
Date position	D3	
Hour wheel	S0271929	
Stem	S0351892	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65	
Information	-	

**SKM.7N4320**

Size "" / Size mm	-	23.50
Height mm	2.90	
Total height mm	4.82	
Hand-fitting	-	
Jewels	1	
Date position	D3D3 (day/date)	
Hour wheel	S0271893	
Stem	S0351892	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20	
Information	-	

**SKM.7N3920**

Size "" / Size mm	-	21.50 x 21.30
Height mm	2.57	
Total height mm	4.15	
Hand-fitting	-	
Jewels	1	
Date position	D3	
Hour wheel	S0271942	
Stem	S0351892	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65	
Information	-	


**SKM.7N8210**

Size "" / Size mm	-	15.70 x 17.80
Height mm	2.60	
Total height mm	4.08	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	S0271929	
Stem	S0351892	
Battery	364 / SR621SW	
Hands fitting Ø mm	110/65/20	
Information	-	




### SKM.7N8240

Size ''' / Size mm	-	15.70 x 17.80
Height mm	2.60	
Total height mm	4.30	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	S0271942	
Stem	S0351892	
Battery	364 / SR621SW	
Hands fitting Ø mm	110/65/20	
Information	-	



### SKM.7N8940

Size ''' / Size mm	-	15.70 x 17.80
Height mm	2.60	
Total height mm	4.60	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	S0271942	
Stem	S0351892	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65	
Information	-	



### SKM.7N8340

Size ''' / Size mm	-	15.70 x 17.80
Height mm	2.90	
Total height mm	4.70	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	S0271934	
Stem	S0351892	
Battery	364 / SR621SW	
Hands fitting Ø mm	110/65/20	
Information	-	



### SKM.7S252D

Size ''' / Size mm	-	27.40
Height mm	4.90	
Total height mm	7.17	
Hand-fitting	-	
Jewels	21	
Date position	D3	
Hour wheel	S0271483	
Stem	S0351260	
Battery	-	
Hands fitting Ø mm	Information not available	
Information	Automatic	




### SKM.7N8910

Size ''' / Size mm	-	15.70 x 17.80
Height mm	2.60	
Total height mm	3.85	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	S0271929	
Stem	S0351892	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65	
Information	-	



### SKM.7S2623

Size ''' / Size mm	-	27.40
Height mm	4.90	
Total height mm	7.20	
Hand-fitting	-	
Jewels	21	
Date position	D3D3 (day/date)	
Hour wheel	S0271483	
Stem	S0351260	
Battery	-	
Hands fitting Ø mm	Information not available	
Information	Automatic	



CHRONO


SKM.7T6220

Size ''' / Size mm	-	27.60
Height mm	3.30	
Total height mm	5.72	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	S0271588	
Stem	S0351583	
Battery	399 / SR927W	
Hands fitting Ø mm	Information not available	
Information	Alarm at 6, Small Sec at 9, Min at 12	



SKM.S14320

Size ''' / Size mm	-	49.30 x 43.00
Height mm	8.75	
Total height mm	Information not available	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	Information not available	
Stem	Information not available	
Battery	CR2430	
Hands fitting Ø mm	Information not available	
Information	Digital	



CHRONO

SKM.7T9220

Size ''' / Size mm	-	27.60
Height mm	3.30	
Total height mm	5.78	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	S0271583	
Stem	S0351583	
Battery	399 / SR927W	
Hands fitting Ø mm	Information not available	
Information	Hrs + Min at 6, Small Sec at 9, 1/20 at 12	



SKM.V07120

Size ''' / Size mm	-	27.90 x 24.00
Height mm	3.40	
Total height mm	4.97	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	Information not available	
Stem	S0354122	
Battery	399 / SR927W	
Hands fitting Ø mm	Information not available	
Information	Digital	



CHRONO

SKM.7T9420

Size ''' / Size mm	-	27.60
Height mm	3.50	
Total height mm	5.92	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	S0271588	
Stem	S0351583	
Battery	399/SR927W	
Hands fitting Ø mm	Information not available	
Information	Small Sec at 6, Min at 12	



SKM.V11610

Size ''' / Size mm	-	11.60 x 15.55
Height mm	2.00	
Total height mm	3.80	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	S0271946	
Stem	S0351861	
Battery	S302726T	
Hands fitting Ø mm	110/65	
Information	-	



### SKM.V15720

Size ''' / Size mm	-	28.6
Height mm	3.50	
Total height mm	5.65	
Hand-fitting	-	
Jewels	2	
Date position	D3	
Hour wheel	S0271639	
Stem	S0351892	
Battery	302324Y	
Hands fitting Ø mm	Information not available	
Information	-	



### SKM.V50120

Size ''' / Size mm	-	15.30 x 18.20
Height mm	2.99	
Total height mm	4.82	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	Information not available	
Stem	S0351789	
Battery	377 / SR626SW	
Hands fitting Ø mm	110/65/20	
Information	-	



### SKM.V17520

Size ''' / Size mm	-	27.60
Height mm	4.40	
Total height mm	Information not available	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	S0271636	
Stem	S0351586	
Battery	MT920	
Hands fitting Ø mm	Information not available	
Information	24 Hrs at 3, 60 Min at 6, Small Sec at 9	




### SKM.V65320

Size ''' / Size mm	-	26.00
Height mm	3.70	
Total height mm	6.79	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	S0271407	
Stem	S0351880	
Battery	377 / SR626SW	
Hands fitting Ø mm	Information not available	
Information	24 Hrs at 3, Sec at 6, Min at 9	




### SKM.V50110

Size ''' / Size mm	-	15.30 x 18.20
Height mm	2.99	
Total height mm	4.52	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	Information not available	
Stem	S0351789	
Battery	377 / SR626SW	
Hands fitting Ø mm	110/65/20	
Information	-	




### SKM.V65720


Size ''' / Size mm	-	26.00
Height mm	3.70	
Total height mm	Information not available	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	S0271407	
Stem	S0351892	
Battery	371 / SR920SW	
Hands fitting Ø mm	Information not available	
Information	Min at 6, Sec at 9, 1/10 Sec at 12	

**SKM.V81010**


Size ''' / Size mm	-	15.50 x 13.00
Height mm	3.00	
Total height mm	4.23	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	Information not available	
Stem	S0354365	
Battery	319 / SR527SW	
Hands fitting Ø mm	110/65	
Information	-	

**SKM.V81120**


Size ''' / Size mm	-	15.50 x 13.00
Height mm	3.00	
Total height mm	4.80	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	Information not available	
Stem	S0354365	
Battery	319 / SR527SW	
Hands fitting Ø mm	110/65/20	
Information	-	

**SKM.V81020**

Size ''' / Size mm	-	15.50 x 13.00
Height mm	3.00	
Total height mm	4.48	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	Information not available	
Stem	S0354365	
Battery	319 / SR527SW	
Hands fitting Ø mm	110/65	
Information	-	

**SKM.V81130**

Size ''' / Size mm	-	15.50 x 13.00
Height mm	3.00	
Total height mm	4.98	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	Information not available	
Stem	S0354365	
Battery	319 / SR527SW	
Hands fitting Ø mm	110/65/20	
Information	-	

**SKM.V81110**


Size ''' / Size mm	-	15.50 x 13.00
Height mm	3.00	
Total height mm	4.61	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	Information not available	
Stem	S0354365	
Battery	319 / SR527SW	
Hands fitting Ø mm	110/65/20	
Information	-	



A series of horizontal dotted lines for writing notes, spanning the width of the page.


# ASIAN MOVEMENTS

**Hattori**  
**S.Epson**  
**Shiojiri**  
**SII**  
**Sunon**  
**Timex**




## HIGH HAND SERIES




### Dual Time




### Multi-eye / Retrograde



### Slim



### Standard



\*PC21J : 3 years battery life  
PC21AE / AF : 2 years battery life


## STEM VARIATION

CALIBRE NO.	Ø mm	LENGTH mm	CODE NO.
AL20E, 21E, 35E Y120E, 121E, 127E Y120G, 121G YR67A AS01, 06	0.90 0.90 0.90	19.2 22.0 28.0	0354 788 Standard 0354 787 Type-2 0354 790 Type-3
VX00A, 01B	0.60 0.60 0.90 0.90	12.9 15.6 15.6 25.7	0351 807 Standard 0351 808 0351 819 0351 818
VX10A, 11B VS15A, 17A	0.60 0.60 0.90 0.90	12.9 15.6 15.6 25.7	0351 807 0351 808 0351 819 Standard 0351 818
AL32A, 33A, 82A, 83A VX12E, 19E, 82E, 83E, 89E VX32E, 33E, 3KE, 42E, 43E, 44E VX3NE, 3PE, 3RE, 3SE, 3TE VX36E, 3JE, 3LE AS32, 37, 82, 87 VS22A, 37A, 3JA, 42A, 43A	0.90 0.90	19.6 31.0	0351 177 Standard 0351 578
VX7_E, 9_E VR32A, 33A, 34A	0.90 0.90	19.6 31.0	0351 177 0351 578 Standard
VX36B VX3FA, 3HA, 3JA, 3LA, 3MA	0.90 0.90	19.0 30.5	0354 531 Standard 0354 534
VX50E, 51E	0.90 0.90	19.9 28.3	0351 178 Standard 0351 881
YM Series	0.90 0.90	20.0 26.8	0351 584 Standard 0351 585
VS72, 75, 76	0.90	22.0	0351 587 Standard



**SKMP.AL20**

Size "" / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.99	
Total height mm	4.23	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271796	
Stem	S0354788	
Battery	377 / SR626SW	
Hands fitting Ø mm	110/65	
Information	-	



**SKMP.AL32**

Size "" / Size mm	10 ½	22.00 x 22.60
Height mm	4.15	
Total height mm	6.00	
Hand-fitting	S	
Jewels	0	
Date position	D3	
Hour wheel	S0271517	
Stem	SK0405.VX12E	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70//17	
Information	-	



**SKMP.AL21**

Size "" / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.99	
Total height mm	4.48	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271796	
Stem	S0354788	
Battery	377 / SR626SW	
Hands fitting Ø mm	110/65//20	
Information	-	



**SKMP.AL32/6**


Date position	D6
---------------	----

**SKMP.AL21.2**

Total height mm	5.62
Hand-fitting	LII
Hour wheel	S0271979

**SKMP.AL21.4**

Total height mm	6.76
Hand-fitting	L IV
Hour wheel	S0271756



**SKMP.AL33**

Size "" / Size mm	10 ½	22.00 x 22.60
Height mm	4.15	
Total height mm	6.00	
Hand-fitting	S	
Jewels	0	
Date position	DD3 (day/date)	
Hour wheel	S0271517	
Stem	SK0405.VX12E	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70//17	
Information	-	


**SKMP.AL35**

Size ''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.99	
Total height mm	4.59	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271752	
Stem	S0354788	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	


**SKMP.AL82/6**

Date position	D6
---------------	----


**SKMP.AL55**

Size ''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.99	
Total height mm	4.59	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271741	
Stem	S0351751	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	


**SKMP.AL83**

Size ''' / Size mm	6 ¾ x 8	16.30 x 18.20
Height mm	4.15	
Total height mm	6.00	
Hand-fitting	S	
Jewels	0	
Date position	DD3 (day/date)	
Hour wheel	S0271517	
Stem	SK0405.VX12E	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	


**SKMP.AL82**

Size ''' / Size mm	6 ¾ x 8	16.30 x 18.20
Height mm	4.15	
Total height mm	6.00	
Hand-fitting	S	
Jewels	0	
Date position	D3	
Hour wheel	S0271517	
Stem	SK0405.VX12E	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	


**SKMP.AS32**

Size ''' / Size mm	10 ½	23.30
Height mm	4.61	
Total height mm	6.64	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0271649	
Stem	S0351177	
Battery	302624T	
Hands fitting Ø mm	110/65/20	
Information	Solar	



**SKMP.AS87**

Size ''' / Size mm	6 ¾ x 8	15.30 x 17.80
Height mm	4.61	
Total height mm	6.67	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0271649	
Stem	S0351177	
Battery	MT621	
Hands fitting Ø mm	110/65/20	
Information	Solar	




**SKMP.NH06**

Size ''' / Size mm	7 ¾	17.50
Height mm	5.92	
Total height mm	7.60	
Hand-fitting	M	
Jewels	21	
Date position	DD3 (day/date)	
Hour wheel	S0271425	
Stem	S0351420	
Battery	-	
Hands fitting Ø mm	110/65/21	
Information	Automatic	




**SKMP.NE20**

Size ''' / Size mm	12	27.40
Height mm	6.15	
Total height mm	8.38	
Hand-fitting	M	
Jewels	29	
Date position	-	
Hour wheel	S0273029	
Stem	S0351183	
Battery	-	
Hands fitting Ø mm	150/90/21/21/21/21	
Information	Day at 3, Day at 6, Power Reserve at 9H30, Automatic	



**SKMP.NH15**

Size ''' / Size mm	10 ½	23.80
Height mm	6.01	
Total height mm	7.74	
Hand-fitting	M	
Jewels	21	
Date position	D3	
Hour wheel	S0273030	
Stem	S0351420	
Battery	-	
Hands fitting Ø mm	110/65/21	
Information	Automatic	




**SKMP.NH05**

Size ''' / Size mm	7 ¾	17.50
Height mm	5.92	
Total height mm	7.60	
Hand-fitting	M	
Jewels	21	
Date position	D3	
Hour wheel	S0271425	
Stem	S0351420	
Battery	-	
Hands fitting Ø mm	110/65//21	
Information	Automatic	



**SKMP.NH16**

Size ''' / Size mm	10 ½	23.80
Height mm	6.01	
Total height mm	7.74	
Hand-fitting	M	
Jewels	21	
Date position	DD3 (day/date)	
Hour wheel	S0273030	
Stem	S0351420	
Battery	-	
Hands fitting Ø mm	110/65//21	
Information	Automatic	


**SKMP.NH35**

Size "" / Size mm	12	27.40
Height mm	5.32	
Total height mm	7.59	
Hand-fitting	M	
Jewels	24	
Date position	D3	
Hour wheel	S0273182	
Stem	S0351200	
Battery	-	
Hands fitting Ø mm	150/90/21	
Information	Automatic	


**SKMP.PC11**

Size "" / Size mm	5 ½	15.55 x 13.00
Height mm	3.15	
Total height mm	4.75	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271394	
Stem	S0354130	
Battery	319 / SR527SW	
Hands fitting Ø mm	120/70/17	
Information	-	


**SKMP.NH36**

Size "" / Size mm	12	27.40
Height mm	5.32	
Total height mm	7.56	
Hand-fitting	M	
Jewels	24	
Date position	D3D3 (day/date)	
Hour wheel	S02731183	
Stem	S0351200	
Battery	-	
Hands fitting Ø mm	150/90/21	
Information	Automatic	


**SKMP.PC20**

Size "" / Size mm	6 ¾ x 8	18.20 x 14.11
Height mm	3.15	
Total height mm	4.53	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271394	
Stem	S0354122	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70	
Information	-	


**SKMP.PC10**

Size "" / Size mm	5 ½	15.55 x 13.00
Height mm	3.15	
Total height mm	4.45	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271394	
Stem	S0354130	
Battery	319 / SR527SW	
Hands fitting Ø mm	120/70	
Information	-	


**SKMP.PC21**


Size "" / Size mm	6 ¾ x 8	18.20 x 14.11
Height mm	3.15	
Total height mm	4.83	
Hand-fitting	M4	
Jewels	0	
Date position	-	
Hour wheel	S0273013	
Stem	S0354122	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	






**SKMP.PC21AF**

Size "" / Size mm	6 ¾ x 8	18.20 x 14.11
Height mm	3.15	
Total height mm	6.65	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0273014	
Stem	S0354127	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	




**SKMP.PC29**

Size "" / Size mm	6 ¾ x 8	18.20 x 16.85
Height mm	4.15	
Total height mm	6.00	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271194	
Stem	S0354194	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	Sun & Moon at 12	



**SKMP.PC22**

Size "" / Size mm	6 ¾ x 8	18.20 x 16.85
Height mm	4.15	
Total height mm	6.00	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0271322	
Stem	S0354300	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70//17	
Information	-	



**SKMP.PC32**

Size "" / Size mm	10 ½	22.60 x 22.00
Height mm	4.15	
Total height mm	6.00	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0271322	
Stem	S0354300	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**SKMP.PC22/6**

Date position	D6
---------------	----



**SKMP.PC32/4**

Date position	D4
---------------	----




**SKMP.PC32/6**

Date position	D6
---------------	----




**SKMP.PC33**

Size''' / Size mm	10 ½	22.60 x 22.00
Height mm	4.15	
Total height mm	6.00	
Hand-fitting	M	
Jewels	0	
Date position	DD3 (day/date)	
Hour wheel	S0271322	
Stem	S0354300	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	




**SKMP.PE903**

Size''' / Size mm	12 ¾	29.75
Height mm	4.52	
Total height mm	6.83	
Hand-fitting	Information not available	
Jewels	-	
Date position	D3	
Hour wheel	Information not available	
Stem	Information not available	
Battery	SR921SW	
Hands fitting Ø mm	120/70/19/17/17/17	
Information	1/10 at 12, 60 Sec at 6, 60 Min at 9	




**SKMP.PC39**

Size''' / Size mm	10 ½	22.60 x 22.00
Height mm	4.15	
Total height mm	6.00	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271194	
Stem	S0354194	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	Sun & Moon at 12	




**SKMP.PE904**

Size''' / Size mm	12 ¾	29.75
Height mm	4.52	
Total height mm	6.83	
Hand-fitting	Information not available	
Jewels	-	
Date position	D4H30	
Hour wheel	Information not available	
Stem	Information not available	
Battery	SR921SW	
Hands fitting Ø mm	120/70/19/17/17/17/17	
Information	1/10 at 12, 24 Hrs at 3, 60 Sec at 6, 60 Min at 9	



**SKMP.PE902**

Size''' / Size mm	12 ¾	29.75
Height mm	4.52	
Total height mm	6.83	
Hand-fitting	Information not available	
Jewels	-	
Date position	D4H30	
Hour wheel	Information not available	
Stem	Information not available	
Battery	SR921SW	
Hands fitting Ø mm	120/70/19/17/17/17	
Information	24 Hrs at 3, 60 Sec at 6, 60 Min at 9	



**SKMP.PE905**

Size''' / Size mm	12 ¾	29.75
Height mm	4.52	
Total height mm	6.83	
Hand-fitting	Information not available	
Jewels	-	
Date position	D4H30	
Hour wheel	Information not available	
Stem	Information not available	
Battery	SR921SW	
Hands fitting Ø mm	120/70/19/17/17	
Information	Sun & Moon at 3, 60 Sec at 6, 60 Min at 9	


**CHRONO**
**SKMP.PE906**

Size ''' / Size mm	12 ¾	29.75
Height mm	4.52	
Total height mm	6.83	
Hand-fitting	Information not available	
Jewels	-	
Date position	D4H30	
Hour wheel	Information not available	
Stem	Information not available	
Battery	SR921SW	
Hands fitting Ø mm	120/70/19/17/17/17	
Information	1/10 at 12, 60 Sec at 6, 60 Min at 9	


**CHRONO**
**SKMP.PE907**

Size ''' / Size mm	12 ¾	29.75
Height mm	4.52	
Total height mm	6.83	
Hand-fitting	Information not available	
Jewels	-	
Date position	D6	
Hour wheel	Information not available	
Stem	Information not available	
Battery	SR921SW	
Hands fitting Ø mm	120/70/19/17/17/17	
Information	60 Sec at 12, 24 Hrs at 3, 60 Min at 9	


**SKMP.VC01**

Size ''' / Size mm	4 ¾ x 6 ½	10.80 x 14.50
Height mm	2.38	
Total height mm	3.93	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271298	
Stem	S0351173	
Battery	379 / SR521SW	
Hands fitting Ø mm	110/65/20	
Information	-	


**SKMP.VC00**

Size ''' / Size mm	4 ¾ x 6 ½	10.80 x 14.50
Height mm	2.38	
Total height mm	3.55	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271298	
Stem	S0351173	
Battery	379 / SR521SW	
Hands fitting Ø mm	110/65	
Information	-	

**SKMP.VC01.2**

Total height mm	4.23	
Hand-fitting	L	
Hour wheel	S0271304	


**SKMP.VC10**

Size ''' / Size mm	5 ½ x 6 ¾	13.00 x 15.55
Height mm	2.38	
Total height mm	3.58	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271298	
Stem	S0351173	
Battery	379 / SR521SW	
Hands fitting Ø mm	110/65	
Information	-	

**SKMP.VC10.2**

Total height mm	3.95	
Hand-fitting	L	
Hour wheel	S0271304	

**SKMP.VC11.2**

Total height mm	4.39	
Hand-fitting	L	
Hour wheel	S0271304	


**SKMP.VD31**

Size ''' / Size mm	12 ¾	29.50
Height mm	4.57	
Total height mm	6.81	
Hand-fitting	M	
Jewels	0	
Date position	D6	
Hour wheel	S0271407	
Stem	S0351177	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/19/14/14	
Information	24 Hrs at 3, Dual Time at 9	


**SKMP.VC11**

Size ''' / Size mm	5 ½ x 6 ¾	13.00 x 15.55
Height mm	2.38	
Total height mm	4.07	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271298	
Stem	S0351173	
Battery	379 / SR521SW	
Hands fitting Ø mm	110/65/20	
Information	-	


**SKMP.VD32**

Size ''' / Size mm	12 ¾	29.50
Height mm	3.97	
Total height mm	6.22	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271407	
Stem	S0351177	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/29/14/14	
Information	24 Hrs at 3, Dual Time at 9	




**CHRONO**  
**SKMP.VD33**

Size "" / Size mm	12 ¾	29.50
Height mm	4.57	
Total height mm	6.81	
Hand-fitting	M	
Jewels	0	
Date position	D4H30	
Hour wheel	S0271407	
Stem	S0351177	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/19/14/14	
Information	24 Hrs at 3, Min at 6, Dual Time at 9	



**CHRONO**  
**SKMP.VD36**

Size "" / Size mm	12 ¾	29.50
Height mm	3.97	
Total height mm	6.21	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271406	
Stem	S0351178	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/10/14/14	
Information	24 Hrs at 6, Min at 12	




**CHRONO**  
**SKMP.VD34**

Size "" / Size mm	12 ¾	29.50
Height mm	3.97	
Total height mm	6.22	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271407	
Stem	S0351177	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/19/14/14	
Information	24 Hrs at 3, Min at 6, Dual Time at 9	




**CHRONO**  
**SKMP.VD37**

Size "" / Size mm	12 ¾	29.50
Height mm	4.57	
Total height mm	6.80	
Hand-fitting	M	
Jewels	0	
Date position	D4H30	
Hour wheel	S0271407	
Stem	S0351177	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20/14/14/14	
Information	60 Min at 6, Dual 12 at 9, Dual 24 at 12	




**CHRONO**  
**SKMP.VD35**

Size "" / Size mm	12 ¾	29.50 x 26.00
Height mm	4.57	
Total height mm	6.80	
Hand-fitting	M	
Jewels	0	
Date position	D4H30	
Hour wheel	S0271407	
Stem	S0351177	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/19/14/14	
Information	24 Hrs at 12, Min at 6	



**CHRONO**  
**SKMP.VD50**


Size "" / Size mm	12 ¾	29.50 x 26.00
Height mm	4.57	
Total height mm	6.79	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0271407	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/21/21/21/21	
Information	Small Sec at 6, 60 Min at 9, 1/10 Retrograde Sec at 12	


**CHRONO**
**SKMP.VD51**

Size ''' / Size mm	12 ¾	29.50 x 26.00
Height mm	4.57	
Total height mm	6.93	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0271407	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/21/21/21	
Information	60 Min at 6, Small Sec at 12	

**CHRONO**
**SKMP.VD51.2**


Total height mm	7.22
Hand-fitting	L
Hour wheel	S0273037


**CHRONO**
**SKMP.VD53**


Size ''' / Size mm	12 ¾	29.50 x 26.00
Height mm	4.57	
Total height mm	6.93	
Hand-fitting	M	
Jewels	0	
Date position	D4H30	
Hour wheel	S0271407	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/21/21/21/21	
Information	24 Hrs at 3, Small Sec at 6, 60 Min at 9	

**CHRONO**
**SKMP.VD53.2**

Total height mm	7.26
Hand-fitting	L
Hour wheel	S0273037


**CHRONO**
**SKMP.VD52**


Size ''' / Size mm	12 ¾	29.50 x 26.00
Height mm	4.57	
Total height mm	6.75	
Hand-fitting	M	
Jewels	0	
Date position	D6	
Hour wheel	S0271407	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/21/21/21/21	
Information	24 Hrs at 3, 60 Min at 9, Small Sec at 12	


**CHRONO**
**SKMP.VD54**

Size ''' / Size mm	12 ¾	29.50 x 26.00
Height mm	3.97	
Total height mm	6.91	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271406	
Stem	S0351178	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/21/21/21/21	
Information	24 Hrs at 3, Small Sec at 6, 60 Min at 9	

**CHRONO**
**SKMP.VD54.2**

Total height mm	6.17
Hand-fitting	L
Hour wheel	S02773036




**SKMP.VD55**

Size''' / Size mm	12 ¾	29.50 x 26.00
Height mm	3.97	
Total height mm	6.34	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271406	
Stem	S0351178	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/21/21/21/21	
Information	Small Sec at 6, 60 Min at 9, 1/10 Sec at 12	

**CHRONO**

**SKMP.VD55.2**

Total height mm	6.65
Hand-fitting	L
Hour wheel	S0273036



**SKMP.VD57**

Size''' / Size mm	12 ¾	29.50 x 26.00
Height mm	4.57	
Total height mm	6.93	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0271407	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/21/21/21/21	
Information	Small Sec at 6, 60 Min at 9, 1/10 Sec at 12	

**CHRONO**

**SKMP.VD57.2**

Total height mm	7.24
Hand-fitting	L
Hour wheel	S0273037




**SKMP.VD56**

Size''' / Size mm	12 ¾	29.50 x 26.00
Height mm	3.97	
Total height mm	6.33	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271406	
Stem	S0351178	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/21/21/21/21	
Information	24 Hrs at 3, Small Sec at 6, 60 Min at 9, 1/10 Sec at 12	

**CHRONO**


**SKMP.VD56.2**

Total height mm	6.65
Hand-fitting	L
Hour wheel	S0273036



**SKMP.VD59**

Size''' / Size mm	12 ¾	29.50 x 26.00
Height mm	4.57	
Total height mm	6.94	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271407	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/21/21/21/21	
Information	Sun and Moon at 3, Small Sec at 6, 60 Min at 9, 1/10 Sec at 12	


**SKMP.VD72**


Size "" / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.13	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0273169	
Stem	SK0405.VX12E	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/21	
Information	Date Hand at 2	

**SKMP.VD72.2**

Total height mm	5.77	
Hand-fitting	L	
Hour wheel	S0273035	

**SKMP.VD73.2**


Total height mm	5.77	
Hand-fitting	L	
Hour wheel	S0273035	


**SKMP.VD74**

Size "" / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	4.97	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0273169	
Stem	SK0405.VX12E	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/21/21/21/21	
Information	Date Hand at 3, Small Sec at 6, Date Hand at 9, 24 Hrs at 12	


**SKMP.VD74.2**

Total height mm	5.77	
Hand-fitting	L	
Hour wheel	S0273035	


**SKMP.VD73**

Size "" / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.12	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0273169	
Stem	SK0405.VX12E	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/21/21	
Information	Date Hand at 2, Small Sec at 6	






**SKMP.VD75**

Size "" / Size mm	10 ½	23.70
Height mm	3.45	
Total height mm	5.14	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0273169	
Stem	SK0405.VX12E	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/21/21/21	
Information	Date Hand at 3, Small Sec at 6, Day Hand at 9	

**SKMP.VD75.2**

Total height mm	5.75	
Hand-fitting	L	
Hour wheel	S0273035	




**SKMP.VD77**

Size "" / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	4.94	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0273169	
Stem	SK0405.VX12E	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/21/21	
Information	Small Sec at 6, 24 Hrs at 12	


**SKMP.VD77.2**

Total height mm	5.75	
Hand-fitting	L	
Hour wheel	S0273035	



**SKMP.VD76**

Size "" / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	4.95	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0273169	
Stem	SK0405.VX12E	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/21/21/21	
Information	Date Hand at 2, Small Sec at 6, Day Hand at 10	




**SKMP.VD78**


Size "" / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	4.93	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0273169	
Stem	SK0405.VX12E	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/21	
Information	Small Sec at 6	

**SKMP.VD78.2**

Total height mm	5.75
Hand-fitting	L
Hour wheel	S0273035


**SKMP.VD84**

Size "" / Size mm	10 ½	23.70
Height mm	3.45	
Total height mm	5.14	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0273169	
Stem	SK0405.VX12E	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/21/21/21/21	
Information	Date Hand at 3, Small Sec at 6, Retro Day Hand at 9, 24 Hrs at 12	


**SKMP.VD79**


Size "" / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.13	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0273169	
Stem	SK0405.VX12E	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/21/21	
Information	Date Hand at 3, Day Hand at 9	

**SKMP.VD84.2**

Total height mm	5.78
Hand-fitting	L
Hour wheel	S0273035

**SKMP.VD79.2**


Total height mm	5.77
Hand-fitting	L
Hour wheel	S0273035


**SKMP.VD85**

Size "" / Size mm	10 ½	23.70
Height mm	3.45	
Total height mm	5.13	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0273169	
Stem	SK0405.VX12E	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/21/21/21	
Information	Date Hand at 3, Small Sec at 6, Retro Day Hand at 9	

### SKMP.VD85.2

Total height mm	5.75
Hand-fitting	L
Hour wheel	S0273035




### SKMP.VD86

Size "" / Size mm	10 ½	23.70
Height mm	3.45	
Total height mm	4.95	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0273169	
Stem	SK0405.VX12E	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/21/21/21	
Information	Date Hand at 3, Small Sec at 6, Retro Day Hand at 10	

### SKMP.VD86.2

Total height mm	5.75
Hand-fitting	L
Hour wheel	S0273035




### SKMP.VD87

Size "" / Size mm	10 ½	23.70
Height mm	3.45	
Total height mm	4.94	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0273169	
Stem	SK0405.VX12E	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/21/21/21	
Information	Date Hand at 2, Small Sec at 6, Retro Day at 9	

### SKMP.VD87.2

Total height mm	5.75
Hand-fitting	L
Hour wheel	S0273035




### SKMP.VH63

Size "" / Size mm	10 ½	23.70
Height mm	3.45	
Total height mm	5.83	
Hand-fitting	M	
Jewels	2	
Date position	-	
Hour wheel	S0273043	
Stem	S0351177	
Battery	371 / SR920SW	
Hands fitting Ø mm	122/70/17/21/21/21	
Information	Date Hand at 3, 24 Hours at 6, Day Hand at 9	



### SKMP.VH64

Size "" / Size mm	10 ½	23.70
Height mm	3.45	
Total height mm	5.83	
Hand-fitting	M	
Jewels	2	
Date position	-	
Hour wheel	S0273043	
Stem	S0351177	
Battery	371 / SR920SW	
Hands fitting Ø mm	122/70/17/21/21/21	
Information	Date at 3, Day at 9	


**SKMP.VJ12**

Size "" / Size mm	8 3/4	18.20 x 18.00
Height mm	2.71	
Total height mm	4.27	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0273021	
Stem	S0351332	
Battery	363 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	

**SKMP.VJ12.2**

Total height mm	4.88	
Hand-fitting	L	
Hour wheel	S0273023	


**SKMP.VJ12/6**

Date position	D6	
---------------	----	--


**SKMP.VJ20**

Size "" / Size mm	6 3/4 x 8	18.20 x 15.30
Height mm	2.28	
Total height mm	3.56	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0273026	
Stem	S0351333	
Battery	363 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	

**SKMP.VJ20.2**

Total height mm	4.16	
Hand-fitting	L	
Hour wheel	S0273027	


**SKMP.VJ21**

Size "" / Size mm	6 3/4 x 8	18.20 x 15.30
Height mm	2.28	
Total height mm	3.97	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0273026	
Stem	S0351333	
Battery	363 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	

**SKMP.VJ21.2**

Total height mm	4.48	
Hand-fitting	L	
Hour wheel	S0273027	


**SKMP.VJ22**

Size "" / Size mm	6 3/4 x 8	18.20 x 16.10
Height mm	2.71	
Total height mm	4.25	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0273021	
Stem	S0351332	
Battery	363 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	

### SKMP.VJ22.2

Total height mm	4.55
Hand-fitting	L
Hour wheel	S0273023



### SKMP.VJ22/6

Date position	D6
---------------	----




### SKMP.VJ24/6

Date position	D6
---------------	----



### SKMP.VJ23

Size "" / Size mm	6 3/4 x 8	18.20 x 16.10
Height mm	2.94	
Total height mm	4.69	
Hand-fitting	M	
Jewels	0	
Date position	DD3 (day/date)	
Hour wheel	S0273017	
Stem	S0351332	
Battery	363 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



### SKMP.VJ32

Size "" / Size mm	10 1/2	22.60
Height mm	2.71	
Total height mm	4.30	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0273021	
Stem	S0351332	
Battery	363 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



### SKMP.VJ24

Size "" / Size mm	6 3/4 x 8	18.20 x 16.10
Height mm	2.71	
Total height mm	4.16	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0273021	
Stem	S0351332	
Battery	363 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	


### SKMP.VJ32.2

Total height mm	4.80
Hand-fitting	L
Hour wheel	S0273023



### SKMP.VJ32/6

Date position	D6
---------------	----




**SKMP.VJ33**

Size "" / Size mm	10 ½	22.60
Height mm	2.94	
Total height mm	4.67	
Hand-fitting	M	
Jewels	0	
Date position	DD3 (day/date)	
Hour wheel	S0273017	
Stem	S0351332	
Battery	363 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**SKMP.VJ42**

Size "" / Size mm	11 ½	23.50
Height mm	2.71	
Total height mm	4.35	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0273021	
Stem	SK0405.VJ52	
Battery	363 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**SKMP.VJ34**

Size "" / Size mm	10 ½	22.60
Height mm	2.71	
Total height mm	4.15	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0273021	
Stem	S0351332	
Battery	363 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	



**SKMP.VJ42/6**

Date position	D6
---------------	----



**SKMP.VJ34/6**

Date position	D6
---------------	----




**SKMP.VJ43**

Size "" / Size mm	11 ½	23.50
Height mm	2.94	
Total height mm	4.76	
Hand-fitting	M	
Jewels	0	
Date position	DD3 (day/date)	
Hour wheel	S0273017	
Stem	SK0405.VJ52	
Battery	363 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**SKMP.VJ45**

Size "" / Size mm	11 ½	23.50
Height mm	2.94	
Total height mm	4.57	
Hand-fitting	M	
Jewels	0	
Date position	D12/D6 (day/date)	
Hour wheel	S0273017	
Stem	SK0405.VJ52	
Battery	363 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**SKMP.VJ53**

Size "" / Size mm	12 ½	25.70
Height mm	2.94	
Total height mm	4.64	
Hand-fitting	M	
Jewels	0	
Date position	DD3 (day/date)	
Hour wheel	S0273017	
Stem	SK0405.VJ52	
Battery	363 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	




**SKMP.VJ45/3**

Date position	D12/D3 (day/date)
---------------	-------------------




**SKMP.VJ55**

Size "" / Size mm	12 ½	25.70
Height mm	2.94	
Total height mm	4.60	
Hand-fitting	M	
Jewels	0	
Date position	D12/D6 (day/date)	
Hour wheel	S0273017	
Stem	SK0405.VJ52	
Battery	363 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**SKMP.VJ52**

Size "" / Size mm	12 ½	25.70
Height mm	2.71	
Total height mm	4.55	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0273021	
Stem	SK0405.VJ52	
Battery	363 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**SKMP.VJ76**

Size "" / Size mm	11 ½	23.50
Height mm	3.50	
Total height mm	5.24	
Hand-fitting	M	
Jewels	0	
Date position	BD12 (big date)	
Hour wheel	S0273033	
Stem	SK0405.VJ52	
Battery	363 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**SKMP.VJ52/6**

Date position	D6
---------------	----

**SKMP.VJ76.2**

Total height mm	5.62
Hand-fitting	L
Hour wheel	S0273034



**SKMP.VJ76.2/6**

Total height mm	5.62
Hand-fitting	L
Date position	BD6 (big date)
Hour wheel	S0273034



**CHRONO**

**SKMP.VK67**

Size "" / Size mm	13 1/2	30.80 x 29.10
Height mm	5.10	
Total height mm	6.93	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0273038	
Stem	SK0405.VX12E	
Battery	394 / SR936SW	
Hands fitting Ø mm	150/90/34/34/32	
Information	Small Sec at 6, Hour Hand at 9, 60 Min at 12	



**CHRONO**

**SKMP.VK63**

Size "" / Size mm	13 1/2	30.80 x 29.10
Height mm	5.10	
Total height mm	7.15	
Hand-fitting	M	
Jewels	0	
Date position	D4H30	
Hour wheel	S0273038	
Stem	SK0405.VX12E	
Battery	394 / SR936SW	
Hands fitting Ø mm	150/90/34/34/32/32	
Information	24 Hrs at 3, Small Sec at 6, Min at 9	



**SKMP.VK68**

Size "" / Size mm	13 1/2	30.60
Height mm	5.10	
Total height mm	7.45	
Hand-fitting	L	
Jewels	0	
Date position	D4H30	
Hour wheel	S0273041	
Stem	S0351177	
Battery	394 / SR936SW	
Hands fitting Ø mm	150/89/33/33/22/22	
Information	24 Hrs at 2, Small Sec at 6, 60 Min at 10	



**CHRONO**

**SKMP.VK64**

Size "" / Size mm	13 1/2	30.80 x 29.10
Height mm	5.10	
Total height mm	7.24	
Hand-fitting	L	
Jewels	0	
Date position	D6	
Hour wheel	S0273041	
Stem	SK0405.VX12E	
Battery	394 / SR936SW	
Hands fitting Ø mm	150/90/34/34/32	
Information	24 Hrs at 3, Min at 9	



**CHRONO**

**SKMP.VK73**

Size "" / Size mm	13 1/2	30.80 x 29.10
Height mm	5.90	
Total height mm	8.34	
Hand-fitting	M	
Jewels	0	
Date position	BD12 (big date)	
Hour wheel	S0273038	
Stem	SK0405.VX12E	
Battery	394 / SR936SW	
Hands fitting Ø mm	150/90/34/34/32	
Information	24 Hrs at 3, Small Sec at 6, 60 Min at 9	





CHRONO

**SKMP.VK83**

Size "" / Size mm	13 ½	30.80
Height mm	5.10	
Total height mm	7.22	
Hand-fitting	M	
Jewels	0	
Date position	D4H30	
Hour wheel	S0273038	
Stem	SK0405.VX12E	
Battery	394 / SR936SW	
Hands fitting Ø mm	150/90/34/34/32	
Information	24 Hrs at 3, Small Sec at 6, Retro 20 Min at 10	



CHRONO

**SKMP.VR32**

Size "" / Size mm	13 ½	30.60
Height mm	3.97	
Total height mm	6.27	
Hand-fitting	-	
Jewels	0	
Date position	D4	
Hour wheel	S0351177	
Stem	S0271661	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20/16	
Information	24 Hrs at 3, 60 Sec at 6, 30 Min at 9	



**SKMP.VL58**

Size "" / Size mm	13 ½	30.60
Height mm	3.97	
Total height mm	5.81	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0273036	
Stem	S0351177	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/21	
Information	Small Sec at 6	



CHRONO

**SKMP.VR33**

Size "" / Size mm	13 ½	30.60
Height mm	3.97	
Total height mm	6.28	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0271661	
Stem	S0351177	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20/21/21/21	
Information	24 Hrs at 2, 60 Second at 6, 30 Min at 10	



CHRONO

**SKMP.VR31**

Size "" / Size mm	13 ½	30.60
Height mm	3.97	
Total height mm	6.25	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271661	
Stem	S0351578	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20/21/21/21	
Information	24 Hrs at 3, Small Sec at 6, Min at 9	



CHRONO

**SKMP.VR34**

Size "" / Size mm	13 ½	30.60
Height mm	3.97	
Total height mm	6.27	
Hand-fitting	M	
Jewels	0	
Date position	D4	
Hour wheel	S0271661	
Stem	S0351177	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20/21/21/21	
Information	Small Sec at 6, 30 Min at 9, 24 Hrs at 12	



CHRONO

**SKMP.VR3G**

Size ''' / Size mm	13 ½	30.60
Height mm	3.97	
Total height mm	6.95	
Hand-fitting	M	
Jewels	0	
Date position	D4H30	
Hour wheel	S0271661	
Stem	S0351177	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20/21/21/21	
Information	24 Hrs at 3, 60 Sec at 6, 30 Min at 10 by Retrograde	



**SKMP.VS22**

Size ''' / Size mm	7 ¾	18.10
Height mm	2.76	
Total height mm	4.82	
Hand-fitting	M	
Jewels	2	
Date position	D3	
Hour wheel	S0271647	
Stem	S0351177	
Battery	MT621	
Hands fitting Ø mm	110/65/20	
Information	-	



**SKMP.VS15**

Size ''' / Size mm	5 ½	11.80 x 15.55
Height mm	2.49	
Total height mm	3.75	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271946	
Stem	S0351819	
Battery	S302726T	
Hands fitting Ø mm	90/45	
Information	Solar	



**SKMP.VS37**

Size ''' / Size mm	10 ½	21.30 x 24.00
Height mm	2.98	
Total height mm	5.26	
Hand-fitting	M	
Jewels	2	
Date position	D3	
Hour wheel	S0271948	
Stem	SK0405.VX12E	
Battery	S302324Y	
Hands fitting Ø mm	110/65/21	
Information	Solar	



**SKMP.VS17**

Size ''' / Size mm	5 ½	11.80 x 15.55
Height mm	2.79	
Total height mm	4.36	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271945	
Stem	S0351819	
Battery	S302726T	
Hands fitting Ø mm	110/65/21	
Information	Solar	



**SKMP.VS3J**

Size ''' / Size mm	10 ½	21.30 x 24.00
Height mm	3.47	
Total height mm	5.76	
Hand-fitting	M	
Jewels	2	
Date position	-	
Hour wheel	S0271949	
Stem	SK0405.VX12E	
Battery	S302324Y	
Hands fitting Ø mm	110/65/21/20/20/20	
Information	Date Hand at 3, 24 Hrs at 6, Day at 9, Solar	



**SKMP.VS42**

Size "" / Size mm	11 ½	28.6
Height mm	3.50	
Total height mm	-	
Hand-fitting	M	
Jewels	2	
Date position	D3	
Hour wheel	S0493500	
Stem	50351177/SK0405.VX12E	
Battery	-	
Hands fitting Ø mm	110/65/20	
Information	SOLAR	



**SKMP.VX00**

Size "" / Size mm	4 ¾ x 6	10.80 x 14.50
Height mm	2.09	
Total height mm	3.29	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271813	
Stem	S0351807	
Battery	371 / SR920SW	
Hands fitting Ø mm	90/45	
Information	-	



**SKMP.VS43**

Size "" / Size mm	11 ½	28.60
Height mm	3.09	
Total height mm	3.50	
Hand-fitting	M	
Jewels	2	
Date position	D3D3 (day/date)	
Hour wheel	S0271639	
Stem	S0351177	
Battery	Information not available	
Hands fitting Ø mm	110/65/19	
Information	Solar	



**SKMP.VX01**

Size "" / Size mm	4 ¾ x 6	10.80 x 14.50
Height mm	2.39	
Total height mm	3.80	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271803	
Stem	S0351807	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/18	
Information	-	



**SKMP.VS76**


Size "" / Size mm	12	27.60 x 24.00
Height mm	4.40	
Total height mm	7.35	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0271636	
Stem	S0351587	
Battery	S302334T	
Hands fitting Ø mm	110/65/21/21/21/21	
Information	Min at 6, Small Sec at 9, 1/20 Sec Chrono at 12	

**CHRONO**



**SKMP.VX10**

Size "" / Size mm	5 ½ x 6 ¾	13.00 x 15.55
Height mm	2.19	
Total height mm	3.30	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271818	
Stem	S0351819	
Battery	317 / SR516SW	
Hands fitting Ø mm	90/45	
Information	-	




### SKMP.VX11

Size ''' / Size mm	5 1/2 x 6 3/4	13.00 x 15.55
Height mm	2.49	
Total height mm	3.90	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271819	
Stem	S0351819	
Battery	317 / SR516SW	
Hands fitting Ø mm	110/65/20	
Information	-	



### SKMP.VX12/6

Date position	D6
---------------	----



### SKMP.VX12

Size ''' / Size mm	8 3/4	20.00 x 18.00
Height mm	2.60	
Total height mm	4.07	
Hand-fitting	S	
Jewels	0	
Date position	D3	
Hour wheel	S0271929	
Stem	SK0405.VX12E	
Battery	315 / SR716SW	
Hands fitting Ø mm	110/65/20	
Information	-	



### SKMP.VX19

Size ''' / Size mm	8 3/4	18.00
Height mm	2.60	
Total height mm	3.92	
Hand-fitting	S	
Jewels	0	
Date position	D3	
Hour wheel	S0271929	
Stem	SK0405.VX12E	
Battery	315 / SR716SW	
Hands fitting Ø mm	110/65	
Information	-	

### SKMP.VX12.2

Total height mm	4.50
Hand-fitting	M
Hour wheel	S0271942




### SKMP.VX12.2/6

Total height mm	4.50
Hand-fitting	M
Date position	D6
Hour wheel	S0271942



### SKMP.VX19/6

Date position	D6
---------------	----



**SKMP.VX32**

Size "" / Size mm	10 ½	21.30 x 21.50
Height mm	2.62	
Total height mm	4.20	
Hand-fitting	S	
Jewels	0	
Date position	D3	
Hour wheel	S0271929	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands holes Ø mm	110/65/20	
Information	-	

**SKMP.VX32.2**

Total height mm	4.50
Hand-fitting	M
Hour wheel	S0271942



**SKMP.VX32/4**

Date position	D4
---------------	----



**SKMP.VX32/6**

Date position	D6
---------------	----

**SKMP.VX32.2/6**

Total height mm	4.50
Hand-fitting	M
Date position	D6
Hour wheel	S0271942



**SKMP.VX33**

Size "" / Size mm	10 ½	21.30 x 21.50
Height mm	2.98	
Total height mm	4.63	
Hand-fitting	S	
Jewels	0	
Date position	DD3 (day/date)	
Hour wheel	S0271904	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20	
Information	-	




**SKMP.VX33/6**

Date position	D3D6 (day/date)
---------------	-----------------




**SKMP.VX36**

Size "" / Size mm	10 ½	21.50
Height mm	3.05	
Total height mm	5.14	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271563	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20/20/20	
Information	Date at 3, Day at 9	



**SKMP.VX3F**

Size "" / Size mm	10 ½	21.50 x 22.10
Height mm	3.05	
Total height mm	5.16	
Hand-fitting	S	
Jewels	1	
Date position	-	
Hour wheel	S0271538	
Stem	S0354531	
Battery	373 / SP916SW	
Hands fitting Ø mm	110/65/20/20/20/20	
Information	Date at 3, Sun & Moon at 6, Day at 9, Month at 12	



**SKMP.VX3H**

Size "" / Size mm	10 ½	21.50 x 22.10
Height mm	3.05	
Total height mm	5.00	
Hand-fitting	S	
Jewels	1	
Date position	-	
Hour wheel	S0271538	
Stem	S0354531	
Battery	373 / SP916SW	
Hands fitting Ø mm	110/65/20/20/20	
Information	Date at 3, Sun & Moon at 6, Day at 9	



**SKMP.VX3J**

Size "" / Size mm	10 ½	21.50
Height mm	3.05	
Total height mm	5.15	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271563	
Stem	S0354531	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20/20/20/20	
Information	Date at 3, 24 Hrs at 6, Day at 9	


**SKMP.VX3J.3**

Hand-fitting	L
--------------	---




**SKMP.VX3K**

Size "" / Size mm	10 ½	21.30 x 21.50
Height mm	2.62	
Total height mm	3.73	
Hand-fitting	S	
Jewels	0	
Date position	D3	
Hour wheel	S0271929	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65	
Information	-	




**SKMP.VX3K/6**

Date position	D6
---------------	----




**SKMP.VX3LE**

Size "" / Size mm	10 ½	21.50
Height mm	3.05	
Total height mm	5.00	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271563	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20/20/20/20	
Information	Date at 2, 24 Hrs at 6, Day at 10	




**SKMP.VX3P**

Size "" / Size mm	10 ½	21.50 x 21.65
Height mm	3.05	
Total height mm	5.16	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271563	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20/20/20/20	
Information	Date at 6, Day at 12	




**SKMP.VX3M**

Size "" / Size mm	10 ½	21.50 x 22.10
Height mm	3.05	
Total height mm	5.18	
Hand-fitting	S	
Jewels	1	
Date position	-	
Hour wheel	S0271538	
Stem	S0354531	
Battery	373 / SP916SW	
Hands fitting Ø mm	110/65/20/20/20/20	
Information	Date at 2, Sun & Moon at 6, Day at 10	




**SKMP.VX3R**

Size "" / Size mm	10 ½	21.50 x 21.65
Height mm	3.05	
Total height mm	5.18	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271563	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20/20/20/20	
Information	Date at 6, 24 Hrs at 9	



**SKMP.VX3N**

Size "" / Size mm	10 ½	21.50 x 21.65
Height mm	3.05	
Total height mm	5.04	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271563	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20/20/20/20	
Information	Date at 6, 24 Hrs at 9, Day at 12	




**SKMP.VX3S**

Size "" / Size mm	10 ½	22.25 x 21.50
Height mm	3.86	
Total height mm	5.81	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271566	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20/20/20/20	
Information	Date at 3, 24 Hrs at 6, Retro Day at 9h30	


**SKMP.VX3T**

Size "" / Size mm	10 ½	22.25 x 21.50
Height mm	3.86	
Total height mm	5.93	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271566	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20/20/20/20	
Information	Date at 3, 24 Hrs at 6, Retro Day at 10H30	


**SKMP.VX43E**

Size "" / Size mm	11 ½	23.50
Height mm	2.98	
Total height mm	4.49	
Hand-fitting	S	
Jewels	0	
Date position	DD3 (day/date)	
Hour wheel	S0271904	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20	
Information	-	


**SKMP.VX42**

Size "" / Size mm	11 ½	23.50
Height mm	2.62	
Total height mm	4.20	
Hand-fitting	S	
Jewels	0	
Date position	D3	
Hour wheel	S0271929	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20	
Information	-	


**SKMP.VX43/6**

Date position	DD6 (day/date)
---------------	----------------


**SKMP.VX42/12**

Date position	D12
---------------	-----


**SKMP.VX44**

Size "" / Size mm	11 ½	23.50
Height mm	2.98	
Total height mm	4.82	
Hand-fitting	S	
Jewels	0	
Date position	D3D12 (day/date)	
Hour wheel	S0271934	
Stem	SK0405.VX12E	
Battery	371 / SR920SW	
Hands fitting Ø mm	110/65/20	
Information	-	


**SKMP.VX42/6**

Date position	D6
---------------	----





**SKMP.VX50**

Size "" / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.16	
Total height mm	3.30	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271905	
Stem	S0351178	
Battery	321 / SR616SW	
Hands fitting Ø mm	110/65	
Information	-	



**SKMP.VX63E**

Size "" / Size mm	13 ½	30.60 x 27.40
Height mm	3.85	
Total height mm	5.91	
Hand-fitting	M	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	S0271666	
Stem	S0351577	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/20	
Information	-	



**SKMP.VX51**

Size "" / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.30	
Total height mm	3.74	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271908	
Stem	S0351178	
Battery	364 / SR621SW	
Hands fitting Ø mm	110/65/20	
Information	-	



**SKMP.VX7JE**

Size "" / Size mm	12 ¾	26.00 x 29.36
Height mm	3.99	
Total height mm	6.17	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271658	
Stem	S0351578	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/20/20/20/20	
Information	Day at 3, Date at 6, 24 Hrs at 9	



**SKMP.VX62**

Size "" / Size mm	13 ½	30.60 x 27.40
Height mm	3.63	
Total height mm	5.75	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0271665	
Stem	S0351578	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/20	
Information	-	




**SKMP.VX7NE**

Size "" / Size mm	12 ¾	26.00 x 29.36
Height mm	3.99	
Total height mm	6.18	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271658	
Stem	S0351578	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/20/20/20/20	
Information	Date at 6, 24 Hrs at 9, Day at 12	


**SKMP.VX7PE**

Size "" / Size mm	12 ¾	26.00 x 29.36
Height mm	3.99	
Total height mm	6.13	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271658	
Stem	S0351578	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/20/20/20	
Information	Date at 6, Day at 12	


**SKMP.VX7RE**

Size "" / Size mm	12 ¾	26.00 x 29.36
Height mm	3.99	
Total height mm	6.32	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271658	
Stem	S0351578	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/20/20/20	
Information	Date at 6, 24 Hrs at 9	


**SKMP.VX82**

Size "" / Size mm	6 ¾ x 8	15.70 x 17.80
Height mm	2.75	
Total height mm	4.02	
Hand-fitting	S	
Jewels	0	
Date position	D3	
Hour wheel	S0271929	
Stem	SK0405.VX12E	
Battery	364 / SR621SW	
Hands fitting Ø mm	110/65/20	
Information	-	

**SKMP.VX82.2**

Total height mm	4.48
Hand-fitting	M
Hour wheel	S0271942


**SKMP.VX82/6**

Date position	D6
---------------	----


**SKMP.VX83**

Size "" / Size mm	6 ¾ x 8	15.70 x 17.80
Height mm	3.11	
Total height mm	4.81	
Hand-fitting	S	
Jewels	0	
Date position	DD3 (day/date)	
Hour wheel	S0271904	
Stem	SK0405.VX12E	
Battery	364 / SR621SW	
Hands fitting Ø mm	110/65/20	
Information	-	


**SKMP.VX83/6**

Date position	DD6 (day/date)
---------------	----------------



**SKMP.VX89**

Size ''' / Size mm	6 ¾ x 8	15.70 x 17.80
Height mm	2.75	
Total height mm	3.71	
Hand-fitting	S	
Jewels	0	
Date position	D3	
Hour wheel	S0271929	
Stem	SK0405.VX12E	
Battery	364 / SR621SW	
Hands fitting Ø mm	110/65	
Information	-	



**SKMP.VX9N**

Size ''' / Size mm	12 ¾	26.00 x 29.36
Height mm	3.99	
Total height mm	6.20	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271658	
Stem	S0351578	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/20/20/20/20	
Information	Date at 6, 24 Hrs at 9, Day at 12	



**SKMP.VX89/6**

Date position	D6
---------------	----



**SKMP.VX9P**

Size ''' / Size mm	12 ¾	26.00 x 29.36
Height mm	3.99	
Total height mm	6.32	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271658	
Stem	S0351578	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/20/20/20	
Information	Date at 6, Day at 12	



**SKMP.VX9J**

Size ''' / Size mm	12 ¾	26.00 x 29.36
Height mm	3.99	
Total height mm	6.01	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271658	
Stem	S0351578	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/20/20/20/20	
Information	Day at 3, Date at 6, 24 Hrs at 9	



**SKMP.VX9R**

Size ''' / Size mm	12 ¾	26.00 x 29.36
Height mm	3.99	
Total height mm	6.31	
Hand-fitting	M	
Jewels	0	
Date position	-	
Hour wheel	S0271658	
Stem	S0351578	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/20/20/20	
Information	Date at 6, 24 Hrs at 9	


**SKMP.Y120E**

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.99	
Total height mm	4.25	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271796	
Stem	S0354788	
Battery	377 / SR626SW	
Hands fitting Ø mm	110/65	
Information	-	


**SKMP.Y120G**

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.99	
Total height mm	4.24	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271796	
Stem	S0354788	
Battery	377 / SR626SW	
Hands fitting Ø mm	110/65	
Information	Long life	


**SKMP.Y121E**

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.99	
Total height mm	4.47	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271796	
Stem	S0354788	
Battery	377 / SR626SW	
Hands fitting Ø mm	110/65/20	
Information	-	

<b>SKMP.Y121E2</b>	
Total height mm	5.64
Hand-fitting	L II
Hour wheel	S0271797

<b>SKMP.Y121E3</b>	
Total height mm	5.00
Hand-fitting	L I
Hour wheel	S0271764

<b>SKMP.Y121E4</b>	
Total height mm	6.70
Hand-fitting	L IV
Hour wheel	S0271756

<b>SKMP.Y121E5</b>	
Total height mm	6.08
Hand-fitting	L III
Hour wheel	S0271775

<b>SKMP.Y121E6</b>	
Total height mm	7.02
Hand-fitting	L V
Hour wheel	S0271778

<b>SKMP.Y121ER</b>	
Total height mm	4.85


**SKMP.Y121G**

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.99	
Total height mm	4.54	
Hand-fitting	S	
Jewels	0	
Date position	-	
Hour wheel	S0271796	
Stem	S0354788	
Battery	377 / SR626SW	
Hands fitting Ø mm	110/65/20	
Information	Total Height 485 "Engraved 1"	

**SKMP.Y121GK**

<b>Total height mm</b>	4.85
<b>Hand-fitting</b>	M
<b>Hour wheel</b>	S0271798
<b>Information</b>	Total Height 485 "Engraved 2"



**CHRONO**

**SKMP.YM04**

<b>Size''' / Size mm</b>	12	27.60 x 24.00
<b>Height mm</b>	4.93	
<b>Total height mm</b>	7.40	
<b>Hand-fitting</b>	M	
<b>Jewels</b>	0	
<b>Date position</b>	BD12 (big date)	
<b>Hour wheel</b>	S0271636	
<b>Stem</b>	S0351584	
<b>Battery</b>	395 / SR927SW	
<b>Hands fitting Ø mm</b>	110/65/21/21/21/21	
<b>Information</b>	24 Hrs at 3, 60 Min at 6, Small Sec at 9	



**SKMP.Y127**

<b>Size''' / Size mm</b>	6 ¾ x 8	15.30 x 18.20
<b>Height mm</b>	2.99	
<b>Total height mm</b>	4.83	
<b>Hand-fitting</b>	S	
<b>Jewels</b>	0	
<b>Date position</b>	-	
<b>Hour wheel</b>	S0271796	
<b>Stem</b>	S0354788	
<b>Battery</b>	377 / SR626SW	
<b>Hands fitting Ø mm</b>	110/65/20	
<b>Information</b>	-	



**CHRONO**

**SKMP.YM12**

<b>Size''' / Size mm</b>	12	27.60 x 24.00
<b>Height mm</b>	4.34	
<b>Total height mm</b>	6.80	
<b>Hand-fitting</b>	M	
<b>Jewels</b>	0	
<b>Date position</b>	D4H30	
<b>Hour wheel</b>	S0271637	
<b>Stem</b>	S0351584	
<b>Battery</b>	395 / SR927SW	
<b>Hands fitting Ø mm</b>	110/65/21/21/21/21	
<b>Information</b>	24 Hrs at 3, 60 Min at 6, Small Sec at 9	



**SKMP.YL50**

<b>Size''' / Size mm</b>	4 ½	9.50 x 9.00
<b>Height mm</b>	2.78	
<b>Total height mm</b>	3.66	
<b>Hand-fitting</b>	S	
<b>Jewels</b>	5	
<b>Date position</b>	-	
<b>Hour wheel</b>	S0271932	
<b>Stem</b>	S0351931	
<b>Battery</b>	335 / SR512SW	
<b>Hands fitting Ø mm</b>	90/45	
<b>Information</b>	-	



**CHRONO**

**SKMP.YM14**

<b>Size''' / Size mm</b>	12	27.60 x 24.00
<b>Height mm</b>	4.34	
<b>Total height mm</b>	6.80	
<b>Hand-fitting</b>	M	
<b>Jewels</b>	0	
<b>Date position</b>	D6	
<b>Hour wheel</b>	S0271637	
<b>Stem</b>	S0351584	
<b>Battery</b>	395 / SR927SW	
<b>Hands fitting Ø mm</b>	110/65/21/21/21/21	
<b>Information</b>	24 Hrs at 3, Small Sec at 9, 60 Min at 12	



CHRONO

SKMP.YM15


Size "" / Size mm	12	27.60 x 24.00
Height mm	4.34	
Total height mm	6.80	
Hand-fitting	M	
Jewels	0	
Date position	D9	
Hour wheel	S0271637	
Stem	S0351584	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/21/21/21/21	
Information	24 Hrs at 3, Small Sec at 9, 60 Min Chr at 12	



CHRONO

SKMP.YM85

Size "" / Size mm	12	27.60 x 24.00
Height mm	3.73	
Total height mm	6.19	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0271588	
Stem	S0351584	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/21/21/21/21	
Information	Min 0-100 at 6, Small Sec at 9, Min 0-10 at 12	



CHRONO

SKMP.YM62

Size "" / Size mm	12	27.60 x 24.00
Height mm	3.73	
Total height mm	6.19	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0271588	
Stem	S0351584	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/21/21/21/21	
Information	Alarm Hour and Min at 6, Small Sec at 9, 60 Min at 12	



CHRONO

SKMP.YM87

Size "" / Size mm	12	27.60 x 24.00
Height mm	3.73	
Total height mm	6.19	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0271588	
Stem	S0351584	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/21/21/21/21	
Information	Small Hour at 12, Mode at 6, Small Sec at 9	



CHRONO

SKMP.YM82

Size "" / Size mm	12	27.60 x 24.00
Height mm	3.73	
Total height mm	6.19	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0271588	
Stem	S0351584	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/21/21/21/21	
Information	40 Min at 6, Small Sec at 9, 1/100 Sec at 12	



CHRONO

SKMP.YM88

Size "" / Size mm	12	27.60 x 24.00
Height mm	4.42	
Total height mm	6.88	
Hand-fitting	M	
Jewels	0	
Date position	D4H30	
Hour wheel	S0271637	
Stem	S0351584	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/21/21/21/21	
Information	24 Hrs at 3, Min Chr at 6, Small Sec at 9	




Size "" / Size mm	12	27.60 x 24.00
Height mm	3.73	
Total height mm	6.19	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0271588	
Stem	S0351584	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/21/21/21	
Information	Small Sec at 6, 60 Min at 12	



Size "" / Size mm	12	27.60 x 24.00
Height mm	3.73	
Total height mm	6.19	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0271588	
Stem	S0351584	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/21/21/21	
Information	60 Min at 6, Small Sec at 9	




Size "" / Size mm	12	27.60 x 24.00
Height mm	3.73	
Total height mm	6.19	
Hand-fitting	M	
Jewels	0	
Date position	D3	
Hour wheel	S0271588	
Stem	S0351584	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/21/21/21/21	
Information	12 Hrs at 6, Small Sec at 9, 1/20 Sec at 12	



Size "" / Size mm	12	27.60 x 24.00
Height mm	4.34	
Total height mm	7.40	
Hand-fitting	LL	
Jewels	0	
Date position	D3	
Hour wheel	S0271636	
Stem	S0351584	
Battery	395 / SR927SW	
Hands fitting Ø mm	110/65/21/21/21/21	
Information	60 Min at 6, Small Sec at 9, 1/20 Sec at 12	



Date position	D4
---------------	----



Size "" / Size mm	12	27.60
Height mm	4.84	
Total height mm	6.59	
Hand-fitting	M	
Jewels	6	
Date position	DD3 (day/date)	
Hour wheel	S0271670	
Stem	S0351652	
Battery	S302324T	
Hands fitting Ø mm	110/65/21	
Information	Autoquartz	


# MIYOTA






# HIGH HAND SERIES


## BASIC




## SLIM / SMALL




## 6P SERIES




JS SERIES




JS05/JS06




JS15/JS16



JS25/JS26




JS05/JS15/JS25




JS06/JS16/JS26

OS SERIES



OS10/OS1A/OS1F




OS10


OS1A

OS1F

New




OS00/OS06




OS00

OS06



OS20/OS2B/OS2A/OS2F



OS20

OS2B

OS2A


OS2F

New




OS1F


FS SERIES



FS00/FS03




FS01/FS04




FS00/FS01

FS03/FS04




FS10/FS13




FS10

FS13



FS20/FS23



FS20

FS23



**CHRONO**

**MYM.0S00**

Size "" / Size mm	13 ½	30.80
Height mm	5.10	
Total height mm	6.95	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.A71	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, Hour at 9, 60 Min at 12	



**CHRONO**

**MYM.0S11**

Size "" / Size mm	13 ½	30.80
Height mm	4.13	
Total height mm	5.96	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.392	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26	
Information	Small Sec at 6, 60 Min at 12	



**CHRONO**

**MYM.0S10**

Size "" / Size mm	13 ½	30.80
Height mm	4.13	
Total height mm	5.96	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.392	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, Hour at 9, 60 Min at 12	



**CHRONO**

**MYM.0S20**

Size "" / Size mm	13 ½	30.80
Height mm	5.10	
Total height mm	6.95	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.523	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, Small Sec at 6, 60 Min at 9	



**CHRONO**

**MYM.0S10/4H**

Date position	D4
---------------	----



**CHRONO**

**MYM.0S10/6**

Date position	D6
---------------	----

**CHRONO**

**MYM.0S1A**

Total height mm	6.51
Hand-fitting	High Version of MYM.0S10
Hour wheel	MY075.472



**CHRONO**

**MYM.0S20/12**

Date position	D12
---------------	-----



**CHRONO**

**MYM.0S20/6**

Date position	D6
---------------	----

**CHRONO**

**MYM.0S2A**

Total height mm	7.40
Hand-fitting	High Version of MYM.0S20
Hour wheel	MY075.A38



**CHRONO**

**MYM.0S2B**

Total height mm	7.40
Hand-fitting	High Version of MYM.0S20
Hour wheel	MY075.A38



**CHRONO**

**MYM.0S22**

Size ''' / Size mm	13 ½	30.80
Height mm	5.10	
Total height mm	6.95	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.523	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, Retro 1/20 Sec at 6, 60 Min at 9	



**CHRONO**

**MYM.0S21**

Size ''' / Size mm	13 ½	30.80
Height mm	5.10	
Total height mm	6.95	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.523	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, 60 Min at 9	



**CHRONO**

**MYM.0S25**

Size ''' / Size mm	13 ½	30.80
Height mm	5.10	
Total height mm	6.93	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.523	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, 1/20 Sec at 6, 60 Min at 9	



**CHRONO**

**MYM.0S21/6**


Date position	D6
---------------	----



**CHRONO**

**MYM.0S30**


Size ''' / Size mm	13 ½	30.80
Height mm	4.13	
Total height mm	5.95	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.392	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, Hour at 9, Min at 12	



**CHRONO**

**MYM.0S60**

Size "" / Size mm	13 ½	30.80
Height mm	4.13	
Total height mm	5.95	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.392	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	1/20 Sec at 6, 12 Hrs at 9, 60 Min at 12	



**CHRONO**

**MYM.0S62**

Size "" / Size mm	13 ½	30.80
Height mm	4.13	
Total height mm	5.96	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.392	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro 1/20 at 6, 12 Hrs at 9, 60 Min at 12	



**CHRONO**

**MYM.0S60/4H**

Date position	D4
---------------	----



**CHRONO**

**MYM.0S60/4V**

Date position	D4
---------------	----



**CHRONO**

**MYM.0S60/6**

Date position	D6
---------------	----



**CHRONO**

**MYM.0S80**


Size "" / Size mm	13 ½	30.80
Height mm	4.68	
Total height mm	6.96	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.477	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26/-/-	
Information	1/20 Sec at 6, 12 Hrs at 9, 60 Min at 12, Alarm	



**CHRONO**

**MYM.0S80/4**

Date position	D4
---------------	----



**CHRONO**  
**MYM.0S90**

Size "" / Size mm	13 ½	30.80
Height mm	4.13	
Total height mm	5.95	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.392	
Stem	MY065.453	
Battery	399 / SR927W	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, 24 Hrs at 9, 60 Min at 12	



**MYM.1L02**

Size "" / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.94	
Total height mm	4.21	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.454	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.1L12**

Size "" / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.71	
Total height mm	3.98	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.1L12/6**

Date position	D6
---------------	----




**MYM.1L15**

Size "" / Size mm	6 ¾ x 8	15.30 x 17.80
Height mm	2.71	
Total height mm	3.73	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	




**MYM.1L15/6**

Date position	D6
---------------	----



### MYM.1L22

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.15	
Total height mm	3.16	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.446	
Stem	MY065.477	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70	
Information	-	




### MYM.1L40

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.93	
Total height mm	4.39	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.467	
Stem	MY065.477	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	Small Sec at 6 (5.00 from Centre)	

### MYM.1L26

Total height mm	3.61
Hand-fitting	High Version of MYM.1L22
Hour wheel	MY075.467



### MYM.1L45

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.93	
Total height mm	4.39	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.467	
Stem	MY065.477	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	Small Sec at 6 (6.61 from Centre)	



### MYM.1L32

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.28	
Total height mm	3.53	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.466	
Stem	MY065.477	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



### MYM.1L60

Size "" / Size mm	6 3/4 x 8	17.40 x 18.20
Height mm	4.30	
Total height mm	5.66	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.505	
Battery	CR1616	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.1M02**

Size "" / Size mm	10 ½	23.70 x 22.60
Height mm	2.94	
Total height mm	4.23	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.454	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.1N12**

Size "" / Size mm	8 ¾	17.00 x 18.50
Height mm	2.58	
Total height mm	3.90	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.505	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.1M12**

Size "" / Size mm	10 ½	23.70 x 22.60
Height mm	2.71	
Total height mm	3.99	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	




**MYM.1N12/6**

Date position	D6
---------------	----



**MYM.1M12/6**


Date position	D6
---------------	----



**MYM.1S02**

Size "" / Size mm	11 ½	23.50 x 21.90
Height mm	3.07	
Total height mm	4.37	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.509	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	





**MYM.1S13**

Size''' / Size mm	11 ½	23.50 x 21.90
Height mm	2.71	
Total height mm	4.00	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.515	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.1S13/6**

Date position	D6
---------------	----



**MYM.2015**

Size''' / Size mm	6 ¾ x 8	16.30 x 18.30
Height mm	4.15	
Total height mm	5.73	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.545	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.2015/6**

Date position	D6
---------------	----



**MYM.2005**

Size''' / Size mm	6 ¾ x 8	16.30 x 18.30
Height mm	4.15	
Total height mm	5.71	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.195	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.2025**

Size''' / Size mm	6 ¾ x 8	15.30 x 18.50
Height mm	3.15	
Total height mm	4.19	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.193	
Stem	MY065.468	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70	
Information	-	

**MYM.2026**

Total height mm	5.66
Hand-fitting	High Version of MYM.2025
Hour wheel	MY075.304

**MYM.2033**

Total height mm	5.39
Hand-fitting	High Version of MYM.2035
Hour wheel	MY075.423

**MYM.2036**


Total height mm	4.98
Hand-fitting	High Version of MYM.2035
Hour wheel	MY075.304

**MYM.2039**

Total height mm	5.23
Hand-fitting	High Version of MYM.2035
Hour wheel	MY075.331


**MYM.203A**

Total height mm	6.26
Hand-fitting	High Version of MYM.2035
Hour wheel	MY075.491




**MYM.2034**

Size "" / Size mm	6 3/4 x 8	15.30 x 18.50
Height mm	3.15	
Total height mm	4.71	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.193	
Stem	MY065.468	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70	
Information	High-Torque for Second Disc	




**MYM.2035**

Size "" / Size mm	6 3/4 x 8	15.30 x 18.50
Height mm	3.15	
Total height mm	4.57	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.193	
Stem	MY065.468	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	




**MYM.2035/SUPER**

Size "" / Size mm	6 3/4 x 8	15.30 x 18.50
Height mm	3.15	
Total height mm	4.45	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.993	
Stem	MY065.468	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	4 Years Battery Life, Fine Gold Colour, High Accuracy of ±15 Sec/Month, Covered Coil	




### MYM.2105

Size "" / Size mm	10 ½	22.00 x 22.60
Height mm	4.15	
Total height mm	5.71	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.192	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	




### MYM.2305

Size "" / Size mm	11 ½	23.50
Height mm	4.15	
Total height mm	5.75	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.192	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



### MYM.2115

Size "" / Size mm	10 ½	22.00 x 22.60
Height mm	4.15	
Total height mm	5.77	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.545	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



### MYM.2315

Size "" / Size mm	11 ½	23.50
Height mm	4.15	
Total height mm	5.80	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.545	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



### MYM.2115/6

Date position	D6
---------------	----




### MYM.2315/6

Date position	D6
---------------	----




### MYM.2117

Total height mm	6.10
Hand-fitting	High Version of MYM.2115
Hour wheel	MY075.A01




**MYM.2353**

Size "" / Size mm	11 ½	23.50
Height mm	4.15	
Total height mm	5.77	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.545	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.2405**

Size "" / Size mm	13 ½	30.50
Height mm	4.35	
Total height mm	6.05	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.A22	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	




**MYM.2415**

Size "" / Size mm	13 ½	30.50
Height mm	4.35	
Total height mm	6.00	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.A22	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.2415/6**

Date position	D6
---------------	----



**MYM.2453**

Size "" / Size mm	13 ½	30.50
Height mm	4.35	
Total height mm	6.12	
Hand-fitting	-	
Jewels	0	
Date position	BD3 (big date)	
Hour wheel	MY075.A22	
Stem	MY065.299	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	-	




**MYM.2S60**

Size "" / Size mm	10 ½	21.50 x 20.00
Height mm	3.99	
Total height mm	5.36	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.501	
Battery	CR2012	
Hands fitting Ø mm	120/70/17	
Information	-	




## MYM.2S65

Size "" / Size mm	10 ½	21.50 x 20.00
Height mm	4.22	
Total height mm	Information not available	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.454	
Stem	MY065.501	
Battery	CR2012	
Hands fitting Ø mm	120/70/17	
Information	-	




## MYM.4S20

Size "" / Size mm	4	9.40 x 9.90
Height mm	2.95	
Total height mm	3.71	
Hand-fitting	-	
Jewels	2	
Date position	-	
Hour wheel	MY075.297	
Stem	MY065.398	
Battery	335 / SR512SW	
Hands fitting Ø mm	80/40	
Information	-	



## MYM.5Y20

Size "" / Size mm	5 ½	13.00 x 15.15
Height mm	2.54	
Total height mm	3.68	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A34	
Stem	MY065.403	
Battery	379 / SR521SW	
Hands fitting Ø mm	100/65	
Information	-	




## MYM.5R21

Size "" / Size mm	3 ¾	9.00 x 13.20
Height mm	1.90	
Total height mm	3.06	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.345	
Stem	MY065.413	
Battery	337 / SR416SW	
Hands fitting Ø mm	80/40	
Information	-	


## MYM.5Y26E

Total height mm	4.23
Hand-fitting	High Version of MYM.5Y20
Hour wheel	MY075.323



**MYM.5Y30**

Size''' / Size mm	5 ½	13.00 x 15.15
Height mm	2.54	
Total height mm	3.98	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A34	
Stem	MY065.403	
Battery	379 / SR521SW	
Hands fitting Ø mm	100/65/17	
Information	-	



**MYM.6P05**

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17/17	
Information	Month at 3, Day at 9, Date at 12	

**MYM.5Y36**

Total height mm	4.54
Hand-fitting	High Version of MYM.5Y30
Hour wheel	MY075.323



**MYM.6P09**

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17/17/17	
Information	Month at 3, 24 Hrs at 6, Day at 9, Date at 12	



**MYM.6P00**

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.17	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17/17	
Information	Month at 3, Moon Phase at 6, Day at 9, Date at 12	



**MYM.6P20**

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17	
Information	Date at 3, Moon Phase at 6, Day at 9	



**MYM.6P22**

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	SR621SW	
Hands holes Ø mm	120/70/17/17/17	
Information	Date at 3, 24 Hrs at 6	



**MYM.6P24**

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.29	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	Moon Phase at 6	



**MYM.6P23**

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17	
Information	24 Hrs at 6, Date at 12	




**MYM.6P25**

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17	
Information	Date at 3, Day at 9	


**MYM.6P73**

Total height mm	5.58
Hand-fitting	High Version of MYM.6P23
Hour wheel	MY075.306




**MYM.6P26**

Size''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17	
Information	Date at 3	



**MYM.6P27**

Size ''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17/17	
Information	24 Hrs at 6, Day at 9, Date at 12	



**MYM.6P29**

Size ''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.18	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17/17	
Information	Date at 3, 24 Hrs at 6, Day at 9	

**MYM.6P77**

Total height mm	5.58
Hand-fitting	High Version of MYM.6P27
Hour wheel	MY075.306




**MYM.6P88**

Size ''' / Size mm	10 ½	22.60
Height mm	3.85	
Total height mm	5.58	
Hand-fitting	-	
Jewels	0	
Date position	M3(month)	
Hour wheel	MY075.306	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands holes Ø mm	Information not available	
Information	Month at 3, 24 Hrs at 6, Week Day at 9	



**MYM.6P28**

Size ''' / Size mm	10 ½	22.60
Height mm	3.45	
Total height mm	5.20	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.328	
Stem	MY065.379	
Battery	SR621SW	
Hands fitting Ø mm	120/70/17/17	
Information	24 Hrs at 6	



**MYM.6P89**

Size ''' / Size mm	10 ½	22.60
Height mm	3.85	
Total height mm	5.58	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.306	
Stem	MY065.379	
Battery	364 / SR621SW	
Hands holes Ø mm	120/70/17/17/17/17	
Information	24 Hrs at 6, Day at 9, Date at 12	

**MYM.6P79**

Total height mm	5.58
Hand-fitting	High Version of MYM.6P29
Hour wheel	MY075.306





CHRONO

**MYM.6S10**

Size "" / Size mm	15	34.60
Height mm	4.90	
Total height mm	7.41	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.A82	
Stem	MY065.A13	
Battery	395 / SR927SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, 60 Min at 9, 1/20 at 12	



CHRONO

**MYM.6S21**

Size "" / Size mm	15	34.60
Height mm	4.90	
Total height mm	7.39	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.A82	
Stem	MY065.A13	
Battery	395 / SR927SW	
Hands fitting Ø mm	Information not available	
Information	Small Sec at 3, Min at 9	



CHRONO

**MYM.6S11**

Size "" / Size mm	15	34.60
Height mm	4.90	
Total height mm	6.49	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.A82	
Stem	MY065.A13	
Battery	395 / SR927SW	
Hands fitting Ø mm	Information not available	
Information	Small Sec at 6, Min at 12	



CHRONO

**MYM.6S30**


Size "" / Size mm	15	34.60
Height mm	4.90	
Total height mm	7.40	
Hand-fitting	-	
Jewels	0	
Date position	D4	
Hour wheel	MY075.A82	
Stem	MY065.A13	
Battery	395 / SR927SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	1/20 at 2, Small Sec at 6, 60 Min at 10	



CHRONO

**MYM.6S20**


Size "" / Size mm	15	34.60
Height mm	4.90	
Total height mm	7.40	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.A82	
Stem	MY065.A13	
Battery	395 / SR927SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	1/20 at 3, Small Sec at 6, 60 Min at 9	



CHRONO

**MYM.6S50**

Size "" / Size mm	15	34.60
Height mm	5.95	
Total height mm	8.43	
Hand-fitting	-	
Jewels	0	
Date position	BD12 (big date)	
Hour wheel	MY075.A87	
Stem	MY065.A13	
Battery	395 / SR927SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	1/20 at 3, Small Sec at 6, 60 Min at 9	



**MYM.6T51**

Size''' / Size mm	8 ¾	19.80
Height mm	5.98	
Total height mm	7.56	
Hand-fitting	-	
Jewels	21	
Date position	D3D3 (day/date)	
Hour wheel	MY075.760	
Stem	MY065.117	
Battery	-	
Hands fitting Ø mm	Information not available	
Information	Automatic	



**MYM.8215**

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.41	
Hand-fitting	-	
Jewels	21	
Date position	D3	
Hour wheel	MY075.124	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Automatic	



**MYM.7T35**

Size''' / Size mm	6 ¾ x 8	15.30 x 17.80
Height mm	3.15	
Total height mm	4.71	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	Information not available	
Stem	MY065.434	
Battery	377	
Hands fitting Ø mm	120/70/16	
Information	-	



**MYM.8217**

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.87	
Hand-fitting	-	
Jewels	21	
Date position	D3	
Hour wheel	MY075.487	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17/17	
Information	24 Hrs at 9, Automatic	



**MYM.8205**

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.35	
Hand-fitting	-	
Jewels	21	
Date position	D3D3 (day/date)	
Hour wheel	MY075.124	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Automatic	



**MYM.8218**

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.46	
Hand-fitting	-	
Jewels	21	
Date position	D3	
Hour wheel	MY075.487	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Small Sec at 4H30, Automatic	



### MYM.8219

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.47	
Hand-fitting	-	
Jewels	21	
Date position	D3	
Hour wheel	MY075.487	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17/17	
Information	Small Sec at 4H30, 24 Hrs at 9, Automatic	



### MYM.8247

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.44	
Hand-fitting	-	
Jewels	21	
Date position	-	
Hour wheel	MY075.487	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17/17	
Information	Small Sec at 4H30, 24 Hrs at 9, Automatic	



### MYM.821A

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.37	
Hand-fitting	-	
Jewels	21	
Date position	D3	
Hour wheel	MY075.124	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Automatic	



### MYM.8255

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.49	
Hand-fitting	-	
Jewels	21	
Date position	-	
Hour wheel	MY075.487	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/70/17	
Information	Small Sec at 4H30, Skeleton, Automatic	



### MYM.8245

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.47	
Hand-fitting	-	
Jewels	21	
Date position	-	
Hour wheel	MY075.487	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Small Sec at 4H30, Automatic	



### MYM.8257

Size''' / Size mm	11 ½	26.00
Height mm	5.67	
Total height mm	7.45	
Hand-fitting	-	
Jewels	21	
Date position	-	
Hour wheel	Information not available	
Stem	MY065.212	
Battery	MECA	
Hands fitting Ø mm	152/100/60/17/17	
Information	Small Sec at 5, Skeleton at 7, 24 Hrs at 9	




**MYM.8N24.C**

Size "" / Size mm	11 ½	26.00
Height mm	5.55	
Total height mm	6.81	
Hand-fitting	-	
Jewels	21	
Date position	-	
Hour wheel	MY075.213	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/70/17	
Information	Skeleton, Automatic, White	




**MYM.9015**

Size "" / Size mm	11 ½	26.00
Height mm	3.90	
Total height mm	5.98	
Hand-fitting	-	
Jewels	24	
Date position	D3	
Hour wheel	MY075.A51	
Stem	MY065.A05	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Automatic & Manual	




**MYM.8N24.G**

Size "" / Size mm	11 ½	26.00
Height mm	5.55	
Total height mm	6.81	
Hand-fitting	-	
Jewels	21	
Date position	-	
Hour wheel	MY075.213	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/70/17	
Information	Skeleton, Automatic, Yellow	



**MYM.9130**

Size "" / Size mm	13 ½	30.20
Height mm	5.52	
Total height mm	6.58	
Hand-fitting	1	
Jewels	26	
Date position	D6	
Hour wheel	MY075.A63	
Stem	MY065.A05	
Battery	-	
Hands fitting Ø mm	Information not available	
Information	Power Reserve at 12, Automatic & Manual Winding	



**MYM.8N33**

Size "" / Size mm	11 ½	26.00
Height mm	4.47	
Total height mm	5.57	
Hand-fitting	-	
Jewels	17	
Date position	-	
Hour wheel	MY075.213	
Stem	MY065.212	
Battery	-	
Hands fitting Ø mm	152/100/17	
Information	Skeleton, Manual	




**MYM.9T13**

Size "" / Size mm	6 x 8	16.10 x 17.80
Height mm	2.33	
Total height mm	3.71	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.495	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.9T13/6**

Date position	D6
---------------	----



**MYM.9T22**

Size "" / Size mm	6 x 8	15.30 x 17.60
Height mm	1.90	
Total height mm	3.05	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.446	
Stem	MY065.495	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70	
Information	-	



**MYM.9T15**

Size "" / Size mm	6 x 8	16.10 x 17.80
Height mm	2.33	
Total height mm	3.40	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.495	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70	
Information	-	




**MYM.9T33**

Size "" / Size mm	6 x 8	15.30 x 17.60
Height mm	1.90	
Total height mm	3.32	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.446	
Stem	MY065.495	
Battery	321 / SR616SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.9T15/6**

Date position	D6
---------------	----



**MYM.9U13**

Size "" / Size mm	10 ½	21.50 x 23.70
Height mm	2.33	
Total height mm	3.70	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.495	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.9U13/6**

Date position	D6
---------------	----



**MYM.9U15**

Size''' / Size mm	10 ½	21.50 x 23.70
Height mm	2.33	
Total height mm	3.41	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.455	
Stem	MY065.495	
Battery	373 / SR916SW	
Hands fitting Ø mm	120/70	
Information	-	



**MYM.9U15/6**

Date position	D6
---------------	----



**CHRONO**

**MYM.FS00**

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	4.13	
Total height mm	5.92	
Hand-fitting	-	
Jewels	0	
Date position	D4	
Hour wheel	MY075.542	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 2, Small Sec at 6, 60 Min at 10, Pusher Parallel	



**CHRONO**

**MYM.FS00/6**

Date position	D6
---------------	----

**CHRONO**

**MYM.FS03**

Total height mm	6.58
Hand-fitting	High Version of MYM.FS00
Hour wheel	MY075.563
Information	24 Hrs at 2, Small Sec at 6, 60 Min at 10, Pusher Slanted



**CHRONO**

**MYM.FS01**

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	4.28	
Total height mm	6.12	
Hand-fitting	-	
Jewels	0	
Date position	D4	
Hour wheel	MY075.542	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 2, Small Sec at 6, 60 Min at 10, Pusher Parallel	



CHRONO

MYM.FS01/6

Date position	D6
---------------	----



CHRONO

MYM.FS10

Size "" / Size mm	10 ½	23.70 x 22.00
Height mm	5.10	
Total height mm	6.88	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, 60 Min at 9, 24 Hrs at 12, Pusher Slanted	



CHRONO

MYM.FS10/4

Date position	D4
---------------	----



CHRONO

MYM.FS10/6

Date position	D6
---------------	----

CHRONO

MYM.FS13

Total height mm	7.29
Hand-fitting	High Version of MYM.FS10
Hour wheel	MY075.A47



CHRONO

MYM.FS11


Size "" / Size mm	10 ½	23.70 x 22.00
Height mm	5.25	
Total height mm	7.06	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, 60 Min at 9, 24 Hrs at 12, Pusher Parallel	



CHRONO

MYM.FS14

Size "" / Size mm	10 ½	23.70 x 22.00
Height mm	5.25	
Total height mm	6.84	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	Information not available	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17	
Information	Small Sec at 6, 60 Min at 9, 24 Hrs at 12, Pusher Parallel	



CHRONO


**MYM.FS16**

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.10	
Total height mm	7.28	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.A04	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26/-	
Information	Dual Time, Pusher Slanted	



**MYM.FS20/6**


Date position	D6
CHRONO	<b>MYM.FS23</b>
Total height mm	7.30
Hand-fitting	High Version of MYM.FS20
Hour wheel	MY075.A47



CHRONO

**MYM.FS17**

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.25	
Total height mm	7.48	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.A04	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26/-	
Information	Dual Time, Pusher Parallel	



CHRONO

**MYM.FS21**

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.25	
Total height mm	7.09	
Hand-fitting	-	
Jewels	0	
Date position	D4	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Pusher Parallel	



CHRONO

**MYM.FS20**

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.10	
Total height mm	6.89	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Pusher Slanted	



CHRONO

**MYM.FS26**

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.10	
Total height mm	7.30	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.A04	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26/-	
Information	Dual Time, Pusher Slanted	





CHRONO

## MYM.FS27

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.25	
Total height mm	7.48	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.A04	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26/-	
Information	Dual Time, Pusher Parallel	



CHRONO

## MYM.FS81

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.10	
Total height mm	7.10	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	NC	
Information	Retro Day Hand at 2, Small Sec at 6, 30 Min at 10, Pusher Slanted	



CHRONO

## MYM.FS60

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.10	
Total height mm	6.89	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro Day Hand at 2, Small Sec at 6, 60 Min at 10, Pusher Slanted	



## MYM.GL00


Size''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.94	
Total height mm	4.37	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.543	
Stem	MY065.547	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



CHRONO

## MYM.FS61

Size''' / Size mm	10 ½	23.70 x 22.00
Height mm	5.25	
Total height mm	7.09	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.556	
Stem	MY065.549	
Battery	377 / SR626SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro Day Hand at 2, Small Sec at 6, 60 Min at 10, Pusher Parallel	




## MYM.GL10


Size''' / Size mm	6 ¾ x 8	15.30 x 18.20
Height mm	2.71	
Total height mm	4.16	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.537	
Stem	MY065.547	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	

**MYM.GL10/6**

Date position	D6
---------------	----

**MYM.GL20**

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.28	
Total height mm	3.40	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.535	
Stem	MY065.541	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	

**MYM.GL15**


Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.71	
Total height mm	3.88	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.537	
Stem	MY065.547	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	

**MYM.GL26**


Total height mm	3.85
Hand-fitting	High version of MYM.GL20
Hour wheel	Information not available

**MYM.GL15/6**

Date position	D6
---------------	----

**MYM.GL30**

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.28	
Total height mm	3.68	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.535	
Stem	MY065.541	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.GL36**

Size "" / Size mm	6 3/4 x 8	15.30 x 18.20
Height mm	2.28	
Total height mm	4.41	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.B09	
Stem	MY065.541	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.GM10**

Size "" / Size mm	10 1/2	22.60
Height mm	2.71	
Total height mm	3.86	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.537	
Stem	MY065.543	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.GM00**

Size "" / Size mm	10 1/2	22.60
Height mm	2.94	
Total height mm	4.38	
Hand-fitting	-	
Jewels	0	
Date position	D3D3 (day/date)	
Hour wheel	MY075.543	
Stem	MY065.543	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	



**MYM.GM10/6**

Date position	D6
---------------	----



**MYM.GM00/6**

Date position	D6
---------------	----



**MYM.GM15**

Size "" / Size mm	10 1/2	22.60
Height mm	2.71	
Total height mm	3.87	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.537	
Stem	MY065.543	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	



**MYM.GM15/6**

Date position	D6
---------------	----



**MYM.GN15**

Size "" / Size mm	8 3/4	20.00 x 18.00
Height mm	2.71	
Total height mm	3.89	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.537	
Stem	MY065.547	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70	
Information	-	



**MYM.GN10**

Size "" / Size mm	8 3/4	20.00 x 18.00
Height mm	2.71	
Total height mm	4.17	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.537	
Stem	MY065.547	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17	
Information	-	




**MYM.GN15/6**

Date position	D6
---------------	----



**MYM.GN10/6**

Date position	D6
---------------	----




**MYM.GP00**

Size "" / Size mm	12	27.00 x 25.00
Height mm	4.40	
Total height mm	6.52	
Hand-fitting	-	
Jewels	0	
Date position	BD12 (big date)	
Hour wheel	MY075.998	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17/26	
Information	Retro Dual Time at 6	




### MYM.GP01

Size "" / Size mm	12	27.00 x 25.00
Height mm	4.40	
Total height mm	6.52	
Hand-fitting	-	
Jewels	0	
Date position	BD3 (big date)	
Hour wheel	MY075.998	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17/26	
Information	Retro Dual Time at 6	




### MYM.GP11

Size "" / Size mm	12	27.00 x 25.00
Height mm	4.40	
Total height mm	6.15	
Hand-fitting	-	
Jewels	0	
Date position	BD3 (big date)	
Hour wheel	MY075.998	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17	
Information	Small Sec at 6	




### MYM.GP03

Size "" / Size mm	12	27.00 x 25.00
Height mm	4.40	
Total height mm	6.62	
Hand-fitting	-	
Jewels	0	
Date position	BD3 (big date)	
Hour wheel	MY075.998	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17/26/17	
Information	Retro Dual at 6, Small Hand at 9	




### MYM.GP30

Size "" / Size mm	12	27.00 x 25.00
Height mm	4.40	
Total height mm	6.52	
Hand-fitting	-	
Jewels	0	
Date position	BD12 (big date)	
Hour wheel	MY075.998	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17	
Information	-	




### MYM.GP10

Size "" / Size mm	12	27.00 x 25.00
Height mm	4.40	
Total height mm	6.15	
Hand-fitting	-	
Jewels	0	
Date position	BD12 (big date)	
Hour wheel	MY075.998	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17	
Information	Small Sec at 6	




### MYM.GP50

Size "" / Size mm	12	27.00 x 25.00
Height mm	3.80	
Total height mm	5.90	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A02	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17/26/26	
Information	Retro Dual Time at 6, Retro Date at 12	




**MYM.GP52**

Size "" / Size mm	12	27.00 x 25.00
Height mm	3.80	
Total height mm	5.91	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A02	
Stem	MY065.992	
Battery	371 / SR920SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro Dual Time at 6, 24 Hrs at 9, Retro Date at 12	



**MYM.JP25**

Size "" / Size mm	12 ½	28.20
Height mm	4.30	
Total height mm	6.30	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	Information not available	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, Dual Time at 6, Day Hand at 9	



**MYM.JP11**

Size "" / Size mm	12 ½	28.20
Height mm	4.30	
Total height mm	6.35	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.B06	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/17/17	
Information	Dual Time at 6, 24 Hrs at 12	




**MYM.JR00**

Size "" / Size mm	12 ½	28.20
Height mm	4.18	
Total height mm	5.98	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A36	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro Day at 4, 24 Hrs at 9, Date at 12	



**MYM.JP15**

Size "" / Size mm	12 ½	28.20
Height mm	4.30	
Total height mm	6.35	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.B06	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Dual Time at 6, Day Hand at 9, 24 Hrs at 12	




**MYM.JR10**

Size "" / Size mm	12 ½	28.20
Height mm	4.18	
Total height mm	5.99	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A36	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro Day at 6, 24 Hrs at 9, Date at 12	



### MYM.JR20

Size ''' / Size mm	12 ½	28.20
Height mm	4.18	
Total height mm	5.99	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A36	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Retro Day at 6, 24 Hrs at 9, Date at 12	



### MYM.JS00

Size ''' / Size mm	12 ½	28.20 x 26.00
Height mm	4.18	
Total height mm	6.00	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A18	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 2, Small Sec at 6, 30 Min at 10	



### MYM.JS05

Size ''' / Size mm	12 ½	28.20 x 26.00
Height mm	4.30	
Total height mm	6.11	
Hand-fitting	-	
Jewels	0	
Date position	D4	
Hour wheel	MY075.A59	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 2, Small Sec at 6, 30 Min at 10	

## CHRONO MYM.JS06

Total height mm	6.85
Hand-fitting	High Version of MYM.JS05
Hour wheel	MY075.A72



### MYM.JS10

Size ''' / Size mm	12 ½	28.20 x 26.00
Height mm	4.18	
Total height mm	6.15	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A18	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, 30 Min at 9, 24 Hrs at 12	



### MYM.JS15

Size ''' / Size mm	12 ½	28.20 x 26.00
Height mm	4.30	
Total height mm	6.11	
Hand-fitting	-	
Jewels	0	
Date position	D3	
Hour wheel	MY075.A59	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec at 6, 30 Min at 9, 24 Hrs at 12	

**CHRONO**

**MYM.JS16**

Total height mm	6.65
Hand-fitting	High Version of MYM.JS15
Hour wheel	MY07.A72



**MYM.JS25/6**

<b>CHRONO</b>	
Date position	D6

**CHRONO MYM.JS26**

Total height mm	6.66
Hand-fitting	High Version of MYM.JS25
Hour wheel	MY07.A72

**CHRONO MYM.JS26/6**

Total height mm	6.66
Hand-fitting	High Version of MYM.JS25
Date position	D6
Hour wheel	MY07.A72



**MYM.JS20**

Size "" / Size mm	12 ½	28.20 x 26.00
Height mm	4.18	
Total height mm	6.00	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A18	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, Small Sec at 6, 30 Min at 9	



**MYM.JS50**

Size "" / Size mm	12 ½	28.20 x 26.00
Height mm	4.18	
Total height mm	5.98	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A24	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs, 30 Min and Small Sec at 6	



**MYM.JS25**


Size "" / Size mm	12 ½	28.20 x 26.00
Height mm	4.30	
Total height mm	6.11	
Hand-fitting	-	
Jewels	0	
Date position	D4H30	
Hour wheel	MY075.A59	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	24 Hrs at 3, Small Sec at 6, 30 Min at 9	



**MYM.JS55**

Size "" / Size mm	12 ½	28.20 x 26.00
Height mm	4.18	
Total height mm	5.99	
Hand-fitting	-	
Jewels	0	
Date position	-	
Hour wheel	MY075.A24	
Stem	MY065.505	
Battery	364 / SR621SW	
Hands fitting Ø mm	120/70/17/26/26/26	
Information	Small Sec, 30 Min and 24 Hrs at 9	







**MYM.T270**

<b>Size''' / Size mm</b>	13 ½	-
<b>Height mm</b>	-	
<b>Total height mm</b>	5.35	
<b>Hand-fitting</b>	-	
<b>Jewels</b>	0	
<b>Date position</b>	-	
<b>Hour wheel</b>	Information not available	
<b>Stem</b>	Information not available	
<b>Battery</b>	395 / SR297W	
<b>Hands fitting Ø mm</b>	120/70/17	
<b>Information</b>	Digital + Analogique	



# ORIENT





## ORM.B0500

Size ''' / Size mm	6 ¾ x 8	15.10 x 17.60
Height mm	2.50	
Total height mm	3.95	
Hand-fitting	1	
Jewels	0	
Date position	-	
Hour wheel	OR4230.0003	
Stem	OR911-B05323	
Battery	364 / SR621SW	
Hands fitting Ø mm	Information not available	
Information	-	



## ORM.HM000

Size ''' / Size mm	5 ½	10.80 x 13.75
Height mm	2.09	
Total height mm	3.15	
Hand-fitting	1	
Jewels	0	
Date position	-	
Hour wheel	OR4230.0040	
Stem	OR911-H25125	
Battery	317 / SR516SW	
Hands fitting Ø mm	Information not available	
Information	-	



## ORM.HT710

Size ''' / Size mm	10 ½	23.30 x 21.30
Height mm	2.96	
Total height mm	4.05	
Hand-fitting	1	
Jewels	1	
Date position	D3	
Hour wheel	OR4230.0049	
Stem	OR911-HE7999	
Battery	371 / SR920SW	
Hands fitting Ø mm	Information not available	
Information	-	

# CHINESE MOVEMENTS






**CNM.6497**

Size''' / Size mm	16 ½	36.60
Height mm	4.50	
Total height mm	6.04	
Hand-fitting	1	
Jewels	17	
Date position	-	
Hour wheel	SK0438.9011	
Stem	SK0401.9011	
Battery	-	
Hands fitting Ø mm	Information not available	
Information	Small Sec, Mechanical	



**CNM.6497/SA**

Information	Small Sec, Steel Skeleton, Mechanical	
-------------	---------------------------------------	--



**CNM.6498**

Size''' / Size mm	16 ½	36.60
Height mm	4.50	
Total height mm	6.04	
Hand-fitting	1	
Jewels	17	
Date position	-	
Hour wheel	ETA134015	
Stem	ETA134359	
Battery	-	
Hands holes Ø mm	200/115/27	
Information	Savonette, Small Sec at 6, Manual, Mechanical, 18'000 A/h	



**CNM.7750**

Size''' / Size mm	13 ¼	30.00
Height mm	7.90	
Total height mm	10.78	
Hand-fitting	1	
Jewels	25	
Date position	D3D3 (day/date)	
Hour wheel	Information not available	
Stem	Information not available	
Battery	-	
Hands fitting Ø mm	200/120/25/18/18/18	
Information	12 Hrs at 6, Small Sec at 9, 30 Min at 12, Automatic	



**CNM.DG2813SS**

Size''' / Size mm	11 ½	26.00
Height mm	5.62	
Total height mm	7.78	
Hand-fitting	Information not available	
Jewels	22	
Date position	D3	
Hour wheel	Information not available	
Stem	Information not available	
Battery	-	
Hands fitting Ø mm	150/100/17	
Information	Automatic	



**CNM.DG3804B**

Size''' / Size mm	11 ½	26.00
Height mm	5.97	
Total height mm	8.19	
Hand-fitting	Information not available	
Jewels	22	
Date position	D3	
Hour wheel	Information not available	
Stem	Information not available	
Battery	-	
Hands fitting Ø mm	150/100/200/17	
Information	24 Hrs, Automatic	

A series of horizontal dotted lines for writing notes.



A series of horizontal dotted lines for writing notes.



A series of horizontal dotted lines for writing notes.

A series of horizontal dotted lines for writing notes.



CNM.	Pages	ETAM./ETAMP. Qtz	Pages	ETAM./ETAMP. Qtz	Pages	ISM./ISMP.	Pages
6497	12-2	902501	2-6	F04111/6	2-12	338/133	5-5
6497/SA	12-2	955112	2-6	F04111/SS	2-12	8171B	5-5
6498	12-2	955112/6	2-6	F04111/SS/6	2-12	8173A	5-5
7750	12-2	955112/A	2-6	F05111	2-12	8176B	5-5
DG2813SS	12-2	955112/C	2-6	F05111/6	2-12	8176B	5-6
DG3804B	12-2	955112/E	2-6	F05111/SS	2-12	8270B	5-6
		955112/F	2-7	F05111/SS/6	2-13	8271B	5-6
		955132	2-7	F06101	2-13	8272A	5-6
<b>ETAM./ETAMP. Mech</b>	<b>Pages</b>	955412	2-7	F06111	2-13	8371B	5-6
2671	1-2	955412	2-7	F06111/6	2-13	83F	5-7
2824-2	1-2	955412/6	2-7	F06111/SS	2-13	83F/6	5-7
2836-2	1-2	955412/A	2-7	F06111/SS/6	2-13	9012A	5-7
2892-A2	1-2	955412/C	2-7	F06161	2-13	9230M1	5-7
2894-2	1-2	955412/D	2-7	F07111	2-13	8371B	5-7
2895-1	1-2	955412/E	2-7	G10212	2-14	9231C1	5-7
6497-1	1-3	955422	2-8	G10212/3	2-14	9232B2	5-7
6498-1	1-3	956032	2-8	G10212/6	2-14	9232C1	5-8
7001	1-3	956112	2-8	G10212/H	2-14	9232D0	5-8
7750	1-3	956112/6	2-8	G10712	2-15	9238A0	5-8
7751	1-3	956112/A	2-8	G10712/H	2-15	9238D1	5-8
7753	1-3	956112/B	2-8	G15212	2-15	9238I1	5-8
		956112/C	2-8	G15212/3	2-15		
<b>ETAM./ETAMP. Qtz</b>	<b>Pages</b>	956112/D	2-8	G15212/6	2-15	<b>MYM.</b>	<b>Pages</b>
210001	2-2	956112/E	2-8	G15212/H	2-16	0500	10-4
251264	2-2	956112/F	2-9	G15261	2-16	0510	10-4
251274	2-2	956122	2-9			0510/4H	10-4
251474	2-3	956412	2-9	<b>ISM./ISMP.</b>	<b>Pages</b>	0510/6	10-4
255112	2-3	956412/6	2-9	1198/101	5-2	0511	10-4
255411	2-3	956412/A	2-9	1198F	5-2	051A	10-4
255441	2-3	956412/E	2-9	1198F/6	5-2	0520	10-4
256031	2-3	956412/F	2-9	1198I	5-2	0520/12	10-4
256041	2-3	976001	2-9	125B	5-2	0520/6	10-4
256112	2-3	980106	2-10	127B	5-2	0521	10-5
280002	2-4	980153	2-10	220E/6	5-3	0521/6	10-5
282001	2-4	980163	2-10	222B	5-3	0522	10-5
802002	2-4	E01001	2-10	230/103	5-3	0525	10-5
802102	2-4	E03001	2-10	230/103/6	5-3	052A	10-5
803112	2-4	E61031	2-10	2330F	5-3	052B	10-5
804112	2-4	E61041	2-11	2331F	5-3	0530	10-5
804192	2-5	E61111	2-11	307/103	5-4	0560	10-6
805112	2-5	E63041	2-11	317/103	5-4	0560/4H	10-6
805122	2-5	E63111	2-11	330/103	5-4	0560/4V	10-6
804112/6	2-5	E64111	2-11	330/133	5-4	0560/6	10-6
805112/6	2-5	F03111	2-11	330/133/6	5-4	0562	10-6
901001	2-5	F03111.3	2-12	331/103	5-4	0580	10-6
901001.0	2-5	F03111/6	2-12	336D	5-5	0580/4	10-6
902002	2-6	F03111/SS	2-12	338/103	5-5	0590	10-7
902101	2-6	F04111	2-12				

<b>MYM.</b>	<b>Pages</b>	<b>MYM.</b>	<b>Pages</b>	<b>MYM.</b>	<b>Pages</b>	<b>MYM.</b>	<b>Pages</b>
1L02	10-7	5R32	10-14	9T15	10-22	GN15	10-29
1L12	10-7	5Y20	10-14	9T15/6	10-22	GN15/6	10-29
1L12/6	10-7	5Y26E	10-14	9T22	10-22	GP00	10-29
1L15	10-7	5Y30	10-15	9T33	10-22	GP01	10-30
1L15/6	10-7	5Y36	10-15	9U13	10-22	GP03	10-30
1L22	10-8	6P00	10-15	9U13/6	10-23	GP10	10-30
1L26	10-8	6P05	10-15	9U15	10-23	GP11	10-30
1L32	10-8	6P09	10-15	9U15/6	10-23	GP30	10-30
1L40	10-8	6P20	10-15	FS00	10-23	GP50	10-30
1L45	10-8	6P22	10-16	FS00/6	10-23	GP52	10-31
1L60	10-8	6P23	10-16	FS01	10-23	JP11	10-31
1M02	10-9	6P24	10-16	FS01/6	10-24	JP15	10-31
1M12	10-9	6P25	10-16	FS03	10-23	JP25	10-31
1M12/6	10-9	6P26	10-16	FS10	10-24	JR00	10-31
1N12	10-9	6P27	10-17	FS10/4	10-24	JR10	10-31
1N12/6	10-9	6P28	10-17	FS10/6	10-24	JR20	10-32
1S02	10-9	6P29	10-17	FS11	10-24	JS00	10-32
1S13	10-10	6P73	10-16	FS13	10-24	JS05	10-32
1S13/6	10-10	6P77	10-17	FS14	10-24	JS06	10-32
2005	10-10	6P79	10-17	FS16	10-25	JS10	10-32
2015	10-10	6P88	10-17	FS17	10-25	JS15	10-33
2015/6	10-10	6P89	10-17	FS20	10-25	JS16	10-33
2025	10-10	6S10	10-18	FS20/6	10-25	JS20	10-33
2026	10-11	6S11	10-18	FS21	10-25	JS25	10-33
2033	10-11	6S20	10-18	FS23	10-25	JS25/6	10-33
2034	10-11	6S21	10-18	FS26	10-25	JS26	10-33
2035	10-11	6S30	10-18	FS27	10-26	JS26/6	10-33
2035/SUPER	10-11	6S50	10-18	FS60	10-26	JS50	10-33
2036	10-11	6T51	10-19	FS61	10-26	JS55	10-34
2039	10-11	7T35	10-19	FS81	10-26	T270	10-34
203A	10-11	8205	10-19	GL00	10-26		
2105	10-12	8215	10-19	GL10	10-26	<b>ORM.</b>	<b>Pages</b>
2115	10-12	8217	10-19	GL10/6	10-27	B0500	11-2
2115/6	10-12	8218	10-19	GL15	10-27	HM000	11-2
2117	10-12	8219	10-20	GL15/6	10-27	HT710	11-2
2305	10-12	821A	10-20	GL20	10-27		
2315	10-12	8245	10-20	GL26	10-27	<b>RLM.</b>	<b>Pages</b>
2315/6	10-12	8247	10-20	GL30	10-27	1002	3-2
2353	10-13	82S5	10-20	GL36	10-28	1003	3-2
2405	10-13	82S7	10-20	GM00	10-28	1004	3-2
2415	10-13	8N24.C	10-21	GM00/6	10-28	1004.2	3-2
2415/6	10-13	8N24.G	10-21	GM10	10-28	1005	3-2
2453	10-13	8N33	10-21	GM10/6	10-28	1005/6	3-2
2S60	10-13	9015	10-21	GM15	10-28	1006	3-3
2S65	10-14	9130	10-21	GM15/6	10-29	1006/6	3-3
4S20	10-14	9T13	10-21	GN10	10-29	1009	3-3
5R21	10-14	9T13/6	10-22	GN10/6	10-29	1009/6	3-3

RLM.	Pages	RLM.	Pages	RLM.	Pages	RLM.	Pages
1012	3-3	5040.E	3-9	517/D4	3-14	715.2	3-21
1013	3-3	5040.F	3-10	517/D5	3-15	715.3	3-21
1014	3-3	505	3-10	517/D6	3-15	715.4	3-21
1015	3-4	505.2	3-10	519	3-15	715.5	3-21
1015/6	3-4	505.24.H	3-10	519.2	3-15	715.6	3-21
1016	3-4	505.24D/G1	3-10	519/4	3-15	715/4	3-21
1016/6	3-4	505.24D/G2	3-10	519/6	3-15	715/6	3-21
1019	3-4	505.24H/6	3-10	583	3-15	715/6.2	3-21
1032	3-4	505.6	3-10	585	3-15	715II/3	3-21
1032.1	3-4	505/6	3-10	585.2	3-16	751	3-21
1032.2	3-4	5050.B	3-10	585/6	3-16	751.0	3-21
1032.3	3-4	5050.C	3-11	6003.B	3-16	751.2	3-21
1042	3-5	5051.C	3-11	6003.D	3-16	751.3	3-21
1042.0	3-5	507/D1	3-11	6004.B	3-16	751.4	3-22
1042.Z	3-5	507/D2	3-11	6004.D	3-16	751B/5820	3-22, 7-2
1062	3-5	507/D3AL	3-11	6203.B	3-16	751E	3-22
1062.0	3-5	507/D4	3-11	7003.B	3-17	751E.0	3-22
1062.2	3-5	507/D5	3-11	7003.L	3-17	751E.3	3-22
1063	3-5	509.2	3-12	7003.N	3-17	751E.3/5820	3-22, 7-2
1063.0	3-5	509/B1	3-12	7004.B	3-17	753	3-22
1063.2	3-5	509/B3	3-12	7004.N	3-17	753.2	3-22
1064	3-6	513	3-12	7004.P	3-17	753.3	3-22
1064.2	3-6	513.2	3-12	702	3-18	753.4	3-22
1064.Z	3-6	513.6	3-12	703	3-18	753.5	3-22
1069	3-6	5130.B	3-12	704	3-18	762	3-23
1069.0	3-6	5130.D	3-12	704/6	3-18	762.0	3-23
1069.2	3-6	515	3-13	705/3	3-18	762.2	3-23
3520.D	3-6	515.2	3-13	705/3.0	3-18	762.3	3-23
3540.D	3-6	515.2/6	3-13	705/3.2	3-18	762.4	3-23
4002.B	3-7	515.24.D12/3	3-13	705/3.3	3-18	762.5	3-23
4003.B/12	3-7	515.24.D12/6	3-13	705/3.4	3-19	762B/6320	3-23, 7-2
4003.B/6	3-7	515.24.D6/3	3-13	705/3.5	3-19	763	3-23
4120.B	3-7	515.24.H	3-13	705/3.6	3-19	763.0	3-23
4120.B/12	3-7	515.24.H/6.2	3-14	705/4	3-19	763.2	3-23
4210.B	3-7	515.6	3-13	705/6	3-19	763.3	3-23
4220.B	3-8	515/4	3-13	705/6.2	3-19	763.4	3-24
5010.B	3-8	515/6	3-13	706.1	3-19	763.5	3-24
5020.B	3-8	515S	3-14	706.3	3-19	763.6	3-24
5021.D	3-8	517	3-14	706.B1	3-19	772	3-24
503	3-8	517.2	3-14	708/6/PH.L	3-19	772.3	3-24
5030.D	3-8	517/6	3-14	712	3-20	772.6	3-24
5030.D/12	3-9	517/BN	3-14	713	3-20	773	3-24
5030.D/4RH	3-9	517/BN.2	3-14	713.2	3-20	774	3-24
5040.B/12	3-9	517/D1	3-14	713.4	3-20	774/6	3-24
5040.BN/12	3-9	517/D2	3-14	714	3-20	775.2	3-25
5040.D	3-9	517/D3/ALL	3-14	714/6	3-20	775.3	3-25
5040.D/6	3-9	517/D3/J12	3-14	715	3-20	775.4	3-25

<b>RLM.</b>	<i>Pages</i>	<b>RLMP.</b>	<i>Pages</i>	<b>SKM.</b>	<i>Pages</i>	<b>SKMP.</b>	<i>Pages</i>
775/3	3-25	507	4-5	5D2220	8-4	AL21	9-4
775/3.0	3-25	507/6	4-5	5D4420	8-4	AL21.2	9-4
775/4H30	3-25	512	4-5	6G2820	8-4	AL21.4	9-4
775/6	3-25	515	4-5	6G3420	8-4	AL32	9-4
782	3-25	515/6	4-6	6T6320	8-5	AL32/6	9-4
782.3	3-25	517	4-6	7C1720	8-5	AL33	9-4
783	3-25	519	4-6	7C4620	8-5	AL35	9-5
783.2	3-26	585	4-6	7D4820	8-5	AL55	9-5
783.4	3-26	585/6	4-6	7N0010	8-5	AL82	9-5
784	3-26	6003B	4-6	7N0110	8-5	AL82/6	9-5
784/6	3-26	6003B.2	4-7	7N0120	8-6	AL83	9-5
785/3	3-26	6004B	4-7	7N3210	8-6	AS32	9-5
785/3.2	3-26	6203B	4-7	7N3220	8-6	AS87	9-6
785/3.3	3-26	705	4-7	7N3320	8-6	NE20	9-6
785/3.6	3-26	705/6	4-7	7N3520	8-6	NH05	9-6
785/6	3-26	706	4-7	7N3620	8-7	NH06	9-6
785/6.0	3-26	713	4-8	7N3910	8-7	NH15	9-6
785/6.2	3-27	715	4-8	7N3920	8-7	NH16	9-6
788/6PH.L	3-27	715/6	4-8	7N4220	8-7	NH35	9-7
8040.B	3-27	751	4-8	7N4320	8-7	NH36	9-7
8040.N	3-27	753	4-8	7N8210	8-7	PC10	9-7
R150	3-27	762	4-8	7N8240	8-8	PC11	9-7
Z50	3-27	763	4-9	7N8340	8-8	PC20	9-7
Z60	3-28	774	4-9	7N8910	8-8	PC21	9-7
		775	4-9	7N8940	8-8	PC21AF	9-8
		775/6	4-9	7S252D	8-8	PC22	9-8
<b>RLMP.</b>	<i>Pages</i>	783	4-9	7S2623	8-8	PC22/6	9-8
1032	4-2	784	4-9	7T6220	8-9	PC29	9-8
1032.1	4-2	784/6	4-10	7T9220	8-9	PC32	9-8
1042	4-2	785	4-10	7T9420	8-9	PC32/4	9-8
1062	4-2	785/6	4-10	S14320	8-9	PC32/6	9-8
1063	4-2			V07120	8-9	PC33	9-9
1063.0	4-2	<b>SKM.</b>	<i>Pages</i>	V11610	8-9	PC39	9-9
1064	4-3	1E2020	8-2	V15720	8-10	PE902	9-9
1069	4-3	1E2040	8-2	V17520	8-10	PE903	9-9
1069.0	4-3	1F2020	8-2	V50110	8-10	PE904	9-9
1069.2	4-3	1F2040	8-2	V50120	8-10	PE905	9-9
4120B	4-3	1F2120	8-2	V65320	8-10	PE906	9-10
4210B	4-3	1F2140	8-2	V65720	8-10	PE907	9-10
5020B	4-3	1N0020	8-3	V81010	8-11	VC00	9-10
5021D	4-4	1N0120	8-3	V81020	8-11	VC00.2	9-10
503	4-4	1N0130	8-3	V81110	8-11	VC01	9-10
5030D	4-4	1N0140	8-3	V81120	8-11	VC01.2	9-10
5030D/6	4-4	2E2010	8-3	V81130	8-11	VC10	9-11
5040B	4-4	2E2020	8-3			VC10.2	9-11
5040D	4-4	2E2030	8-4	<b>SKMP.</b>	<i>Pages</i>	VC11	9-11
505	4-5	420710	8-4	AL20	9-4	VC11.2	9-11
505/6	4-5						

SKMP.	Pages	SKMP.	Pages	SKMP.	Pages	SKMP.	Pages
VD31	9-11	VJ12	9-19	VS3J	9-25	VX7PE	9-33
VD32	9-11	VJ12.2	9-19	VS42	9-26	VX7RE	9-33
VD33	9-12	VJ12/6	9-19	VS43	9-26	VX82	9-33
VD34	9-12	VJ20	9-19	VS76	9-26	VX82.2	9-33
VD35	9-12	VJ20.2	9-19	VX00	9-26	VX82/6	9-33
VD36	9-12	VJ21	9-19	VX01	9-26	VX83	9-33
VD37	9-12	VJ21.2	9-19	VX10	9-26	VX83/6	9-33
VD50	9-12	VJ22	9-19	VX11	9-27	VX89	9-34
VD51	9-13	VJ22.2	9-20	VX12	9-27	VX89/6	9-34
VD51.2	9-13	VJ22/6	9-20	VX12.2	9-27	VX9J	9-34
VD52	9-13	VJ23	9-20	VX12.2/6	9-27	VX9N	9-34
VD53	9-13	VJ24	9-20	VX12/6	9-27	VX9P	9-34
VD53.2	9-13	VJ24/6	9-20	VX19	9-27	VX9R	9-34
VD54	9-13	VJ32	9-20	VX19/6	9-27	Y120E	9-35
VD54.2	9-13	VJ32.2	9-20	VX32	9-28	Y120G	9-35
VD55	9-14	VJ32/6	9-20	VX32.2	9-28	Y121E	9-35
VD55.2	9-14	VJ33	9-21	VX32.2/6	9-28	Y121E2	9-35
VD56	9-14	VJ34	9-21	VX32/4	9-28	Y121E3	9-35
VD56.2	9-14	VJ34/6	9-21	VX32/6	9-28	Y121E4	9-35
VD57	9-14	VJ42	9-21	VX33	9-28	Y121E5	9-35
VD57.2	9-14	VJ42/6	9-21	VX33/6	9-28	Y121E6	9-35
VD59	9-14	VJ43	9-21	VX36	9-28	Y121ER	9-35
VD72	9-15	VJ45	9-22	VX3F	9-29	Y121G	9-35
VD72.2	9-15	VJ45/3	9-22	VX3H	9-29	Y121GK	9-36
VD73	9-15	VJ52	9-22	VX3J	9-29	Y127	9-36
VD73.2	9-15	VJ52/6	9-22	VX3J.3	9-29	YL50	9-36
VD74	9-15	VJ53	9-22	VX3K	9-29	YM04	9-36
VD74.2	9-15	VJ55	9-22	VX3K/6	9-29	YM12	9-36
VD75	9-16	VJ76	9-22	VX3LE	9-30	YM14	9-36
VD75.2	9-16	VJ76.2	9-23	VX3M	9-30	YM15	9-37
VD76	9-16	VJ76.2/6	9-23	VX3N	9-30	YM62	9-37
VD77	9-16	VK63	9-23	VX3P	9-30	YM82	9-37
VD77.2	9-16	VK64	9-23	VX3R	9-30	YM85	9-37
VD78	9-16	VK67	9-23	VX3S	9-30	YM87	9-37
VD78.2	9-17	VK68	9-23	VX3T	9-31	YM88	9-37
VD79	9-17	VK73	9-23	VX42	9-31	YM91	9-38
VD79.2	9-17	VK83	9-24	VX42/12	9-31	YM92	9-38
VD84	9-17	VL58	9-24	VX42/6	9-31	YM92/4	9-38
VD84.2	9-17	VR31	9-24	VX43/6	9-31	YM95	9-38
VD85	9-17	VR32	9-24	VX43E	9-31	YM9G	9-38
VD85.2	9-18	VR33	9-24	VX44	9-31	YT58	9-38
VD86	9-18	VR34	9-24	VX50	9-32		
VD86.2	9-18	VR3G	9-25	VX51	9-32		
VD87	9-18	VS15	9-25	VX62	9-32		
VD87.2	9-18	VS17	9-25	VX63E	9-32		
VH63	9-18	VS22	9-25	VX7JE	9-32		
VH64	9-18	VS37	9-25	VX7NE	9-32		



<b>SWM.</b>	<b>Pages</b>
200-1	6-2
210-1	6-2
220-1	6-2
240-1	6-2
260-1	6-2
300-1	6-2
500	6-3
1000-1	6-3

