

09



MOVEMENT HOLDERS

09 - 2

CASE CUSHIONS

09 - 12

RIVETING PLATE

09 - 14

MOVEMENT HOLDERS

Movement holder, nickel-plated brass, base Ø 31 mm. Equipped with adjustable screws to support pivots and endstones, with and without pushers for control.

Compatible with presses MSA05.050, MSA05.100, MSA05.101, MSA05.109, MSA05.110, MSA05.111, MSA05.112, MSA05.114, MSA05.115, MSA05.116, MSA05.117, MSA05.129 and MSA05.131.



MSA	Calibres ""	Screws	Kg
09.010-02	4 1/4""	1	0.029
09.010-03	4 1/2""	1	0.029
09.010-48	4 3/4""	1	0.030
09.010-50	4 7/8""	1	0.077
09.010-05	5 1/2""	1	0.033
09.010-06	6 3/4""	1	0.038
09.010-08	7 3/4""	1	0.042
09.010-09	8""	1	0.042
09.010-10	8 1/4""	1	0.043
09.010-11	8 3/4""	1	0.046
09.010-12	9""	1	0.047
09.010-13	9 1/4""	1	0.049
09.010-14	9 3/4""	1	0.051
09.010-15	10 1/2""	1	0.055
09.010-22	11""	1	0.058
09.010-16	11 1/2""	1	0.061
09.010-17	11 3/4""	1	0.063
09.010-28	12""	1	0.065
09.010-32	12 1/4""	1	0.069
09.010-23	12 1/2""	1	0.068
09.010-67	12 3/4""	1	0.078
09.010-18	13""	1	0.071
09.010-19	13 1/4""	1	0.081
09.010-46	13 1/2""	1	0.083
09.010-36	13 3/4""	1	0.077
09.010-42	16""	1	0.100
09.010-45	16 1/2""	1	0.100

Round movement holder.



MSA	Calibres ""	Screws	Kg
09.010-27	3 3/4"" x 6""	1	0.034
09.010-00	3 3/4"" x 6 3/4"" x 8""	1	0.034
09.010-04	5 1/2"" x 6 3/4""	1	0.037
09.010-07	6 3/4"" x 8""	1	0.040

Special shape movement holder.



(1)



(2)



MSA	Calibres	Screws	Kg
09.010-60	(1) 762 - 763	1	0.050
09.010-61	(2) 762 - 763	-	0.050

Special shape movement holder.

(1) With 1 adjustable screw for hands fitting.

(2) Without adjustable screw for removing stems.



MSA	Calibres	Screws	Kg
09.010-55	1002 - 1009	2	0.095

Round movement holder with 2 adjustable screws.



MSA	Calibres	Screws	Kg
09.017	3520.D - 3540.D	-	0.060

Round movement holder without adjustable screw.
For removing stems.



MSA	Calibres	Screws	Pushers	Kg
09.018	3520.D - 3540.D	4	2	0.129

Round movement holder with 2 pushers and 4 adjustable screws.



MSA	Calibres	Screws	Kg
09.016-47	4002-B - 4003-B	-	0.060
	4120-B - 4210-B		
	4220-B - 5010-B		
	5020-B - 5022-D		
	5030-D - 5040-B		
	5040-F - 5040-D		
	5050-B - 5050-C		
	5051-C - 5130-D		

Round movement holder without adjustable screw.
For removing stems.



MSA	Calibres	Screws	Pushers	Kg
09.010-47	4002-B - 4003-B	4	2	0.170
	4120-B - 4210-B			
	4220-B - 5010-B			
	5020-B - 5022-D			
	5030-D - 5040-B			
	5040-D - 5050-B			
	5050-C - 5051-C			
	5130-B - 5130-D			

Round movement holder with 2 pushers and 4 adjustable screws.



MSA	Calibre	Screws	Pushers	Kg
09.010-52	5040-F	4	5	0.160

Round movement holder with 5 pushers and 4 adjustable screws.

MOVEMENT HOLDERS



MSA	Calibre	Screws	Pushers	Kg
09.010-62	8040.B	4	2	0.130

Round movement holder with 2 pushers and 4 adjustable screws.



MSA	Calibre	Screws	Pushers	Kg
09.010-53	057	1		0.042

Special shape movement holder with 1 adjustable screw.



MSA	Calibre	Screws	Pushers	Kg
09.010-64	Valjoux 72	4	2	0.090

Round movement holder with 2 pushers and 4 adjustable screws.



MSA	Calibre	Screws	Pushers	Kg
09.010-58	FP 1180	4	3	0.079

Round movement holder with 3 pushers and 4 adjustable screws.



MSA	Calibre	Screws	Pushers	Kg
09.010-39	DD 2025	1	2	0.089

Round movement holder with 2 pushers and 1 adjustable screw.



MSA	Calibres	Screws	Pushers	Kg
09.010-33	2094	1	2	0.070
09.010-29	251471	1	2	0.070
09.010-30	2894	1	2	0.093

Round movement holder with 2 pushers and 1 adjustable screw.



MSA	Calibre	Screws	Pushers	Kg
09.010-35	2892-A2	4	4	0.088

Round movement holder with 4 pushers and 4 adjustable screws.



MSA	Calibre	Screws	Pushers	Kg
09.010-40	2894-2	4	2	0.070

Round movement holder with 2 pushers and 4 adjustable screws.



MSA	Calibres	Screws	Kg
09.010-38	UNITAS 6497 - 6498	2	0.102

Round movement holder with 2 adjustable screws.



MSA	Calibre	Screws	Kg
09.010-41	7001	2	0.062

Round movement holder with 2 adjustable screws.



MSA	Calibre	Screws	Pushers	Kg
09.010-20	Valjoux 7750	2	2	0.087

Round movement holder with 2 pushers and 2 adjustable screws.

Spare part :

MSA	Item	Kg
09.010-20-V	Adjustable screw	0.001



MSA	Calibre	Screws	Pushers	Kg
09.010-59	Valjoux 7750	4	2	0.092

Round movement holder with 2 pushers and 4 adjustable screws.

MOVEMENT HOLDERS



MSA	Calibres	Screws	Pushers	Kg
09.006	7750 - 7751 - 7753	5	3	0.114

Round movement holder with 3 pushers and 5 adjustable screws.



MSA	Calibres	Screws	Pushers	Kg
09.012	ZE 400 - 410 - 420	2	6	0.130

Round movement holder with 6 pushers and 2 adjustable screws.



MSA	Calibres	Screws	Pushers	Kg
09.011	Valjoux 7750 - 7753	4	6	0.125

Round movement holder with 6 pushers and 4 adjustable screws.

Spare parts :

MSA	Item	Kg
09.011-P	Pusher	0.001
09.011-V	Central adjustable screw	0.001



MSA	Calibre	Screws	Pushers	Kg
09.010-21	251262	4	4	0.090

Round movement holder with 4 pushers and 4 adjustable screws.



MSA	Calibre	Screws	Pushers	Kg
09.010-68	251471	4	2	0.090

Round movement holder with 2 pushers and 4 adjustable screws.



MSA	Calibres	Screws	Kg
09.010-43	PUW 111 - 282001	1	0.045

Special shape movement holder with 1 adjustable screw.



MSA	Calibre	Screws	Kg
09.010-54	980163	1	0.064

Special shape movement holder with 1 adjustable screw.



MSA	Calibre	Screws	Pushers	Kg
09.007	ETA A07	5	4	0.130

Round movement holder with 4 pushers and 5 adjustable screws.



MSA	Calibres	Screws	Pushers	Kg
09.010-44	G10211 - G10711	4	2	0.095

Round movement holder with 2 pushers and 4 adjustable screws.



MSA	Calibre	Screws	Pushers	Kg
09.010-63	G15211	4	2	0.101

Round movement holder with 2 pushers and 4 adjustable screws.

MOVEMENT HOLDERS

Aluminium movement holders.



MSA	Calibre	Kg
09.010-31	Lemania 1870	0.022




Round anodized aluminium movement holder.



MSA	Calibre	Kg
09.010-37	OM 1045	0.004

Round anodized aluminium movement holder with space for 2 pushers.



MSA	Kg	VIDE
09.010-24	0.073	
09.010-25	0.023	
09.010-26	0.035	

Anodized aluminium round movement holder with an adjustable central screw for supporting pivots and endstones.

Plastic movement holders.



MSA	Calibres	Kg
09.050-02	2824 11 1/2"	0.014
09.050-01	7750 13 1/4"	0.015

Green plastic movement holder.
Other calibres upon request.

Reversible movement holders with button.



MSA	Calibres ""	Kg
09.020-00	3 3/4" x 6"	0.016
09.021	3 3/4" x 8"	0.022
09.020-06	5 1/2" x 6 3/4"	0.012
09.020-07	6 3/4" x 8"	0.013

Nickel-plated brass reversible movement holder with button, special shape.



MSA	Calibres ""	Kg
09.020-05	5 1/2"	0.007
09.020-09	7 1/2"	0.014
09.020-08	7 3/4"	0.010
09.020-11	8 3/4"	0.010
09.020-12	9"	0.015
09.020-13	9 1/4"	0.015
09.020-10	9 1/2"	0.015
09.020-15	10 1/2"	0.015
09.020-25	11 1/4"	0.035
09.020-16	11 1/2"	0.023
09.020-19	12"	0.028
09.020-17	12 1/4"	0.020
09.020-20	12 1/2"	0.020
09.020-18	13"	0.025
09.020-22	13 1/4"	0.022
09.020-26	13 1/2"	0.025
09.020-23	13 3/4"	0.026
09.020-30	14 1/2"	0.026
09.020-27	15"	0.030
09.020-29	16"	0.035
09.020-24	16 1/2"	0.047

Nickel-plated brass reversible round movement holder with button.



MSA	Calibres ""	Kg
09.015-08	7 3/4"	0.015
09.015-11	8 3/4"	0.015
09.015-15	10 1/2"	0.016
09.015-16	11 1/2"	0.016
09.015-20	12 1/2"	0.018
09.015-22	13 1/4"	0.020
09.015-24	16 1/2"	0.024

Plexiglas reversible round movement holder with button.



MSA	Calibre	Pushers	Kg
09.020-21	Valjoux 7750	4	0.041

Nickel-plated brass reversible round movement holder with button and 4 pushers.

Extensible and reversible movement holders.



MSA	Calibres '''	Size	Kg
09.002	3 3/4"...12 1/2'''	60 x 25 mm	0.025

Nickel-plated brass extensible and reversible movement holder with springs.



MSA	Calibres '''	Size	Kg
09.003	3 3/4"...11'''	40 x 25 mm	0.032

Extensible and reversible steel movement holder with screw, 3 3/4''...11''.



MSA	Calibres '''	Size	Kg
09.004	8 3/4"...19'''	50 x 37 mm	0.042

Extensible and reversible steel movement holder with screw.



MSA	Size	Kg
09.005	75 x 50 mm	0.138

Extensible and reversible steel movement holder with screw for pocket watches.



MSA	Calibres ""	Size	Kg
09.103	3 3/4" ... 11"	55 x 25 mm	0.027

Extensible and reversible synthetic movement holder with screw.
Tightening on external \varnothing 12...30 mm.



MSA	Calibres ""	Size	Kg
09.104	8 3/4" ... 19"	55 x 38 mm	0.028

Extensible and reversible synthetic movement holder with screw.
Tightening on external \varnothing 30...48 mm.

Assortment of plastic movement holders.



See chapter **PERF.**

CASE CUSHIONS

Case cushions for multi-use, made of a felt or rubber disc covered with synthetic material and reinforced with a metal or plastic ring.



MSA	Ø	Height	Kg
09.305	90 mm	15 mm	0.130

Reversible case cushion in anti scratch synthetic material. One flat side with a room for small components storage like screws, battery clamps, crowns, etc. The other side is concave to accept domed glasses of watch cases.

Delivered with anti-dust lid.



MSA	Ø	Height	Kg
09.300	50 mm	13 mm	0.026

Case cushion with chromed metallic ring.



MSA	Ø	Height	Kg
09.301	53 mm	13 mm	0.025

Case cushion with chromed metallic ring.



MSA	Ø	Height	Kg
09.302	55 mm	11 mm	0.011

Case cushion with red plastic ring.



MSA	Ø	Height	Kg
09.303	55 mm	12 mm	0.020

Case cushion with black plastic ring.



MSA	Ø	Height	Kg
09.307	84 mm	11 mm	-
09.308	76 mm	11 mm	-

Case cushion with black plastic ring.

All case cushions illustrated above, can be personalized upon request.

Synthetic case cushion.



MSA	Ø	Height	Kg
09.306	45 mm	21 mm	0.070

Casing cushion in synthetic red rubber with 1 flat face and 1 curved face.
 Ø centre hole : 12 mm.

RIVETING PLATE

Riveting plate for dials.

HOROTEC
SWISS



Example of use with a dial

MSA	Ø	Height	Kg
09.310	60 mm	8 mm	0.085

Ground steel riveting plate, for holding dials.
Guaranteed flatness, ideal for inspection and gauging.