

11



PRECITEC® PLIERS

11 - 2

GERMAN PRECISION PLIERS

11 - 13

EREM® PLIERS

11 - 18

LINDSTROM® PLIERS

11 - 20

SPECIAL PLIERS

11 - 23


PLIERS ASSORTMENTS

11 - 26

PRECITEC® PLIERS

PRECITEC® pliers made of hardened steel ideal for all current work.

PRECITEC
QUALITY



MSA	Length	Return springs	Kg
11.800-A (1)	115 mm	2	0.080
11.800-B	130 mm	-	0.100

Flat nose pliers.
Box joint construction.



PRECITEC
QUALITY



MSA	Length	Return springs	Kg
11.809	130 mm	-	0.097

Flat nose pliers, serrated anti-skid interior, without return springs.
Box joint construction.



PRECITEC
QUALITY



MSA	Length	Return springs	Kg
11.807	130 mm	-	0.096

Round and flat nose pliers, without return springs.
Box joint construction.



PRECITEC
QUALITY




MSA	Length	Return springs	Kg
11.805	130 mm	-	0.096

Flat and convex nose precision pliers, without return springs.
Box joint construction.



PRECITEC
QUALITY



MSA	Length	Return springs	Kg
11.801-A (1)	115 mm	2	0.073
11.801-B	130 mm	-	0.090

Round nose pliers.
Box joint construction.



PRECITEC
QUALITY




MSA	Length	Return springs	Kg
11.806	130 mm	-	0.096

Round and concave nose pliers, without return springs.
Box joint construction.




PRECITEC
QUALITY



MSA	Length	Return springs	Kg
11.802-A (1)	115 mm	2	0.073
11.802-B	130 mm	-	0.095

Half-round nose pliers.
Box joint construction.



PRECITEC
QUALITY



MSA	Length	Return springs	Kg
11.810	135 mm	2	0.140

Side cutting pliers, with 2 return springs.
Box joint construction.



PRECITEC® PLIERS

PRECITEC
QUALITY



MSA	Length	Cutting	Return springs	Kg
11.820	130 mm	Bevelled	2	0.146

End cutting pliers, with 2 return springs.
Box joint construction.



PRECITEC
QUALITY



MSA	Length	Cutting	Return springs	Kg
11.827	130 mm	Bevelled	2	0.102

End cutting pliers made of tungsten carbide, with 2 return springs.
Box joint construction.



PRECITEC
QUALITY



MSA	Length	Cutting	Return springs	Kg
11.828	130 mm	Bevelled	2	0.110

Side cutting pliers made of tungsten carbide, with 2 return springs.
Box joint construction.



PRECITEC
QUALITY



MSA	Length	Cutting	Return springs	Kg
11.829	110 mm	Plain	2	0.090

Side cutting pliers made of tungsten carbide, with rounded head and 2 return springs.
Screw lap joint construction.



PRECITEC
QUALITY



MSA	Length	Cutting	Return springs	Kg
11.830	120 mm	Plain	2	0.095

Side cutting pliers made of tungsten carbide, with three-square head and 2 return springs.
Screw lap joint construction.



PRECITEC
QUALITY



MSA	Length	Cutting width	Return springs	Kg
11.105	130 mm	1.70 mm	2	0.107
11.106	130 mm	3.00 mm	2	0.115

Leather watch strap notching cutters, with 2 return springs.
Box joint construction.



PRECITEC
QUALITY



MSA	Length	Ø perforation	Return springs	Kg
11.816	145 mm	2.00 mm	2	0.150

Leather straps hole punching pliers, with 2 return springs.
Box joint construction.



PRECITEC
QUALITY



MSA	Length	Return springs	Kg
11.812	135 mm	-	0.095

Pliers for removing bracelet links, without return springs.
Box joint construction.



PRECITEC® PLIERS

PRECITEC
QUALITY



MSA	Length	Return springs	Kg
11.808	135 mm	-	0.128

Pliers with interchangeable jaws in Nylon®, width 10 mm, without return springs.
Box joint construction.

Spare parts :

MSA	Item	Kg
11.808-1	Nylon® jaw	0.002
11.808-2	Jaw screw	0.001



PRECITEC
QUALITY




MSA	Kg
11.803	0.345

Assortment of 3 pliers, with 2 return springs.
Box joint construction.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.801-A	(1) Round nose pliers	0.073
11.802-A	(2) Half-round nose pliers	0.073
11.800-A	(3) Flat nose pliers	0.080



PRECITEC
QUALITY




MSA	Kg
11.804	0.440

Assortment of 3 pliers, without return springs.
Box joint construction.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.802-B	(1) Half-round nose pliers	0.095
11.801-B	(2) Round nose pliers	0.090
11.800-B	(3) Flat nose pliers	0.100



PRECITEC
QUALITY



MSA	Kg
11.813	0.415

Assortment of 3 pliers, without return springs.
Box joint construction.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.800-B	(1) Flat nose pliers	0.100
11.812	(2) Pliers for removing bracelet links	0.095
11.802-B	(3) Half-round nose pliers	0.095



PRECITEC
QUALITY



MSA	Kg
11.817	0.445

Assortment of 3 pliers.
Box joint construction.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.812	(1) Pliers for removing bracelet links	0.095
11.809	(2) Flat nose pliers, serrated anti-skid interior	0.097
11.816	(3) Leather straps hole punching pliers	0.150



PRECITEC
QUALITY




MSA	Kg
11.818	0.450

Assortment of 3 pliers.
Box joint construction.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.827	(1) End cutting pliers, bevelled cutting	0.102
11.801-B	(2) Round nose pliers	0.090
11.809	(3) Flat nose pliers, serrated anti-skid interior	0.097



PRECITEC® PLIERS

PRECITEC
QUALITY



MSA	Kg
11.831	0.408

Assortment of 3 pliers, with 2 return springs.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.829	(1) Side cutting pliers, plain cutting	0.090
11.828	(2) Side cutting pliers, bevelled cutting	0.110
11.827	(3) End cutting pliers, bevelled cutting	0.102



PRECITEC
QUALITY



MSA	Kg
11.832	0.606

Assortment of 5 pliers, with 2 return springs.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.820	(1) End cutting pliers, bevelled cutting	0.146
11.810	(2) Side cutting pliers, bevelled cutting	0.140
11.802-A	(3) Half-round nose pliers	0.073
11.801-A	(4) Round nose pliers	0.073
11.800-A	(5) Flat nose pliers	0.080



PRECITEC
QUALITY



MSA	Length	Return springs	Kg
11.833-B	130 mm	-	0.092

Flat nose pliers, without return springs.
Box joint construction.



PRECITEC
QUALITY




MSA	Length	Return springs	Kg
11.836	130 mm	-	0.090

Flat and convex nose pliers, without return springs.
Box joint construction.



PRECITEC
QUALITY




MSA	Length	Return springs	Kg
11.834-A (1)	115 mm	2	0.078
11.834-B	130 mm	-	0.097

Round nose pliers.
Box joint construction.




PRECITEC
QUALITY



MSA	Length	Return springs	Kg
11.835-A (1)	115 mm	2	0.075
11.835-B	130 mm	-	0.097

Half-round nose pliers.
Box joint construction.



PRECITEC® PLIERS

PRECITEC
QUALITY



MSA	Length	Cutting	Return springs	Kg
11.837	130 mm	000	2	0.092

Side cutting pliers, with 2 return springs.
Box joint construction.



PRECITEC
QUALITY



MSA	Kg
11.840	0.395

Assortment of 3 pliers, without return springs.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.833-B	(1) Flat nose pliers	0.092
11.834-B	(2) Round nose pliers	0.097
11.835-B	(3) Half-round nose pliers	0.097



PRECITEC
QUALITY



MSA	Length	Return springs	Kg
11.851	140 mm	-	0.087

Flat nose pliers with black anti-skid handles.
Lap joint construction.



PRECITEC
QUALITY



MSA	Length	Return springs	Kg
11.852	140 mm	-	0.090

Round nose pliers with red anti-skid handles.
Lap joint construction.





PRECITEC
QUALITY



MSA	Length	Return springs	Kg
11.853	140 mm	-	0.085

Half-round nose pliers with green anti-skid handles.
Lap joint construction.



PRECITEC
QUALITY




MSA	Length	Cutting	Return springs	Kg
11.854	140 mm	000	-	0.108

End cutting pliers with yellow anti-skid handles.
Lap joint construction.



PRECITEC
QUALITY



MSA	Length	Cutting	Return springs	Kg
11.855	140 mm	000	-	0.094

Side cutting pliers with blue anti-skid handles.
Lap joint construction.



PRECITEC® PLIERS

PRECITEC
QUALITY



MSA

Kg


11.856

0.645

Assortment of 5 pliers with anti-skid handles.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.852	(1) Round nose pliers	0.090
11.853	(2) Half-round nose pliers	0.085
11.851	(3) Flat nose pliers	0.087
11.854	(4) End cutting pliers	0.108
11.855	(5) Side cutting pliers	0.094



PRECITEC
QUALITY



MSA

Kg


11.857

0.406

Assortment of 3 pliers with anti-skid handles.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.852	(1) Round nose pliers	0.090
11.853	(2) Half-round nose pliers	0.085
11.851	(3) Flat nose pliers	0.087




Excellent quality, robust and reliable german precision pliers with box joint construction ; with 2 return springs and available in several variants for precision work.




MSA		Noses length	Total length	Kg
11.200-A	(1)	22 mm	115 mm	0.060
11.200-B	(2)	25 mm	130 mm	0.075
11.200-C	(3)	40 mm	145 mm	0.090

Flat nose precision pliers.
PVC protected handles and 2 return springs.
Box joint construction.



MSA		Noses length	Total length	Kg
11.199		21 mm	115 mm	0.062

Serrated flat nose precision pliers.
PVC protected handles and 2 return springs.
Box joint construction.




MSA		Noses length	Total length	Kg
11.215		25 mm	130 mm	0.083

Flat and convex nose precision pliers.
PVC protected handles and 2 return springs.
Box joint construction.



MSA		Noses length	Total length	Kg
11.201-A	(1)	22 mm	115 mm	0.058
11.201-B	(2)	25 mm	130 mm	0.073
11.201-C	(3)	40 mm	145 mm	0.087

Round nose precision pliers.
PVC protected handles and 2 return springs.
Box joint construction.



GERMAN PRECISION PLIERS




MSA	Noses length	Total length	Kg
11.216	25 mm	130 mm	0.090

Round and concave nose precision pliers.
PVC protected handles and 2 return springs.
Box joint construction.




MSA	Noses length	Total length	Kg
11.202-A	(1) 22 mm	115 mm	0.062
11.202-B	(2) 25 mm	130 mm	0.074
11.202-C	(3) 40 mm	145 mm	0.090

Half-round nose precision pliers.
PVC protected handles and 2 return springs.
Box joint construction.




MSA	Noses length	Total length	Kg
11.203-C	40 mm	145 mm	0.088

Long half-round nose precision pliers.
PVC protected handles and 2 return springs.
Box joint construction.



MSA	Noses length	Total length	Kg
11.203-D	63 mm	170 mm	0.112


Extra-long half-round nose precision pliers.
PVC protected handles and 2 return springs.
Box joint construction.






MSA	Noses length	Total length	Kg
11.205-C	40 mm	145 mm	0.088

Long thin bent half-round nose precision pliers. PVC protected handles and 2 return springs. Box joint construction.



MSA		Length	Cutting	Kg
11.210	(1)	115 mm	000	0.075
11.206-B	(2)	130 mm	000	0.110

Robust side cutting precision pliers with rounded jaws. PVC protected handles and 2 return springs. Box joint construction.



MSA	Length	Cutting	Kg
11.207	115 mm	000	0.073

Side cutting precision pliers with pointed jaws. PVC protected handles and 2 return springs. Box joint construction.



MSA	Length	Cutting	Kg
11.211	115 mm	000	0.078

Side cutting precision pliers with pointed jaws. PVC protected handles and 2 return springs. Box joint construction.




GERMAN PRECISION PLIERS





MSA		Length	Cutting	Kg
11.208-A	(1)	115 mm	000	0.080
11.212	(2)	115 mm	000	0.080

End cutting precision pliers with straight head. PVC protected handles and 2 return springs. Box joint construction.



MSA		Length	Cutting	Kg
11.209	(1)	120 mm	000	0.080
11.213	(2)	120 mm	000	0.080

End cutting precision pliers with inclined head. PVC protected handles and 2 return springs. Box joint construction.




MSA		Kg
11.850		0.291

Assortment of 3 precision pliers with 2 return springs. Box joint construction. Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.200-A	(1) Flat nose pliers	0.060
11.201-A	(2) Round nose pliers	0.058
11.202-A	(3) Half-round nose pliers	0.062






MSA	Kg
11.859	0.540


Assortment of 5 precision pliers with 2 return springs.
 Box joint construction.
 Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.200-A	(1) Flat nose pliers	0.060
11.201-A	(2) Round nose pliers	0.058
11.202-A	(3) Half-round nose pliers	0.062
11.210	(4) Side cutting pliers, plain cutting	0.075
11.212	(5) End cutting pliers, plain cutting	0.080




Manufactured with uncompromising Swiss quality, Erem® cutters are designed to be strong, durable, sharp and have the highest precision available.




MSA	Length	A	B	C	D	Kg
11.928	110 mm	9 mm	9.80 mm	6 mm	16 mm	0.048

Tip cutters with pointed relieved head.
 Maximum cutting capability in mm : medium wire Ø 0.60 / copper wire Ø 0.80.



MSA	Length	A	B	C	D	Kg
11.920	(1) 110 mm	9 mm	11 mm	6 mm	19 mm	0.067
11.921	(2) 110 mm	9 mm	11 mm	6 mm	19 mm	0.067


Tip cutters with angled wide, robust head.
 Maximum cutting capability in mm : medium wire Ø 1.00 / copper wire Ø 1.60.
 Maximum cutting capability in mm : medium wire Ø 0.80 / copper wire Ø 1.30.



MSA	Length	A	B	C	D	Kg
11.925	110 mm	9 mm	9 mm	6 mm	15 mm	0.048


Side cutters with oval head.
 Maximum cutting capability in mm : hard wire Ø 0.50 / medium wire Ø 0.80 / copper wire Ø 1.30.





MSA	Length	A	B	C	D	Kg
11.924	120 mm	15 mm	13.50 mm	7.20 mm	21 mm	0.067

Side cutters with oval head.
 Maximum cutting capability in mm : medium wire Ø 1.20 / copper wire Ø 1.80.




MSA	Length	A	B	C	D	Kg
11.934	110 mm	9 mm	9 mm	6 mm	15 mm	0.048


Side cutters with oval head.
 Maximum cutting capability in mm : medium wire Ø 0.70 / copper wire Ø 1.30.




The LINDSTROM® pliers are considered to be the best in the world. Made with special steel and forged components specially studied. They offer an unequalled cutting capacity and a precision equivalent for all types of wire. Equipped with plastic handles and 2 return springs.



Flush



Ultra-Flush®



Micro-Bevel®



MSA	Model	Kg
11.906	7490	0.048

Precision pliers. Flat and smooth noses made of high performance steel. Specially made box joint with extra long contact surfaces, made possible by a unique manufacturing process. With 2 return springs. Box joint construction. Head 20 x 9 mm. Total length 120 mm.



MSA	Model	Kg
11.909	7890	0.060

Precision half-round extra-long nose with polished interior side and 2 return springs. Box joint construction. Head 32 x 9 mm. Total length 132 mm.



MSA	Model	Kg
11.910	7893	0.056

Precision half-round nose with 2 return springs. Box joint construction. Head 20 x 9 mm. Total length 120 mm.





MSA	Cutting	Model	Copper wire cutting capacity	Kg
11.903	Flush	7191	0.10...1.25 mm	0.044

Precision pliers, side cutting with pointed and three-square head and 2 return springs.
Screw lap joint construction.
Head 9 x 9 mm. Total length 109 mm.



MSA	Cutting	Model	Copper wire cutting capacity	Kg
11.901	Flush	7293	0.35...1.00 mm	0.048
11.900	Flush	7291	0.35...1.25 mm	0.048
11.902	Micro-bevel®	7290	0.35...1.25 mm	0.048

Precision pliers, oblique cutting at 11° with inclined head and 2 return springs.
Box joint construction.
Head 8 x 10.5 mm. Total length 108 mm.



MSA	Cutting	Model	Copper wire cutting capacity	Kg
11.904	000	8162	0.30...1.60 mm	0.088
11.905	Micro-bevel®	8140	0.20...1.25 mm	0.048

Precision pliers. Diagonal cutting with oval head made of high performance oxidized black steel and 2 return springs. Cutting edges hardened by induction.
Screw lap joint construction.
Head 16 x 16 mm. Total length 125 and 110 mm.



MSA	Cutting	Model	Copper wire cutting capacity	Kg
11.908	Micro-bevel®	8146	0.20...1.00 mm	0.046

Precision side cutter with oxidized black and sharp-pointed nose. 2 return springs.
Lap joint construction.
Head 10 x 10 mm. Total length 110 mm.



LINDSTROM® PLIERS

LINDSTROM
PRECISION TOOLS



MSA	Cutting	Model	Copper wire cutting capacity	Kg
11.911	Micro-Bevel®	8160	0.40...2.00 mm	0.088

Precision side cutter with oxidized black and round nose, with 2 return springs.

Lap joint construction.

Head 16 x 16 mm. Total length 125 mm.



LINDSTROM
PRECISION TOOLS



MSA	Cutting	Model	Copper wire cutting capacity	Kg
11.907	Flush	7292	0.35...0.80 mm	0.056

Precision pliers, bent nose towards the interior. With 2 return springs.

Box joint construction.

Head 15 x 9 mm. Total length 115 mm.



Carbon steel pliers specially made for cutting hairsprings.
Plain and impeccable cutting.



MSA	No.	Length	Kg
11.705	17	125 mm	0.076

Carbon steel pliers for cutting hairsprings. Inclined head, anti-skid handles with 2 return springs. Screw lap joint construction.



MSA	No.	Length	Kg
11.706	20	110 mm	0.081

Carbon steel pliers for cutting hairsprings. Straight and pointed head at both ends, anti-skid handles with 2 return springs. Screw lap joint construction.



BAHCO® and KNIPEX® cutting pliers.



MSA	Cutting	Cutting capacity	Kg
11.228	Bevelled	Ø 1.80 mm : piano-wire Ø 5.00 mm : copper wire	0.134

Steel side cutting BAHCO® precision pliers, with large anti-skid handles and 1 return spring. Lap joint construction. Total length 155 mm.




MSA	Cutting	Cutting capacity	Kg
11.229	Bevelled	Ø 1.50 mm : piano-wire Ø 4.00 mm : copper wire	0.134

Heavy duty KNIPEX® end cutter with strong torque. Tempered and polished head and PVC protected handles. Lap joint construction. Total length 140 mm.

SPECIAL PLIERS

Round-nose pliers.

HOROTEC
SWISS



MSA	Length	Kg
11.320	130 mm	?

Round-nose pliers in polished steel, box joint and smooth brass jaws.

Ring cutters.

PRECITEC
QUALITY



MSA	Length	Kg
11.230	160 mm	0.107

Large ring cutting pliers with chromed grooved handle.
Delivered with 1 mounted thin teeth steel circular saw.

Spare part :

MSA	Item	Kg
11.230-A	Circular saw, Ø 21 mm	0.002



PRECITEC
QUALITY



MSA	Length	Kg
11.198	178 mm	0.145

Steel ring cutter with PVC protected handles.
Delivered with 1 mounted thin teeth hardened steel circular saw and 1 key for saw change.

Spare part :

MSA	Item	Kg
11.198-A	Circular saw, Ø 30 mm	0.005



MSA	Length	Kg
11.226	120 mm	0.095

Ring cutter with knurled steel handle.
Delivered with 1 mounted thin teeth hardened steel circular saw and 1 key for saw change.

Spare part :

MSA	Item	Kg
11.226-A	Circular saw, Ø 20 mm	0.001



Revolving pliers for leather holing.



MSA	Length	Kg
11.300	200 mm	0.280

Revolving pliers for leather holing with 6 punchers.

Holing Ø : 2.0 - 2.5 - 3.0 - 3.5 - 4.0 - 4.5 mm.



MSA	Version	Size	Kg
11.310	Complete case	270 x 225 x 80 mm	1.100
11.311	Light case	270 x 225 x 80 mm	0.970

Multiplied pliers for piercing leather straps, delivered in a case.


Composition MSA11.310, complete case :

- MSA11.310-P : 1 multiplied pliers
- MSA11.310-0x : 4 brass supports, centre-to-centre 5, 6, 7 and 8 mm
- MSA11.310-Pxxx : 6 round punches, Ø 1.00, 1.20, 1.40, 1.60, 1.80 and 2.00 mm
- MSA11.310-Gxxx : 18 round guides (3x per diameter) Ø 1.00, 1.20, 1.40, 1.60, 1.80 and 2.00 mm
- MSA11.310-CL : 1 Allen key.

Composition MSA11.311, light case :

- MSA11.310-P : 1 multiplied pliers
- MSA11.310-07 : 1 brass support, centre-to-centre 7 mm
- MSA11.310-P180 : 1 round punch, Ø 1.80 mm
- MSA11.310-G180 : 3 round guides Ø 1.80 mm
- MSA11.310-CL : 1 Allen key.

Holing Ø : 1.00, 1.20, 1.40, 1.60, 1.80 and 2.00 mm.



Spare parts :

MSA	Item	Kg
11.310-05	Brass support, centre-to-centre 5 mm	0.038
11.310-06	(1) Brass support, centre-to-centre 6 mm	0.038
11.310-07	Brass support, centre-to-centre 7 mm	0.038
11.310-08	Brass support, centre-to-centre 8 mm	0.038
11.310-G100	(2) Round guide, Ø 1.00 mm	0.001
11.310-G120	Round guide, Ø 1.20 mm	0.001
11.310-G140	Round guide, Ø 1.40 mm	0.001
11.310-G160	Round guide, Ø 1.60 mm	0.001
11.310-G180	Round guide, Ø 1.80 mm	0.001
11.310-G200	Round guide, Ø 2.00 mm	0.001
11.310-P	Pliers alone, 210 x 110 x 45 mm	0.455
11.310-P100	(3) Round punch, Ø 1.00 mm	0.001
11.310-P120	Round punch, Ø 1.20 mm	0.001
11.310-P140	Round punch, Ø 1.40 mm	0.001
11.310-P160	Round punch, Ø 1.60 mm	0.001
11.310-P180	Round punch, Ø 1.80 mm	0.001
11.310-P200	Round punch, Ø 2.00 mm	0.001

PLIERS ASSORTMENTS

Summary of pliers assortments.

PRECITEC
QUALITY




MSA	Kg
11.803	0.345

Assortment of 3 pliers, with 2 return springs.
Box joint construction.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.801-A	(1) Round nose pliers	0.073
11.802-A	(2) Half-round nose pliers	0.073
11.800-A	(3) Flat nose pliers	0.080



PRECITEC
QUALITY




MSA	Kg
11.804	0.440

Assortment of 3 pliers, without return springs.
Box joint construction.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.802-B	(1) Half-round nose pliers	0.095
11.801-B	(2) Round nose pliers	0.090
11.800-B	(3) Flat nose pliers	0.100



PRECITEC
QUALITY



MSA	Kg
11.813	0.415

Assortment of 3 pliers, without return springs.
Box joint construction.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.800-B	(1) Flat nose pliers	0.100
11.812	(2) Pliers for removing bracelet links	0.095
11.802-B	(3) Half-round nose pliers	0.095



PRECITEC
QUALITY




MSA	Kg
11.817	0.445

Assortment of 3 pliers.
Box joint construction.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.812	(1) Pliers for removing bracelet links	0.095
11.809	(2) Flat nose pliers, serrated anti-skid interior	0.097
11.816	(3) Leather straps hole punching pliers	0.150



PRECITEC
QUALITY




MSA	Kg
11.818	0.450

Assortment of 3 pliers.
Box joint construction.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.827	(1) End cutting pliers, bevelled cutting	0.102
11.801-B	(2) Round nose pliers	0.090
11.809	(3) Flat nose pliers, serrated anti-skid interior	0.097



PRECITEC
QUALITY



MSA	Kg
11.831	0.408

Assortment of 3 pliers, with 2 return springs.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.829	(1) Side cutting pliers, plain cutting	0.090
11.828	(2) Side cutting pliers, bevelled cutting	0.110
11.827	(3) End cutting pliers, bevelled cutting	0.102



PLIERS ASSORTMENTS

PRECITEC
QUALITY




MSA	Kg
11.832	0.606

Assortment of 5 pliers, with 2 return springs.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.820	(1) End cutting pliers, bevelled cutting	0.146
11.810	(2) Side cutting pliers, bevelled cutting	0.140
11.802-A	(3) Half-round nose pliers	0.073
11.801-A	(4) Round nose pliers	0.073
11.800-A	(5) Flat nose pliers	0.080



PRECITEC
QUALITY




MSA	Kg
11.840	0.395

Assortment of 3 pliers, without return springs.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.833-B	(1) Flat nose pliers	0.092
11.834-B	(2) Round nose pliers	0.097
11.835-B	(3) Half-round nose pliers	0.097



PRECITEC
QUALITY



MSA	Kg
11.856	0.645

Assortment of 5 pliers with anti-skid handles.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.852	(1) Round nose pliers	0.090
11.853	(2) Half-round nose pliers	0.085
11.851	(3) Flat nose pliers	0.087
11.854	(4) End cutting pliers	0.108
11.855	(5) Side cutting pliers	0.094



PRECITEC
QUALITY





MSA	Kg
11.857	0.406

Assortment of 3 pliers with anti-skid handles.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.852	(1) Round nose pliers	0.090
11.853	(2) Half-round nose pliers	0.085
11.851	(3) Flat nose pliers	0.087





MSA	Kg
11.850	0.291

Assortment of 3 precision pliers with 2 return springs.
Box joint construction.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.200-A	(1) Flat nose pliers	0.060
11.201-A	(2) Round nose pliers	0.058
11.202-A	(3) Half-round nose pliers	0.062



MSA	Kg
11.859	0.540

Assortment of 5 precisions pliers with 2 return springs.
Box joint construction.
Delivered on a wooden stand.

Contents :

MSA	Item	Kg
11.200-A	(1) Flat nose pliers	0.060
11.201-A	(2) Round nose pliers	0.058
11.202-A	(3) Half-round nose pliers	0.062
11.210	(4) Side cutting pliers, plain cutting	0.075
11.212	(5) End cutting pliers, plain cutting	0.080

