

# 21



SMALL BRUSHES

21 - 2

GRINDING-WHEELS

21 - 6

CIRCULAR-GRAINING STICKS / DIAMOND GRINDING STONE

21 - 10

HAND BRUSHES / BRUSHES

21 - 12

CIRCULAR BRUSHES

21 - 14

## SMALL BRUSHES

High quality polishing brushes, shank Ø 2.35 mm.  
Maximum speed 15'000 rpm.



21.001 21.002 21.003 21.004 21.005 21.006 21.007 21.008 21.008-17 21.008-19 21.008-A 21.009 21.010

MSA	Type	Material	Ø	Kg
21.001	HP 112	White goat hair	21 mm	0.003
21.002	HP 113	Grey goat hair	21 mm	0.003
21.003	HP 110	White bristle	21 mm	0.003
21.004	HP 111	Black bristle	21 mm	0.003
21.005	HP 115	Brass wire	21 mm	0.005
21.006	HP 116	Steel wire	21 mm	0.004
21.007	HP 100	Chamois	21 mm	0.003

MSA	Type	Material	Ø	Kg
21.008	HP 103	Cotton yarn	24 mm	0.003
21.008-17	HP 103	Cotton yarn	17 mm	0.003
21.008-19	HP 103	Cotton yarn	19 mm	0.003
21.008-A	HP 103	Double cotton yarn	23 mm	0.003
21.009	HP 101	Felt	21 mm	0.003
21.010	HP 102	Flannel	21 mm	0.003



21.011 21.011-17 21.012 21.013 21.014 21.020 21.021 21.022 21.023 21.026 21.027 21.027-A

MSA	Type	Material	Ø	Kg
21.011	HP 102n	Canvas	21 mm	0.003
21.011-17	HP 102n	Canvas	17 mm	0.003
21.012	HP 102n	White stitched canvas	21 mm	0.003
21.013	HP 102n	Unbleached stitched canvas	21 mm	0.003
21.014	HP 110ny	White nylon	23 mm	0.003
21.020	HP 107	White goat hair	-	0.003

MSA	Type	Material	Ø	Kg
21.021	HP 108	Grey goat hair	-	0.003
21.022	HP 105	White bristle	-	0.003
21.023	HP 106	Black bristle	-	0.003
21.026	HP 109	Pony bristle	21 mm	0.003
21.027	HP 114	Grey bristle	21 mm	0.003
21.027-A	HP 114	Grey bristle	23 mm	0.003



(1)

(2)

(3)

MSA	Type	Material	Ø	Kg
21.051-17	(1) MBH 12100	White goat hair	17 mm	0.003
21.051-19	(2) MBH 12200	White goat hair	19 mm	0.003
21.051-23	(3) MBH 12400	White goat hair	23 mm	0.003



ASSORTMENT

MSA	Size	Kg
21.100	145 x 93 x 80 mm	0.287

Assortment of 18 polishing small brushes.  
Delivered in 1 plastic box.

Contents :

Rank 1

MSA21.001 (HP 110) : Ø 21 mm  
MSA21.003 (HP 111) : Ø 21 mm  
MSA21.004 (HP 112) : Ø 21 mm  
MSA21.026 (HP 109) : Ø 21 mm  
MSA21.010 (HP 102) : Ø 21 mm

Rank 2


MSA21.008 (HP 103) : Ø 21 mm  
MSA21.007 (HP 100) : Ø 21 mm  
MSA21.009 (HP 101) : Ø 21 mm  
MSA21.005 (HP 115) : Ø 21 mm  
MSA21.045 (HP 60) : Ø 21 mm  
MSA21.046 (HP 61) : Ø 21 mm

Rank 3

MSA21.022 (HP 105) : -  
MSA21.023 (HP 106) : -  
MSA21.031 (HP 104a) : -  
MSA21.041 (HP 56) : Ø 10.30 mm  
MSA21.040 (HP 55) : Ø 10.30 mm  
MSA21.042 (HP 57) : Ø 8.00 mm  
MSA21.043 (HP 58) : Ø 6.50 mm

Spare part :

MSA	Item	Kg
21.100-A	Empty plastic box	0.180



MSA	Type	Grain	Size	Kg
21.418	(1) A/M	80 - 120 coarse	Ø 30 x 5 mm	0.003
21.416	(2) A/F	180 - 240 medium	Ø 30 x 5 mm	0.003
21.417	(3) A/VF	280 - 400 fine	Ø 30 x 5 mm	0.003
21.419	(4) S/SF	500 extra-fine	Ø 30 x 5 mm	0.003
21.409	(5) S/VF	800 ultra fine	Ø 30 x 5 mm	0.003

Oxyde aluminium satin finish brush.  
For gold, silver, platinum, titanium, acrylic and silicone.



MSA	Type	Ø	Grain	Kg
21.035	103 SBF	25 mm	Fine	0.003
21.036	103 SBM	25 mm	Medium	0.003
21.037	103 SBGG	25 mm	Coarse	0.003

Scotch Brite polishing small brush.



MSA	Material	Size	Kg
21.038	(1) Alcantara hard	Ø 25 x 6	0.003
21.039	(2) Alcantara mini-pli	Ø 22	0.004

Polishing small brush.

## SMALL BRUSHES

High quality polishing brushes, shank Ø 2.35 mm.  
Maximum speed 11'000 rpm.



MSA	Type	Material	Shape	Kg
21.024	HP 105m	Brass wire	Cup	0.004

Top quality polishing small brush, cup shaped.  
Wires length 7 mm.



MSA	Type	Material	Shape	Kg
21.030	HP 104c	White goat hair	Pencil	0.002
21.031	HP 104a	White bristle	Pencil	0.002
21.032	HP 104b	Black bristle	Pencil	0.002
21.033	HP 104m	Brass wire	Pencil	0.003
21.034	HP 104s	Steel wire	Pencil	0.003

Top quality polishing small brush, pencil shaped.  
Wires length 10 mm.


High quality felt polishing brushes, shank Ø 2.35 mm.  
Maximum speed 5'000 rpm.



21.040    21.041    21.042    21.043    21.043-L    21.045    21.046    21.046-17    21.050

MSA	Type	Shape	Ø	Kg
21.040	HP 55	Flame	10.30 mm	0.002
21.041	HP 56	Round	10.30 mm	0.001
21.042	HP 57	Large point	8.00 mm	0.002
21.043	HP 58	Fine point	6.50 mm	0.003

MSA	Type	Shape	Ø	Kg
21.043-L	HP 58L	Fine and long point	6.50 mm	0.002
21.045	HP 60	Lens	21.00 mm	0.003
21.046	HP 61	Plate	21.00 mm	0.003
21.046-17	HP 61	Plate	17.00 mm	0.003
21.050	9790	Fine point	4.00 mm	0.002



(1)

(2)

(3)

(4)

(5)

MSA	Type	Shape	Size	Kg
21.049-T (1)	HP 59	Thick wheel	Ø 17 x 5 mm	0.003
21.047-D (2)	HP 59	Thin wheel	Ø 21 x 3 mm	0.003
21.047-DE (2)	HP59	Thin wheel	Ø 21 x 3.5 mm	0.003
21.047-T (3)	HP 59	Thin wheel	Ø 21 x 3 mm	0.003
21.048-D (4)	HP 59	Thick wheel	Ø 21 x 5 mm	0.003
21.048-T (5)	HP 59	Thick wheel	Ø 21 x 5 mm	0.003

Hardness : -T = soft ; -D = hard

Polishing felts.



MSA	Type	Shape	Ø	Height	Kg
21.490	50	Cone	10 mm	20 mm	0.001
21.493	50	Cone	15 mm	35 mm	0.003
21.495	50	Cone	20 mm	40 mm	0.004

Top quality polishing felt.



MSA	Type	Shape	Ø	Height	Kg
21.500	52	Lens	30 mm	10 mm	0.003

Top quality polishing felt.



MSA	Material	Ø hole	Size	Kg
21.484	Felt	30 mm	Ø 200 x 15 mm	0.235

Polishing disc, felt hub.



MSA	Type	Shape	Ø	Height	Kg
21.510	51	Wheel	25 mm	4 mm	0.001
21.514	51	Wheel	60 mm	10 mm	0.017

Top quality polishing felt.




MSA	Shape	Ø	Height	Kg
21.507	Wheel	100 mm	20 mm	0.052

Polishing felt for work on gold, silver, brass, bronze and steel.  
Hardness half-hard.  
Central hole Ø 6 mm.


## GRINDING-WHEELS

Rubber polishers for pre-polishing of gold, precious and semi-precious alloys.  
Shank Ø 2.35 mm. Maximum speed 20'000 rpm.


1st  
STEP



MSA		Ø	Thickness	Kg
21.600	(1)	6.0 mm	10.0 mm	0.001
21.601	(2)	3.0 mm	6.0 mm	0.001
21.602	(3)	5.5 mm	15.5 mm	0.001
21.603	(4)	5.5 mm	16.3 mm	0.001
21.604	(5)	5.0 mm	16.0 mm	0.001
21.606	(6)	15.0 mm	2.5 mm	0.001
21.607	(7)	22.0 mm	0.6 mm	0.001
21.609	(8)	14.5 mm	2.0 mm	0.001



MSA		Ø	Thickness	Kg
21.610	(1)	12 mm	12 mm	0.001
21.611	(2)	14 mm	12 mm	0.001




MSA		Ø	Thickness	Kg
21.612	(1)	6 mm	22 mm	0.001
21.613	(2)	22 mm	1 mm	0.001
21.614	(3)	22 mm	3 mm	0.001
21.615	(4)*	2 mm	20 mm	0.001
21.616	(5)*	3 mm	22 mm	0.001


\* Reference delivered without holder

Rubber polishers for high-gloss polishing of gold, precious and semi-precious alloys.  
Shank Ø 2.35 mm. Maximum speed 10'000 rpm.


2nd  
STEP



MSA		Ø	Thickness	Kg
21.617	(1)	6.0 mm	10.0 mm	0.001
21.618	(2)	3.0 mm	6.0 mm	0.001
21.619	(3)	5.5 mm	15.5 mm	0.001
21.620	(4)	5.5 mm	16.3 mm	0.001
21.621	(5)	5.0 mm	16.0 mm	0.001
21.623	(6)	15.0 mm	2.5 mm	0.001
21.624	(7)	22.0 mm	0.6 mm	0.001
21.626	(8)	14.5 mm	2.0 mm	0.001




MSA		Ø	Thickness	Kg
21.627	(1)	12 mm	12 mm	0.001
21.628	(2)	14 mm	12 mm	0.001



MSA		Ø	Thickness	Kg
21.629	(1)	6 mm	22 mm	0.001
21.630	(2)	22 mm	1 mm	0.001
21.631	(3)	22 mm	3 mm	0.001
21.632	(4)*	2 mm	20 mm	0.001
21.633	(5)*	3 mm	22 mm	0.001


\* Reference delivered without holder

Rubber polishers for high-gloss polishing of gold, precious and semi-precious alloys.  
Shank Ø 2.35 mm. Maximum speed 10'000 rpm.



MSA		Ø	Thickness	Kg
21.634	(1)	5.0 mm	16.0 mm	0.001
21.635	(2)	15.0 mm	2.5 mm	0.001
21.636	(3)	14.5 mm	2.0 mm	0.001

Silicon black universal polishers, suitable for precious metals and all alloys, chrome-cobalt and titanium.  
Speed 20'000 rpm.



MSA		Ø	Thickness	Kg
21.637	(1)	7 mm	21 mm	0.001
21.638	(2)	6 mm	23 mm	0.001
21.639	(3)	22 mm	3 mm	0.001
21.640	(4)	17 mm	3 mm	0.001
21.641	(5)	22 mm	3 mm	0.001

Silicon black universal polishers, suitable for precious metals and all alloys, chrome-cobalt and titanium.  
Speed 10'000 rpm.



MSA		Ø	Thickness	Kg
21.642	(1)	5.5 mm	16.3 mm	0.001
21.644	(2)	15.0 mm	2.5 mm	0.001
21.645	(3)	17.0 mm	3.0 mm	0.001
21.646	(4)	22.0 mm	3.0 mm	0.001

## GRINDING-WHEELS

Silicon polisher suitable for precious metals, chrome-cobalt and titanium.  
Maximum speed 20'000 rpm.



MSA	Ø	Thickness	Kg
21.599	22 mm	3 mm	0.001

Diamond polishing wheels suitable for titanium and platinum.  
Maximum speed 5'000 rpm.

1st  
STEP



(1)

2nd  
STEP



(2)

MSA		Ø	Thickness	Kg
21.801	(1)	25 mm	2 mm	0.022
21.802	(2)	25 mm	2 mm	0.022

Flexible polishers for removing scratches and smoothing the chrome-cobalt surfaces.  
Maximum speed 20'000 rpm.

1st  
STEP



(1)



(2)



(3)



(4)



(5)

MSA		Ø	Thickness	Kg
21.647	(1)*	2 mm	20 mm	0.001
21.648	(2)*	3 mm	22 mm	0.001
21.649	(3)	6 mm	22 mm	0.001
21.650	(4)	22 mm	1 mm	0.001
21.651	(5)	22 mm	3 mm	0.001

\* Reference delivered without holder

Flexible polishers suitable for glazing precious stones and platinum.  
Shank Ø 2.35 mm. Maximum speed 10'000 rpm.

2nd  
STEP



(1)




(2)

MSA		Ø	Thickness	Kg
21.670	(1)	5 mm	16 mm	0.001
21.750	(2)	22 mm	3 mm	0.001




Flexible polishers for gem stones and platinum ; provides a lustre high-gloss finishing.  
Shank Ø 2.35 mm. Maximum speed 5'000 rpm.



MSA		Ø	Thickness	Kg
21.652	(1)	5.5 mm	15.5 mm	0.001
21.653	(2)	5.0 mm	16.0 mm	0.001
21.654	(3)	15.0 mm	2.5 mm	0.001
21.655	(4)	22.0 mm	3.0 mm	0.001
21.656	(5)	22.0 mm	3.0 mm	0.001
21.657	(6)	14.5 mm	2.0 mm	0.001

Separating discs of synthetic resin with extra fine grain.  
Speed 15'000-20'000 rpm.



MSA		Ø	Thickness	Kg
21.667	(1)	22 mm	0.20 mm	0.001
21.668	(2)	22 mm	0.25 mm	0.001
21.669	(3)	22 mm	0.30 mm	0.001
21.671	(4)	25 mm	0.60 mm	0.001

Abrasive diamond polisher suitable for precise machining of precious materials.  
Maximum speed 15'000 - 20'000 rpm.




MSA		Ø	Thickness	Kg
21.800		22 mm	1.5 mm	0.022

Stainless steel holders for polishers and discs.




MSA		Ø	Length	Kg
21.659	(1)	2 mm	22 mm	0.001
21.660	(2)	3 mm	22 mm	0.001



MSA		Ø	Length	Kg
21.661	(1)	5 mm	3 mm	0.001
21.662	(2)	5 mm	13 mm	0.001
21.663	(3)	5 mm	3 mm	0.001
21.664	(4)	14 mm	3 mm	0.001
21.665	(5)	8 mm	3 mm	0.001
21.677		2.34 mm	44 mm	0.001

## CIRCULAR-GRAINING STICKS / DIAMOND GRINDING STONE

### Holders for circular-graining sticks.




MSA	Use with	Kg
21.700	(1) Sticks $\varnothing$ 1.5 MSA21.700-1x	0.006
21.701	Sticks $\varnothing$ 2.0 MSA21.701-2x	0.006
21.702	Sticks $\varnothing$ 2.5 MSA21.702-2.5x	0.006
21.703	(2) Sticks $\varnothing$ 3.0 MSA21.703-3x	0.006
21.704	Sticks $\varnothing$ 4.0 MSA21.704-4x	0.006
21.705	(3) Sticks $\varnothing$ 5.0 MSA21.705-5x	0.006
21.706	Sticks $\varnothing$ 6.0 MSA21.706-6x	0.006

Holder for circular-graining sticks.

### Circular-graining sticks.



MSA		$\varnothing$	Grain	Length	Kg
21.700-1A		1.5 mm	X-coarse	15 mm	0.001
21.700-1B		1.5 mm	Coarse	15 mm	0.001
21.700-1C		1.5 mm	Medium	15 mm	0.001
21.700-1D		1.5 mm	Fine	15 mm	0.001
21.700-1E		1.5 mm	X-fine	15 mm	0.001




MSA		$\varnothing$	Grain	Length	Kg
21.701-2A		2 mm	X-coarse	20 mm	0.001
21.701-2B		2 mm	Coarse	20 mm	0.001
21.701-2C		2 mm	Medium	20 mm	0.001
21.701-2D		2 mm	Fine	20 mm	0.001
21.701-2E		2 mm	X-fine	20 mm	0.001




MSA		$\varnothing$	Grain	Length	Kg
21.703-3A		3 mm	X-coarse	23 mm	0.001
21.703-3B		3 mm	Coarse	23 mm	0.001
21.703-3C		3 mm	Medium	23 mm	0.001
21.703-3D		3 mm	Fine	23 mm	0.001
21.703-3E		3 mm	X-fine	23 mm	0.001


## CIRCULAR-GRAINING STICKS / DIAMOND GRINDING STONE



MSA		Ø	Grain	Length	Kg
21.704-4A		4 mm	X-coarse	26 mm	0.001
21.704-4B		4 mm	Coarse	26 mm	0.001
21.704-4C		4 mm	Medium	26 mm	0.001
21.704-4D		4 mm	Fine	26 mm	0.001
21.704-4E		4 mm	X-fine	26 mm	0.001



MSA		Ø	Grain	Length	Kg
21.705-5A		5 mm	X-coarse	28 mm	0.001
21.705-5B		5 mm	Coarse	28 mm	0.001
21.705-5C		5 mm	Medium	28 mm	0.001
21.705-5D		5 mm	Fine	28 mm	0.001
21.705-5E		5 mm	X-fine	28 mm	0.001



MSA		Ø	Grain	Length	Kg
21.706-6A		6 mm	X-coarse	22 mm	0.001
21.706-6B		6 mm	Coarse	22 mm	0.001
21.706-6C		6 mm	Medium	22 mm	0.001
21.706-6D		6 mm	Fine	22 mm	0.001
21.706-6E		6 mm	X-fine	22 mm	0.001

### Diamond grinding stone.



MSA	Length	Kg
21.666	116 mm	0.053

Diamond grinding stone for dressing, shaping and restoring of deformed silicon and stones polishers ; all sides coated.

Polishing hand brushes.



(1)

MSA	Material	Hardness	Rows	Size	Kg
21.200	Black bristle	Medium	3	225 x 16 x 10 mm	0.027
21.201	(1) Black bristle	Hard	4	260 x 16 x 8 mm	0.035

Hand brush with wooden handle.



(1)

MSA	Material	Hardness	Rows	Size	Kg
21.210	(1) White bristle	N° 0 very hard	4	260 x 16 x 8 mm	0.033
21.211	White bristle	N° 1 hard	4	260 x 16 x 8 mm	0.032
21.215	White bristle	N° 2 medium	4	260 x 16 x 8 mm	0.034
21.212	White bristle	N° 3 soft	4	260 x 16 x 8 mm	0.036
21.213	White bristle	N° 4 extra-soft	4	260 x 16 x 8 mm	0.035

Hand brush with wooden handle.



MSA	Material	Rows	Size	Kg
21.216	Nylon® wire Ø 0.20 mm	4	260 x 16 x 8 mm	0.034

Hand brush with wooden handle.



(1)

MSA	Material	Rows	Size	Kg
21.251	(1) Brass wire Ø 0.10 mm	4	220 x 18 x 9 mm	0.038
21.252	Steel wire Ø 0.10 mm	4	220 x 18 x 9 mm	0.045

Hand brush with wooden handle.



MSA	Material	Size	Kg
21.260	Steel wire	240 x 28 x 20 mm	0.054

Brush for files cleaning with wooden handle.

Brushes.



MSA	Size	Kg
26.158	45 x 45 x 45 mm	0.015

Benzine brush with aluminium handle. White bristle.



MSA	Size	Kg
26.190	215 x 30 mm	0.020
26.159	215 x 40 mm	0.026
26.191	215 x 60 mm	0.035

Flat brush with wooden handle.



MSA	Size	Kg
26.163	100 x 30 mm	0.015

Flat brush with wooden handle. White bristle.



MSA	Size	Kg
26.162	Ø 10 x 100 mm	0.005

Extra soft double bristle brush, ideal for cleaning dials. Small grey hair.



MSA	Size	Kg
26.164	Ø 6 x 125 mm	0.003

Stencil brush.

## CIRCULAR BRUSHES

### Circular polishing brushes.



(1)



(2)



(3)

MSA	Type	Material	Ø ext.	Kg
21.310	(1) 32P/90	Goat hair	90 mm	0.040
21.340	(2) 2/70P	Cotton	70 mm	0.043
21.341	3/80P	Cotton	80 mm	0.068
21.342	4/90P	Cotton	90 mm	0.070

MSA	Type	Material	Ø ext.	Kg
21.343	5/100P	Cotton	100 mm	0.090
21.350	(3) 20/80	Cotton yarn	80 mm	0.038
21.351	20/90	Cotton yarn	90 mm	0.035

Top quality circular polishing brush, with plastic hub.



MSA	Type	Material	Ø ext.	Rows	Kg
21.330	3/40/80	White bristle	80 mm	3	0.030
21.331	4/40/80	White bristle	80 mm	4	0.034

PRIMA top quality very hard circular polishing brush, wooden hub. Converging rows.



MSA	Type	Material	Ø ext.	Rows	Kg
21.320	3/40/80	Black bristle	80 mm	3	0.032
21.322	5/45/90	Black bristle	90 mm	5	0.036

SUPREMA top quality extra-hard circular polishing brush, wooden hub. Converging rows.



(1)

MSA	Type	Material	Ø ext.	Ø wire	Kg
21.370	(1) 22P/08/090	Brass wire	90 mm	0.08 mm	0.136
21.380	(2) 25P/08/090	Steel wire	90 mm	0.08 mm	0.090

Top quality circular polishing brush, plastic hub.



(2)



MSA	Type	Material	Ø ext.	Ø wire	Kg
21.380-B (1)	25/08/090	Steel wire	90 mm	0.08 mm	0.090
21.382-B	25/10/100	Steel wire	100 mm	0.10 mm	0.090

Top quality circular polishing brush, wooden hub.



MSA	Type	Material	Ø ext.	Rows	Kg
21.319	Chung-King	Black bristle	80 mm	4	0.040

Top quality hard circular polishing brush, wooden hub. Converging rows.

Satin finish brushes.



MSA	Type	Material	Grain	Size	Kg
21.413	(1)	FB6	Medium	Ø 100 x 25 mm	0.100
21.414	(2)	FB6	Fine	Ø 100 x 25 mm	0.100
21.415	(3)	FB6	Extra-fine	Ø 100 x 25 mm	0.100

BUFFLEX® FB6 satin finish brush.

Used without compound.

Fast and easy to clean with water or air pressure. Regular erosion. Central hole Ø 6 mm.



Soft grinding-wheels.



MSA	Type	Grain	Size	Use with	Kg
21.070	SC46MP	Very coarse (medium)	Ø 100 x 20 mm	Pre-satin finish	0.180
21.071	SC46WP	Very coarse (soft)	Ø 100 x 20 mm	Pre-satin finish	0.180
21.077	SC80MP	Coarse (medium)	Ø 100 x 20 mm	Pre-satin finish	0.180
21.078	SC80WP	Coarse (soft)	Ø 100 x 20 mm	Pre-satin finish	0.180
21.075	SC80VAP	Coarse (very soft)	Ø 100 x 20 mm	Pre-satin finish	0.180
21.073	SC150WP	Medium (soft)	Ø 100 x 20 mm	Satin-finish	0.178
21.074	SC250MP	Fine (medium)	Ø 100 x 20 mm	Fine satin-finish	0.170

ARTIFEX soft silicon carbide grinding-wheel to polish or satin all sorts of metal.

Delivered with a removable hole diameter reducer Ø 6 mm.

## CIRCULAR BRUSHES



MSA	Kg
21.090	0.196

True tool for silicon carbide grinding-wheels.


### Flap wheels.



MSA	Type	Grain	Size	Kg
21.052-120	0839.9170	120	Ø 80 x 30 mm	0.122
21.052-180	0028.9170	180	Ø 80 x 30 mm	0.119

SIAMOP flap wheel on shank Ø 6 mm.

### Polishing discs.



MSA	Type	Material	Size	Kg
21.420 (1)	29P/100/9	Canvas	Ø 100 x 9 mm	0.052
21.421	29P/100/12	Canvas	Ø 100 x 12 mm	0.064
21.430 (2)	29c/100/6	Stitched canvas	Ø 100 x 6 mm	0.040

Top quality polishing disc, plastic hub.



MSA	Type	Material	Size	Kg
21.422 (1)	29/100/18	Canvas	Ø 100 x 18 mm	0.092
21.423	29/100/24	Canvas	Ø 100 x 24 mm	0.133
21.424	29/125/30	Canvas	Ø 125 x 30 mm	0.230
21.450 (2)	30/100/6	Flannel	Ø 100 x 6 mm	0.025
21.452	30/100/12	Flannel	Ø 100 x 12 mm	0.035

Top quality polishing disc, leather hub.





MSA	Type	Material	Ø	Ø hole	Kg
21.427	W 30	Coton canvas	100 mm	6 mm	0.098

BUFFLEX polishing disc with 60 agraphed sheets on carton hub.



MSA	Type	Material	Ø ext.	Ply	Kg
21.480	27/4/90	Felt	90 mm	4	0.026
21.481	27/4/100	Felt	100 mm	4	0.027
21.483	27/6/100	Felt	100 mm	6	0.040

Top quality polishing disc, plastic hub.

**Polishing comb.**



MSA	Kg
21.485	0.475

Polishing comb.

This comb is indispensable for cleaning and sizing the polishing cloth. It eliminates the hardness resulting from the polishing compound build and gives an extended life to the wheels.

Size without handles : 130 x 90 x 3 mm.

NOTES

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---