24











BENCHES AND CABINETS

CHAIRS AND STOOL

ACCESSORIES FOR BENCHES

24 - 2

24 - 10

24 - 15

Solid oak benches.

HOROTEC® DELUXE solid oak benches, very stable and well adapted to watchmakers.

- Top 140 x 72 cm, adjustable working height by an electrical system from 95 to 115 cm
- Ergonomic and adjustable Alcantara oval armrests in any desired position
- With cabinet (1 or 2) or without. The cabinet contains 1 tray and 4 drawers (3 of them with adaptable separations). Different keys for locking each cabinet
- Technical channel
- Stability adjustment made by screws underneath each polyamide foot.





Electrical adjustment :

| MSA | Versions | Cabinet | Kg |
|--------|----------|---------|---------|
| 24.442 | A | 0 | 80.000 |
| 24.443 | В | 1 | 112.000 |
| 24.446 | С | 2 | 144.000 |

VERSION A:

- 1 top 140 x 72 cm, height adjustable 95...115 cm
- 2 ergonomic and adjustable Alcantara oval armrests
- 1 technical channel
- Without cabinet.

Inside dimensions of the cabinet :

- 1 tray 24 x 33.6 cm
- 2 drawers 24 x 37.5 x 6 cm (15 cases)
- 1 drawer 24 x 37.5 x 10 cm (15 cases)
- 1 drawer 24 x 37.5 x 10 cm.

Separations are removable.

VERSION B:

- Version A + 1 right cabinet.

VERSION C:

- Version A + 2 cabinets.

Laboratory benches.

HOROTEC® white laboratory benches, modern and ergonomic. Its conception has been designed to offer a very comfortable working place.

- Top 140 x 72 cm (adjustable working height by screws and nuts from 85 to 115 cm) and 1 rear panel
- Ergonomic and adjustable Alcantara oval armrests
- With cabinet (1 or 2) or without. The cabinet contains 1 tray and 4 drawers
- Different keys for locking each cabinet
- Stability adjustment made by screws underneath each polyamide foot.



- 140 x 72 cm

ADJUSTABLE LABORATORY VERSION



| MSA | Colour | Тор | Cabinet | Kg |
|--------|--------|-------------|---------|----|
| 24.601 | White | 140 x 72 cm | 0 | - |
| 24.602 | White | 140 x 72 cm | 1 | - |
| 24.603 | White | 140 x 72 cm | 2 | - |

HOROTEC® white laboratory benches, modern and ergonomic. They meet all requirements and offer optimal comfort.

- Top 140 x 72 cm (adjustable working height by an electrical system from 95 to 123 cm) and 1 rear panel
- Ergonomic and adjustable Alcantara oval armrests
- With cabinet (1 or 2) or without. The cabinet contains 1 tray and 4 drawers
- Different keys for locking each cabinet
- Stability adjustment made by screws underneath each polyamide foot.



ELECTRIC ADJUSTMENT LABORATORY VERSION



- 140 x 72 cm

95...123 cm

| MSA | Colour | Тор | Cabinet | Kg |
|--------|--------|-------------|---------|----|
| 24.621 | White | 140 x 72 cm | 0 | - |
| 24.622 | White | 140 x 72 cm | 1 | - |
| 24.623 | White | 140 x 72 cm | 2 | - |

Standard benches.

HOROTEC® standard benches, very stable and well adapted to watchmakers.

- Top 140 x 70 cm, adjustable working height by a manual or electrical hydraulic system from 95 to 115 cm
- Fixed armrests and 1 central drawer
- With cabinet (1 or 2) or without. The cabinet contains 1 tray and 4 drawers (3 of them with adaptable separations). Different keys for locking each cabinet
- 1 technical channel
- Stability adjustment made by screws underneath each polyamide foot.



ADJUSTABLE STANDARD VERSION





95...115 cm

140 x 70 cm









Manual hydraulic adjustment :

| MSA | Versions | Colour | Kg |
|------------|----------|----------|---------|
| 24.504-140 | Α | Standard | 102.000 |
| 24.564-140 | Α | Grey | 102.000 |
| 24.569-140 | Α | White | 102.000 |
| 24.505-140 | В | Standard | 134.000 |
| 24.565-140 | В | Grey | 134.000 |
| 24.570-140 | В | White | 134.000 |



Electrical adjustment:

| MSA | Versions | Colour | Kg |
|------------|----------|----------|---------|
| 24.506-140 | С | Standard | 102.000 |
| 24.566-140 | С | Grey | 102.000 |
| 24.571-140 | С | White | 102.000 |
| 24.507-140 | D | Standard | 134.000 |
| 24.567-140 | D | Grey | 134.000 |
| 24.572-140 | D | White | 134.000 |
| 24.508-140 | E | Standard | 166.000 |
| 24.568-140 | E | Grey | 166.000 |
| 24.573-140 | E | White | 166.000 |

VERSION A:

- 1 top 140 x 70 cm, height adjustable 95...115 cm
- 2 fixed armrests and 1 central drawer
- 1 technical channel
- Without cabinet.

VERSION B:

Version A + 1 right cabinet.

VERSION C:

- 1 top 140 x 70 cm, height adjustable 95...115 cm
- 2 fixed armrests and 1 central drawer
- 1 technical channel
- Without cabinet.

VERSION D:

Version C + 1 right cabinet.

VERSION E:

- Version C + 2 cabinets.

HOROTEC® standard benches, very stable and well adapted to watchmakers.

- Top 140 x 70 cm, adjustable working height by screws and nuts
- Fixed armrests, 1 central drawer and 1 rear panel
- With cabinet (1 or 2) or without. The cabinet contains 1 tray and 4 drawers (3 of them with adaptable separations)
- Different keys for locking each cabinet
- Stability adjustment made by screws underneath each polyamide foot.



| MSA | Versions | Colour | Тор | Cabinet | Kg |
|------------|----------|----------|-------------|---------|---------|
| 24.501-140 | A | Standard | 140 x 70 cm | 0 | 75.000 |
| 24.561-140 | A | Grey | 140 x 70 cm | 0 | 75.000 |
| 24.575-140 | A | White | 140 x 70 cm | 0 | 75.000 |
| 24.502-140 | В | Standard | 140 x 70 cm | 1 | 107.000 |
| 24.562-140 | В | Grey | 140 x 70 cm | 1 | 107.000 |
| 24.576-140 | В | White | 140 x 70 cm | 1 | 107.000 |
| 24.503-140 | С | Standard | 140 x 70 cm | 2 | 140.000 |
| 24.563-140 | С | Grey | 140 x 70 cm | 2 | 140.000 |
| 24.577-140 | С | White | 140 x 70 cm | 2 | 140.000 |

VERSION A:

- 1 top 140 x 70 cm, adjustable working height by screws and nuts
- 2 fixed armrests and 1 central drawer
- 1 rear panel
- Without cabinet.

Optional: technical channel MSA24.528-140V4.

VERSION B:

- Version A + 1 right cabinet.

VERSION C:

- Version A + 2 cabinets.

For export, the bench is delivered unassembled in a cardboard transport box (included in the price) with detailed assembly instructions. Box size: 150 x 95 x 55 cm.

HOROTEC® standard and compact bench, specially designed to offer a very comfortable workplace and a reduced footprint.

- Top 122 x 60 cm (adjustable working height by screws and nuts from 85 to 115 cm) and 1 rear panel

- With 1 cabinet containing 1 tray and 2 drawers (delivered with 1 key)
- Stability adjustment made by screws underneath each polyamide foot.



ADJUSTABLE COMPACT VERSION



122 x 60 cm

85...115 cm

| MSA | Colour | Тор | Cabinet | Kg |
|--------|----------|-------------|---------|--------|
| 24.480 | Standard | 122 x 60 cm | 1 | 76.500 |

Mini bench.

Mini bench HOROTEC®.





| MSA | Height | Kg |
|-------------|---------|-------|
| 24.071 | 13.5 cm | 9.300 |
| Mini bench. | | |





- Solid oak top and adjustable Alcantara armrests
- Adjustable feet for perfect stability
- Drawer on front side, delivered with 1 key
- Possibility to store the armrests inside the bench.

Specially studied and designed to obtain a good working height on a standard furniture (table, desk, etc.).

The height-gain, which allows this mini bench, offers a wide range of applications. It replaces a traditional bench in places with reduced space : stand during an exhibition, a store, a meeting room, homeworking, training, etc.

Armrests.





| MSA | Kg |
|--------|----|
| 24.472 | - |

Pair of ergonomic armrests, with 1 pair of mechanical articulated arms and 2 oval armrests in Alcantara.

Cabinets.

Cabinets for HOROTEC® benches.





| MSA | Size W x D x H | Kg |
|--------|--|--------|
| 24.460 | 30.5 x 59.5 x 63 cm (wheels included) | 32.400 |

Mobile watchmaker cabinet, mounted on 4 pivoting wheels (1-wheel brake). Top covered with a black rubber groove mat, 4 drawers and 1 tray with full opening.



Inside dimensions of the cabinet :

- 1 tray 23.8 x 53 cm
- 2 drawers 21.8 x 53 x 6 cm (21 cases 7 x 7 x 6 cm)
- 1 drawer 21.8 x 53 x 10 cm (21 cases 7 x 7 x 6 cm)
- 1 drawer 21.8 x 53 x 13 cm.

Separations are removable.

The classic cabinet for the HOROTEC® standard benches.

HOROTEC®



| MSA | Size | Kg |
|--------|-----------------------|--------|
| 24.434 | 75.0 x 48.7 x 78.7 cm | 46.800 |

Bench mobile cabinet with 4 pivoting wheels (2 wheels brake). Top covered with a black rubber groove mat, 5 drawers with full opening.

Inside dimensions of the cabinet :

- 3 drawers 39 x 54.9 x 6.5 cm
- 1 drawer 39 x 54.9 x 7.9 cm
- 1 drawer 39 x 54.9 x 17.9 cm.

| HOR | | Τ | Е | (| | |
|-----|-----------------------------------|---|---|---|---|---|
| | $\boldsymbol{\underline{\smile}}$ | s | w | Ī | S | s |



| MSA | Size | Kg |
|--------|-----------------|-------|
| 24.040 | 70 x 30 x 25 cm | 8.260 |

Cabinet made of spruce with 22 drawers.

Chairs.

HOROTEC® chairs.





| MSA | Sitting height | Base | Kg |
|--------|----------------|--------|--------|
| 24.002 | 4154 cm | Wheels | 12.000 |

Watchmakers chair.

- 5 arm base with braked wheels (stopped when unloaded)
- Gas filled lift cylinder with fingertip adjustment for seat height
- Tilt adjustment asynchronous of the seat and the backrest by a single lever
- Ergonomic seat with double curve in multi-ply varnished beech, 40.5 x 39 cn
- Articulated backrest in varnished beech 40 x 22 cm, adjustable in height.

Spare parts:

| MSA | | Kg |
|-----------|---|-------|
| 24.002-01 | Low black column, setting 41 54 cm | 1.280 |
| 24.002-02 | Set of 5 braked wheels (stopped when unloaded) | 0.535 |
| 24.002-03 | High black column, setting 51 75 cm | 1.740 |
| 24.002-04 | Set of 5 buffers | 0.188 |
| 24.002-05 | Aluminium monobloc foot-ring | 5.500 |
| 24.002-06 | Set of 5 casters stopped when loaded | 0.535 |
| 24.002-07 | Zinc-plated knurled wheel for asynchronous plates | 0.035 |





| MSA | Sitting height | Base | Kg |
|--------|----------------|--------|--------|
| 24.010 | 4659 cm | Wheels | 10.000 |

Watchmakers chair.

- 5 arm base with braked wheels (stopped when unloaded)
- Gas filled lift cylinder with fingertip adjustment for seat height
- Tilt adjustment asynchronous of the seat and the backrest by a single lever
- Comfortable seat made of black polyurethane soft foam, 40 x 39 cm
- Articulated backrest made of black polyurethane soft foam $40 \times 22 \, \text{cm}$, adjustable in height.

Spare parts:

| MSA | Item | Kg |
|-----------|---|-------|
| 24.002-01 | Low black column, setting 41 54 cm | 1.280 |
| 24.002-02 | Set of 5 braked wheels (stopped when unloaded) | 0.535 |
| 24.002-03 | High black column, setting 51 75 cm | 1.740 |
| 24.002-04 | Set of 5 buffers | 0.188 |
| 24.002-05 | Aluminium monobloc foot-ring | 5.500 |
| 24.002-06 | Set of 5 casters stopped when loaded | 0.535 |
| 24.002-07 | Zinc-plated knurled wheel for asynchronous plates | 0.035 |

CHAIRS AND STOOL





| MSA | Sitting height | Base | Kg |
|--------|----------------|--------|--------|
| 24.061 | 4154 cm | Wheels | 10.600 |

Watchmakers chair.

- 5 arm base with braked wheels (stopped when unloaded)Gas filled lift cylinder with fingertip adjustment for seat height
- Tilt adjustment asynchronous of the seat and the backrest by a single lever Ergonomic seat with double curve in multi-ply varnished beech, 40.5 x 39 cn
- Articulated backrest in varnished beech 39 x 38 cm, adjustable in height.





| MSA | Sitting height | Base | Kg |
|--------|----------------|---------|--------|
| 24.020 | 5175 cm | Buffers | 14.000 |

Watchmakers chair made of polyurethane (PUR) with buffers and foot-ring.

- Seat 40 x 39 cm
- Backrest 35 x 22 cm.





| MSA | Sitting height | Base | Kg |
|--------|----------------|---------|--------|
| 24.021 | 5175 cm | Buffers | 11.000 |

Watchmakers chair made of wood with buffers and foot-ring.

- Seat 40.5 x 39 cm
- Backrest 40 x 22 cm.

Other chairs.



| MSA | Sitting height | Base | Kg |
|--------|----------------|---------|--------|
| 24.031 | 4256 cm | Wheels | 10.200 |
| 24.033 | 4464 cm | Wheels | 10.200 |
| 24.037 | 5580 cm | Buffers | 10.200 |

TEC BASIC watchmakers chair made of black polyurethane foam.

- 5 arm base with braked wheels or buffers for hard floor
 Gas filled lift cylinder with fingertip adjustment for seat height
 Adjustable backrest in height and depth.

Spare parts:

| MSA | | Kg | |
|----------|--------------------------------|-------|-----|
| 24.032-R | Set of 5 wheels for hard floor | 0.535 | 444 |
| 24.032-S | Buffer for hard floor | 0.040 | |



| MSA | Sitting height | Base | Kg |
|--------|----------------|---------|--------|
| 24.025 | 4253 cm | Wheels | 12.200 |
| 24.027 | 4565 cm | Wheels | 12.200 |
| 24.029 | 5580 cm | Buffers | 12.200 |

TEC BASIC watchmakers chair made of black polyurethane foam.

- 5 arm base with braked wheels or buffers for hard floor
- Adjustable circular foot-ring
- Gas filled lift cylinder with fingertip adjustment for seat height
- Adjustable backrest in height and depth.

Spare parts :

| Spare part | Spare parts. | | | | |
|------------|--------------------------------|-------|--|--|--|
| MSA | | Kg | | | |
| 24.032-R | Set of 5 wheels for hard floor | 0.535 | | | |
| 24.032-S | Buffer for hard floor | 0.040 | | | |



CHAIRS AND STOOL

Excellent design quality meets superb ergonomics and special comfort.

Neon represents the new generation of work chairs. No other production work chair has features that can compare.

Thanks to its innovative 1+1 system, the upholstery can be changed with just one click.

This means the Neon is flexible, sustainable and optically adaptable for the workplace.



| MSA | | Flex strip | Upholstery | Kg |
|-------------|-------|------------|--------------------|--------|
| 24.065-0110 | (1) | Orange | Fabric Duotec | 10.600 |
| 24.065-0111 | (1) | Orange | Fabric Duotec | 10.600 |
| 24.065-0112 | (1) | Orange | Fabric Duotec | 10.600 |
| 24.065-0113 | (1) | Orange | Artificial leather | 10.600 |
| 24.065-0114 | (1) | Orange | Artificial leather | 10.600 |
| 24.065-0115 | (1) | Orange | Artificial leather | 10.600 |
| 24.065-0116 | (1) | Orange | Integral foam | 10.600 |
| 24.065-0117 | (1) | Orange | Integral foam | 10.600 |
| 24.065-0118 | (1) | Orange | Integral foam | 10.600 |
| 24.065-0119 | (1) 🛑 | Orange | Supertec | 10.600 |
| 24.065-0120 | (1) | Orange | Supertec | 10.600 |
| 24.065-0121 | (1) | Orange | Supertec | 10.600 |
| 24.065-0210 | (2) | Green | Fabric Duotec | 10.600 |
| 24.065-0211 | (2) | Green | Fabric Duotec | 10.600 |
| 24.065-0212 | (2) | Green | Fabric Duotec | 10.600 |
| 24.065-0213 | (2) | Green | Artificial leather | 10.600 |
| 24.065-0214 | (2) | Green | Artificial leather | 10.600 |
| 24.065-0215 | (2) | Green | Artificial leather | 10.600 |
| 24.065-0216 | (2) | Green | Integral foam | 10.600 |
| 24.065-0217 | (2) | Green | Integral foam | 10.600 |
| 24.065-0218 | (2) | Green | Integral foam | 10.600 |
| 24.065-0219 | (2) | Green | Supertec | 10.600 |
| 24.065-0220 | (2) | Green | Supertec | 10.600 |
| 24.065-0221 | (2) | Green | Supertec | 10.600 |

| MSA | | Flex strip | Upholstery | Kg |
|-------------|-----|------------|--------------------|--------|
| 24.065-0310 | (3) | Blue | Fabric Duotec | 10.600 |
| 24.065-0311 | (3) | Blue | Fabric Duotec | 10.600 |
| 24.065-0312 | (3) | Blue | Fabric Duotec | 10.600 |
| 24.065-0313 | (3) | Blue | Artificial leather | 10.600 |
| 24.065-0314 | (3) | Blue | Artificial leather | 10.600 |
| 24.065-0315 | (3) | Blue | Artificial leather | 10.600 |
| 24.065-0316 | (3) | Blue | Integral foam | 10.600 |
| 24.065-0317 | (3) | Blue | Integral foam | 10.600 |
| 24.065-0318 | (3) | Blue | Integral foam | 10.600 |
| 24.065-0319 | (3) | Blue | Supertec | 10.600 |
| 24.065-0320 | (3) | Blue | Supertec | 10.600 |
| 24.065-0321 | (3) | Blue | Supertec | 10.600 |
| 24.065-0410 | (4) | Grey | Fabric Duotec | 10.600 |
| 24.065-0411 | (4) | Grey | Fabric Duotec | 10.600 |
| 24.065-0412 | (4) | Grey | Fabric Duotec | 10.600 |
| 24.065-0413 | (4) | Grey | Artificial leather | 10.600 |
| 24.065-0414 | (4) | Grey | Artificial leather | 10.600 |
| 24.065-0415 | (4) | Grey | Artificial leather | 10.600 |
| 24.065-0416 | (4) | Grey | Integral foam | 10.600 |
| 24.065-0417 | (4) | Grey | Integral foam | 10.600 |
| 24.065-0418 | (4) | Grey | Integral foam | 10.600 |
| 24.065-0419 | (4) | Grey | Supertec | 10.600 |
| 24.065-0420 | (4) | Grey | Supertec | 10.600 |
| 24.065-0421 | (4) | Grev | Supertec | 10.600 |

BIMOS work chair type Neon 2 on load-dependant braked double wheels.

- Seat height 45...62 cm
- Permanent contact backrest (-2...19°). Height 57 cm
- Ergonomic package with tension settings, seat depth, seat tilt and backrest height
- Self-supporting and secure pneumatic cylinder with protection cover
- Black aluminium base with 5 arms with load-dependant braked double wheels.

Stool.

HOROTEC® stool.



| MSA | Sitting height | Base | Kg |
|--------|----------------|--------|-------|
| 24.060 | 5579 cm | Wheels | 7.500 |

Wooden stool.

- 5 arm black polyamide base with braked wheels (stopped when unloaded)
 Gas filled lift cylinder with fingertip adjustment for seat height
 Shock absorber

- Round seat in multi-ply varnished beech, thickness 19.5 mm.

Spare parts:

| MSA | | Kg |
|-----------|--|-------|
| 24.060-01 | Low column, height adjustment 4053 cm | 1.148 |
| 24.060-02 | High column, height adjustment 5579 cm | 1.198 |

Footrests.



| MSA | Size | Kg |
|--------|--------------|-------|
| 24.038 | 450 x 350 mm | 1.450 |

Adjustable ESD footrest, ground cable 10 mm and eyelet \varnothing 4 mm.

- Sturdy metal construction. Colour : black
- Supports ergonomic seating comfort
- ECOSTAT® anti-slip coating, rubber Feet Adjustable height and inclination.



| MSA | Size | Kg |
|--------|--------------|----|
| 24.057 | 440 x 340 mm | - |

Footrest with gas spring. Non-slip rubber mat. Adjustable tilt range between 8° and $25^{\circ}.$ Height adjustment from 100 to 340 mm.

Vices and bases.



| MSA | Size | Maximal opening | Kg |
|--------|------------|-----------------|-------|
| 24.113 | 70 x 95 mm | 60 mm | 0.565 |

Grey bench clamp for vice fixing. Compatible with vice MSA08.104. Delivered without fixing brass plate.

Vices: see chapter 08.



| MSA | Size | Kg |
|--------|-----------------|-------|
| 24.405 | 60 x 60 x 50 mm | 0.150 |

Wooden vice base.

Easy mounting on a bench thanks to a screw fitted with a detachable handle. Compatible with vice MSA08.104.

Delivered without fixing brass plate.

Vices : see chapter 08.

Accessory:

| MSA | | Kg | |
|-----------|-----------------|-------|--|
| 24.405-01 | Metal insert M6 | 0.008 | |



| MSA | Kg |
|--------|-------|
| 24.401 | 1.360 |

Steel support with 1 vice and 1 peg stick.



| MSA | Size | Kg |
|--------|------------------|-------|
| 24.410 | 205 x 55 x 27 mm | 0.150 |

Peg stick.

C-Frames.



| MSA | Kg |
|--------|-------|
| 24.523 | 0.760 |

Complete double swan-neck to be fixed on a bench.

Contents:

- 1 black anodized swan-neck MSA24.524
- 1 vacuum pen in black anodized aluminium MSA19.877
- 1 blower in black anodized aluminium MSA19.856
- 1 Nylon® soft brush Ø 10 mm MSA19.813
- 1 metre black pipe Ø 8 mm MSA19.851
- 1 metre black pipe Ø 6 mm MSA19.826
 1 safety clip MSA19.862 for pipe Ø 8 mm
- 1 safety clip MSA19.861 for pipe Ø 6 mm 1 return spring MSA24.524-03, high tension
- 1 return spring MSA24.524-05, low tension
- 1 straight fitting Ø 6 mm MSA19.828-A
- 1 reduction 10-8 mm MSA19.849-D.





Double swan-neck alone to be fixed on a bench.

- (a) Drilling Ø: 60 mm
- (b) Thickness of the workplace : minimum 35 mm / maximum 55 mm.



| MSA | Kg |
|-----------|-------|
| 24.003-01 | 0.187 |

Bench socket for fixing a lamp.

Bench mats.



| MSA | | Colour | Size | Kg |
|--------|-----|--------|------------|-------|
| 24.206 | (1) | Black | 35 x 24 cm | 0.270 |
| 24.207 | (2) | White | 35 x 24 cm | 0.270 |
| 24.208 | (3) | Green | 35 x 24 cm | 0.270 |

Wrapper of 5 adherent and repositionable bench mats. *Thickness 0.5 mm.*

5 pieces



| MSA | | Colour | Туре | Size | Kg |
|--------|-----|--------|---------------|------------|-------|
| 24.213 | (1) | Green | Self-adhesive | 32 x 24 cm | 0.190 |
| 24.214 | (2) | Green | Anti-skid | 32 x 24 cm | 0.195 |
| 24.215 | (3) | Black | - | 32 x 24 cm | 0.195 |

Wrapper of 1 soft and flexible bench mat. Resists to solvents, benzine, alcohol, etc. (except acetone).

- (1) Thickness 1.50 mm
- (2+3) Thickness 2.00 mm

| HOROTEC* | |
|----------|-----------|
| | HONO/SEC, |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| MSA | Colour | Туре | Size | Kg |
|--------|--------|-----------|--------------|-------|
| 24.216 | Green | Anti-skid | 100 x 100 cm | 1.400 |

Soft and flexible bench mat.

Resists to solvents, benzine, alcohol, etc. (except acetone).

Thickness 2.00 mm.

Size: 1 meter x 1 meter



| MSA | Size | Kg |
|--------|------------|-------|
| 24.203 | 35 x 24 cm | 0.140 |

Soft anti-skid green bench mat, no self-adhesive but soft enough to be very adherent.

Thickness 2 mm.



| MSA | Hardness | Size | Kg |
|--------|----------|--------------|-------|
| 24.224 | 40 Shore | 29.5 x 21 cm | 0.240 |

Opaque soft silicone sheet. *Thickness 3 mm.*



| MSA | Hardness | Size | Kg |
|--------|----------|--------------|-------|
| 24.225 | 70 Shore | 29.5 x 21 cm | 0.250 |

Transparent hard silicone sheet. *Thickness 3 mm.*



| MSA | Size | Kg |
|--------|-------------|-------|
| 24.210 | 20 x 3.5 cm | 0.010 |
| 24.211 | 30 x 3.5 cm | 0.015 |

Self-adhesive PVC band to stick on bench, for winding watches.

Ridged trays.



| MSA | Size | Kg |
|--------|------------|-------|
| 24.220 | 15 x 10 cm | 0.046 |
| 24.221 | 30 x 18 cm | 0.160 |


Self-adhesive ridged tray to avoid tools rolling.



| MSA | | Size | Kg |
|--------|-----|--------------|-------|
| 24.222 | (1) | 15.3 x 10 cm | 0.070 |
| 24.223 | | 25.7 x 15 cm | 0.176 |

Black silicone anti-slip tray with grooves.

(1) with 19 grooves (1) (2) with 32 grooves



PVC blanket.



| MSA | Size | Kg |
|--------|--------------|-------|
| 24.205 | 100 x 135 cm | 0.385 |

PVC silvered blanket for bench cover to protect tools and parts from dust. Sold by metre.

Thickness 0.25 mm.

ACCESSORIES FOR BENCHES | **NOTES**

