








Polishind compounds.



ASSORTMENT LUXOR® (1) (2) (3) (4) (5) (6)

MSA	Kg
26.014	0.950

Assortment of 7 polishing compounds LUXOR® allowing to obtain clean pieces, to decrease working time and the consumption.

MSA	Grit		Colour	Material	Operation	Support	Size	Kg
26.019 (1)	0.1 μ		Orange	Fragile precious metals	Optimal shinning (allows to replace the American red)	Buffing cotton disc and wheel with cotton plates	Ø 30 x 80 mm	0.110
26.021 (3)	0.3 μ		White	Platinum Grey/white gold Stainless steel - Silver	Finishing + polishing of diamond gold pieces	Buffing cotton disc and wheel with cotton plates	Ø 30 x 80 mm	0.100
26.020 (2)	0.5 μ		Yellow	Yellow and pink gold	Finishing	Buffing cotton disc and wheel with cotton plates	Ø 30 x 80 mm	0.103
26.018 (4)	1.0 μ		Blue	Non-ferrous (brass type)	Finishing	Buffing cotton disc	Ø 30 x 80 mm	0.118
26.017 (5)	1.0 μ		Grey	Platinum	Preparation	Polishing cotton disc and wheel with cotton plates	Ø 30 x 80 mm	0.131
26.016 (6)	3.0 μ		Green	All metals	Preparation (middle defects)	Polishing cotton disc and wheel with cotton plates	Ø 30 x 80 mm	0.111
26.015 (7)	6.5 μ		Pink	All metals	Preparation (large defects)	Polishing cotton felt/disc and wheel with cotton plates	Ø 30 x 80 mm	0.107

Polishing compound LUXOR®. See assortment MSA26.014.

Polishing compounds for titanium.



(1)
(2)
(3)
(4)

MSA	Type	Operation	Size	Kg
26.026 (1)	HRA 17	Preparation (greasy)	Ø 40 x 220 mm	0.500
26.027 (2)	HRA 171	Medium preparation (dry)	Ø 40 x 220 mm	0.500
26.028 (3)	HRA 20	Fine polishing (dry)	Ø 40 x 220 mm	0.500
26.029 (4)	HRA 30	Super-finishing polishing (dry)	Ø 40 x 220 mm	0.500

Polishing compound for preparation and polishing of titanium.

DIALUX polishing compounds.



MSA	Size	Kg
26.560	100 x 33 x 30 mm	0.114

DIALUX BLUE polishing compound for use with brushes or cotton, felt or flannel discs.

Super finishing for all metals.



MSA	Size	Kg
26.561	100 x 33 x 30 mm	0.115

DIALUX WHITE polishing compound for use with brushes or cotton, felt or flannel discs.

Shining and fine buffing of all metals.



MSA	Size	Kg
26.562	100 x 33 x 30 mm	0.120

DIALUX GREY polishing compound for use with brushes or cotton, felt or flannel discs.

Stainless steel buffing.



MSA	Size	Kg
26.563	100 x 33 x 30 mm	0.117

DIALUX YELLOW polishing compound for use with brushes or cotton, felt or flannel discs.

Polishing and buffing of tender metals (copper, bronze, zamak, aluminium alloys, etc.) and plastic materials or coatings.



MSA	Size	Kg
26.564	100 x 33 x 30 mm	0.149

DIALUX RED polishing compound for use with brushes or cotton, felt or flannel discs.

Fine buffing for gold and silver.



MSA	Size	Kg
26.565	100 x 33 x 30 mm	0.140

DIALUX GREEN polishing compound for use with brushes or cotton, felt or flannel discs.

Fine buffing of special steels, very hard alloys (chrome, cobalt chrome, titanium, etc.).



MSA	Size	Kg
26.566	100 x 33 x 30 mm	0.153

DIALUX VORNEX polishing compound for use with brushes or cotton, felt or flannel discs. Brushing or pre-polishing erases any scratches or scrapes from current metals. This compound doesn't leave a shiny surface. For finishing use a buffing compound.

Brushing or pre-polishing clears the scratches or stripes of all common metals.



MSA	Size	Kg
26.567	100 x 33 x 30 mm	0.095

DIALUX BLACK polishing compound for use with brushes or cotton, felt or flannel discs.
Super finishing of silver.

POLYWATCH®.polishing compounds.



MSA	Packaging	Size	Kg
26.552-2	Tube of 5 g	Ø 20 x 80 mm	0.007

POLYWATCH® polishing paste for scraped plastic watch glasses. Simply apply the paste to the surface and rub away the scratches with a cloth.



MSA	Contents	Packaging size	Kg
26.499	2x 0.5 g	90 x 12 x 195 mm	0.036

Polishing paste POLYWATCH®.
High-Performance Diamond Polish for watch mineral crystals.
- Removes fine, light and medium deep scratches
- 2-Component-System :

Step 1 - removing the scratches with REPAIR 1
Step 2 - polishing on high gloss with FINISH 2

- Professional results thanks to the "Diamond-Polishing-Technology" (DPT)
- Easy and effective application
- Repair instead of replacing
- For approx. 30 to 40 applications.

Contents :
- 1x REPAIR 1 (0.5 g)
- 1x FINISH 2 (0.5 g)
- 1x polishing rod
- 2x 6 polishing strips.

Polishing compound for scrystals.



MSA	Size	Kg
26.550	130 x 30 x 30 mm	0.140

Polishing compound for scraped plastic watch crystals.