


Hands removing press, without contact with the dial.



MSA	Size	Kg
05.129	80 x 80 x 85 mm	0.700

Hands removing press, without contact with the dial.
This press allows removing safely the hands fitted on dial, guaranteeing their extraction without damaging the dial.

- Contents :
- 1 press MSA05.129-01
 - 1 hand tool MSA05.128-02
 - 1 base MSA05.129-02 for extractors and pins
 - 1 removable plate
 - 3 extractors MSA05.129-060, MSA05.129-150 and MSA05.129-250
 - 3 pins MSA05.128-015, MSA05.128-060 and MSA05.128-100.

Spare parts :

MSA	Item	Kg
05.128-015	Pin with spring Ø 0.15 mm	0.002
05.128-02	(1) Hand tool	0.020
05.128-060	(2) Pin with spring Ø 0.60 mm	0.002
05.128-100	Pin with spring Ø 1.00 mm	0.002
05.129-01	Press only	0.660
05.129-02	Base only	0.090
05.129-060	(3) Hands extractor, notch 0.60 mm	0.003
05.129-150	Hands extractor, notch 1.50 mm	0.003
05.129-250	Hands extractor, notch 2.50 mm	0.003

Optional extractors :

MSA	Item	Kg
05.129-060C	Counter hands extractor, notch 0.60 mm	0.003
05.129-085	Hands extractor, notch 0.85 mm	0.003
05.129-100	Hands extractor, notch 1.00 mm	0.003
05.129-200	Hands extractor, notch 2.00 mm	0.003

Optional extractors with columns :

MSA	Item	Kg
05.128-B	Hands extractor with columns, 0.60 x 3.80 mm	0.003
05.128-C	Hands extractor with columns, 1.45 x 3.80 mm	0.003
05.128-D	Hands extractor with columns, 2.10 x 4.70 mm	0.003

Other sizes of extractors upon request.

Accessory :

MSA	Item	Kg
05.129-E	Blind hands and counter hands extractor	0.065



MSA	Size	Kg
05.129-PE	80 x 80 x 85 mm	0.680

Hands removing press, without contact with the dial.
This press allows removing safely the hands fitted on dial,
guaranteeing their extraction without damaging the dial.

Contents :

- 1 press MSA05.129-01
- 1 hand tool MSA05.128-02
- 1 base MSA05.129-02 for extractors and pins
- 1 removable plate
- 1 blind hands and counter hands extractor MSA05.129-E.


Spare parts :

MSA	Item	Kg
05.128-02	(1) Hand tool	0.020
05.129-01	Press only	0.660
05.129-02	Base only	0.090
05.129-E	Blind hands and counter hands extractor	0.065



MSA05.129-E

Hands removing press with fine adjustment, without contact with the dial.



MSA	Size	Kg
05.131	110 x 125 x 125 mm	1.875

Hands removing press with fine adjustment, without contact with the dial.
This press allows removing safely the hands fitted on dial, guaranteeing their extraction without damaging the dial.

- Contents :
- 1 press MSA05.131-P
 - 1 hand tool MSA05.128-02
 - 1 base MSA05.129-02 for extractors and pins
 - 5 extractors MSA05.129-060, MSA05.129-060C, MSA05.129-150, MSA05.129-200 and MSA05.129-250
 - 3 pins MSA05.128-015, MSA05.128-060 and MSA05.128-100.

Spare parts :

MSA	Item	Kg
05.128-015	Pin with spring Ø 0.15 mm	0.002
05.128-02	(1) Hand tool	0.020
05.128-060	(2) Pin with spring Ø 0.60 mm	0.002
05.128-100	Pin with spring Ø 1.00 mm	0.002
05.129-02	Base only	0.090
05.129-060	(3) Hands extractor, notch 0.60 mm	0.003
05.129-060C	Counter hands extractor, notch 0.60 mm	0.003
05.129-150	Hands extractor, notch 1.50 mm	0.003
05.129-200	Hands extractor, notch 2.00 mm	0.003
05.129-250	Hands extractor, notch 2.50 mm	0.003
05.131-P	Press only	1.720

Optional extractors :

MSA	Item	Kg
05.129-085	Hands extractor, notch 0.85 mm	0.003
05.129-100	Hands extractor, notch 1.00 mm	0.003

Optional extractors with columns :

MSA	Item	Kg
05.128-B	Hands extractor with columns, 0.60 x 3.80 mm	0.003
05.128-C	Hands extractor with columns, 1.45 x 3.80 mm	0.003
05.128-D	Hands extractor with columns, 2.10 x 4.70 mm	0.003

Other sizes of extractors upon request.

