

| EYEGLASSES |



PERF	Magnification	Ø lens	Kg
111-1	10.0x	21 mm	0.012
111-1.5	6.5x	21 mm	0.012
111-2	5.0x	21 mm	0.012
111-2.5	4.0x	21 mm	0.012
111-3	3.5x	21 mm	0.012
111-3.5	3.0x	21 mm	0.012
111-4	2.5x	21 mm	0.012

Plastic eyeglass with screwed aluminium ring.



PERF	Magnification	Ø lens	Kg
121-1	10.0x	20 mm	0.013
121-1.5	6.5x	20 mm	0.013
121-2	5.0x	20 mm	0.013
121-2.5	4.0x	20 mm	0.013
121-3	3.5x	20 mm	0.013
121-3.5	3.0x	20 mm	0.013
121-4	2.5x	20 mm	0.013

Simple plastic eyeglass.



PERF	Magnification	Ø lens	Kg
115-1	10.0x	23 mm	0.015
115-1.5	6.5x	23 mm	0.015
115-2	5.0x	23 mm	0.015
115-2.5	4.0x	23 mm	0.015
115-3	3.5x	23 mm	0.015
115-3.5	3.0x	23 mm	0.015
115-4	2.5x	23 mm	0.015

Simple plastic eyeglass with riveted head band.



PERF	Magnification	Ø lens	Kg
131-1	10.0x	23 mm	0.016
131-1.5	6.5x	23 mm	0.016
131-2	5.0x	23 mm	0.016
131-2.5	4.0x	23 mm	0.016
131-3	3.5x	23 mm	0.016
131-3.5	3.0x	23 mm	0.016
131-4	2.5x	23 mm	0.016

Plastic eyeglass with clamp for all types of glasses.



PERF	Magnification	Ø lenses	Kg
132	10x	16 mm	0.050

Chromed triplet magnifier.



PERF	Magnification	Ø lens	Kg
116-1	10.0x	24 mm	0.013
116-1.5	6.5x	24 mm	0.013
116-2	5.0x	24 mm	0.013
116-2.5	4.0x	24 mm	0.013
116-3	3.5x	24 mm	0.013
116-3.5	3.0x	24 mm	0.013
116-4	2.5x	24 mm	0.013

Simple aluminium eyeglass.



PERF	Magnification	Ø lenses	Kg
133	10x	16 mm	0.047

Chromed triplet hexagonal magnifier.



ASSORTMENT

PERF	Ø blades	Kg
020	0.50...2.50 mm	0.200

Assortment of 9 screwdrivers on stand.



ASSORTMENT

PERF	Ø blades	Packaging size	Kg
328	0.60...3.00 mm	155 x 122 x 30 mm	0.310

Assortment of 9 screwdrivers.
Delivered in a wooden case.



ASSORTMENT

PERF	Ø blades	Kg
034	0.60...2.50 mm	0.250

Assortment of 8 screwdrivers on turning stand.
Composed of 7 flat screwdrivers and 1 Phillips screwdriver Ø 2.50 mm.



ASSORTMENT

PERF	Ø blades	Packaging size	Kg
329	1.00...2.00 mm	115 x 72 x 28 mm	0.140

Assortment of 6 screwdrivers.
Delivered in a wooden case.



ASSORTMENT

PERF	Ø blades	Kg
595	0.60...3.00 mm	0.450

Assortment of 9 screwdrivers on turning stand.



PERF	Size	Kg
332	55 x Ø 16 mm	0.031

Sharpening tool for screwdriver blades, to be used with 1 sharpening flat stone.
Screwdriver not included.



ASSORTMENT

PERF	Ø blades	Packaging size	Kg
322	0.80...2.00 mm	85 x 100 mm	0.065

Assortment of 7 screwdrivers.
Delivered in a plastic pouch.



PERF	Length	Kg
318	90 mm	0.035

Screwdriver with tightening chuck and 4 blades (2 flat, 1 Phillips and 1 for removing spring bars).

Pin vices.



ASSORTMENT

PERF	Size	Kg
045	65 x 110 mm	0.149

Assortment of 4 oxidized black pin vices.
Delivered in a plastic pouch.



PERF	Length	Kg
330	105 mm	0.035

Nickel-plated double pin vice with rounded heads and 2 tightening chucks.



PERF	Length	Kg
015	105 mm	0.023

Quick tightening pin vice.



PERF	Length	Kg
022	95 mm	0.011

Thin brass pin vice with rounded head and 1 tightening chuck.



PERF	Length	Ø tightening	Kg
046	115 mm	1.30...3.10 mm	0.036

Double nickel-plated pin vice with hexagonal heads and 2 tightening chucks.



PERF	Length	Kg
390	85 mm	0.030

Pin vice for crowns from Ø 4 to 5.50 mm.



PERF	Length	Ø tightening	Kg
028	90 mm	0...1 mm	0.025

Brass hand drill with return spring.

Hammers.



PERF	Head length	Total length	Kg
007	54 mm	153 mm	0.040

Watchmaker's hammer with wooden handle, round and flat head on one side and "V" shaped for riveting on the other.



PERF	Head length	Total length	Kg
023	65 mm	240 mm	0.095

Watchmaker's hammer with wooden handle and 2 flat heads, made of brass on one side and Nylon® on the other.

Saw frames.



PERF	Size	Depth	Kg
313	220 x 120 mm	80 mm	0.190


Saw frame with wooden handle, screws and fixing plates to hold the saw blades. Equipped with a wing screw to adjust the tension of the saw blades.



PERF	Size	Depth	Kg
314	200 x 90 mm	70 mm	0.205

Saw frame with wooden handle, screws and fixing plates to hold the saw blades.

Draw plates.



PERF	Size	Kg
031	113 x 26 x 3 mm	0.145

Steel draw plate with 63 holes.



PERF	Size	Kg
032	166 x 35 x 3 mm	0.150

Steel draw plate with 71 holes.



ASSORTMENT

PERF	Size	Ø holes	Kg
035	45 x 17 mm	0.60...1.00 mm	0.140

Assortment of 1 draw plate and 5 taps.

Hand tools.



PERF	Size	Kg
229	105 x 25 mm	0.040

Spring tool for removing hands.

Spring bar tools.



PERF	Length	Kg
458	135 mm	0.025

Black plastic tool for fitting/removing spring bars.

Spare parts :

MSA	Item	Kg
10.304-A	Tip Ø 0.80 mm	0.001
10.304-B	Fork width 3.00 mm	0.001
10.304-C	Fork width 1.20 mm	0.001



PERF	Length	Kg
230	100 mm	0.020

Tool for removing hands.



PERF	Length	Kg
459	145 mm	0.025

Chromed tool for fitting/removing spring bars.

Spare parts :

PERF	Item	Kg
459A	Tip, Ø 0.80 mm / Fork, width 1.20 mm	0.005
459B	Fork, width 4.00 mm	0.005



PERF	Width spatulas	Length	Kg
231	3 mm	110 mm	0.015

Pair of hands levers.



PERF	Size	Kg
176	200 x 73 x 155 mm	2.840

Crystal fitting press with 24 Nylon® dies.


Spare part :

PERF	Item	Kg
176-A	Assortment of 24 dies	0.267



PERF	Size	Kg
168	180 x 64 x 145 mm	1.840

Crystal fitting press with 28 aluminium dies.



PERF	Size	Kg
169	76 x 40 mm	0.210

Tool for fitting/removing crystals with tension ring.



PERF	Size	Kg
167	185 x 50 x 118 mm	1.170

Crystal fitting press with 12 Nylon® dies.

Case tools.



PERF		Colour	Length	Kg
384-01		Yellow	80 mm	0.030
384-02		Blue	80 mm	0.030
384-03		Red	80 mm	0.030
384-04		Orange	80 mm	0.030

Simple case opener with plastic handle.



PERF	Length	Kg
376	75 mm	0.035

Lever case opener.



PERF	Length	Kg
375	105 mm	0.035

Case-opener with fixed blade and plastic handle.



PERF	Length	Kg
379	115 mm	0.025

Case opener with fixed blade and plastic handle.



PERF	Size	Kg
380	67 x 35 mm	0.080

Case opener with 2 jaws, for watches with screw-on case backs.



← 75 mm →

PERF	Size	Kg
385	90 x 45 x 15 mm	0.120

Case opener with 2 jaws for waterproof cases.



← 55 mm →

PERF	Packaging	Size	Kg
381	Cardboard box	175 x 73 x 12 mm	0.270

Large Jaxa® type case opener.



← 35 mm →

PERF	Packaging	Size	Kg
383	Cardboard box	180 x 83 x 30 mm	0.185

Jaxa® type case opener.



← 35 mm →

PERF	Packaging	Size	Kg
383A	Wooden box	180 x 83 x 30 mm	0.395

Jaxa® type case opener.



ASSORTMENT

PERF	Kg
383J	0.020

Assortment of 12 spare jaws for PERF381, 382, 383 and 383A.



← 30 mm →

PERF	Size	Kg
170	64 x 46 x 38 mm	0.135

Universal aluminium case holder with 4 Nylon® dies. Can be fixed on a vice.

Spare part :

PERF	Item	Kg
170-A	Nylon® die	0.002




← 60 mm →

PERF	Size	Kg
177	105 x 75 x 45 mm	0.270

Black aluminium case holder with 4 red Nylon® dies. Can be fixed on a vice.

Spare part :

PERF	Item	Kg
177-A	Red Nylon® die	0.006



Case holders.



← 50 mm →

PERF	Size	Kg
178	Ø 80 x 46 mm	0.630

Steel case holder with 4 dies.

Vices.



PERF	Width jaws	Kg
460A	51 mm	1.260

Rotating vice with bench clamp.



PERF	Width jaws	Kg
460C	50 mm	1.045

Rotating vice with base to be fixed.



PERF	Length	Kg
331	125 mm	0.085

Vice with black handle.



PERF	Size	Kg
202	160 x 80 x 50 mm	0.175

Jeweller's steel vice with wooden handle.



PERF	Length	Kg
303	149 mm	0.095

Jeweller's wooden vice with wing screw.



PERF	Size	Kg
485	Ø 40 x 150 mm	0.120

Jeweller's wooden vice.

Movement holders.



ASSORTMENT

PERF	Kg
194	0.045

Assortment of 12 plastic movement holders.



PERF	Size	Kg
214	100 x 30 x 17 mm	0.040

Extensible movement holder with springs.



PERF	Length	Kg
250	135 mm	0.110

Pliers for piercing leather straps with return springs. Hole diameter : 1.50 mm.



PERF	Length	Kg
263	120 mm	0.070

Frontal end cutting pliers with return springs.



PERF	Length	Kg
260	125 mm	0.050

Half-round jaws pliers with return springs.



PERF	Length	Kg
264	120 mm	0.060

Side cutting pliers with return springs.



PERF	Length	Kg
261	120 mm	0.065

Flat jaws pliers with return springs.



PERF	Length	Kg
262	120 mm	0.060

Round jaws pliers with return springs.



PERF	Size	Kg
270	142 x 96 x 125 mm	0.210

Wooden pliers support.

TWEEZERS



PERF	Length	Kg
355	163 mm	0.025

Tweezers for stones.



PERF	Length	Kg
357	165 mm	0.023

Tweezers with slide locking for stones.



PERF	Length	Kg
358	165 mm	0.025

Black tweezers for stones.



PERF	Length	Kg
359	180 mm	0.030

Tweezers with shovel for stones.



PERF	Length	Kg
437-00	120 mm	0.015
437-1	120 mm	0.015
437-2	120 mm	0.015
437-3	120 mm	0.015
437-4	120 mm	0.015
437-5	120 mm	0.015
437-MM	120 mm	0.020
437AA-S	120 mm	0.020

Antimagnetic steel tweezers.



PERF	Length	Kg
441-00	130 mm	0.020
441-3	130 mm	0.020
441-AA	130 mm	0.020
441-MM	130 mm	0.020

Brass tweezers.



PERF	Length	Kg
364	125 mm	0.005

Plastic tweezers for batteries.



PERF	Length	Kg
360A	165 mm	0.030

Negative straight soldering tweezers.



PERF	Length	Kg
360B	165 mm	0.030

Negative curved soldering tweezers.



PERF	Length	Kg
366	110 mm	0.025

Tweezers for battery testing.



PERF	Ø eyeglass	Length	Kg
445	23 mm	93 mm	0.020

Tweezers with eyeglass.

Packaging.



PERF	Size	Kg
018	193 x 95 x 21 mm	0.175

Packaging plastic box with sliding transparent lid and 18 divisions.



PERF	Size	Kg
027	80 x 11 mm	0.005

Plastic triangular tray.



PERF	Ø base	Kg
106	100 mm	0.070

Protection kit composed of one dustproof cover and one base with 6 divisions for small parts.



PERF	Size	Kg
317	113 x 66 mm	0.200


Pearls stringing tray.



PERF	Size	Kg
490	198 x 135 x 22 mm	0.253

Packaging box with 24 aluminium round cases.

Cleaning.



PERF	Size	Kg
012	72 x 41 x 29 mm	0.060

White paper for diamonds and precious stones. Delivered in a package of 25 sheets.



PERF	Length	Kg
026	110 mm	0.005

Pencil brush with plastic handle.



PERF	Length	Kg
810	120 mm	0.010

Pen shaped scratch brush.

Spare part :

PERF	Item	Kg
810-A	Refill	0.002



PERF	Length	Kg
266	118 mm	0.085

Rubber dust blower.

RING STICKS AND RING GAUGES



PERF	Length	Kg
162	250 mm	0.200

Aluminium ring stick with 4 graduations.
- French calibration : from 1 to 36.
- Circumference in mm : from 41 to 76.
- American calibration : 1 to 15.
- Diameter in mm : from 13 to 24.2.



PERF	Kg
162A	0.080

Aluminium ring gauge with 4 graduations (36 rings).
- French calibration : from 1 to 36.
- Circumference in mm : from 41 to 76.
- American calibration : 1 to 15.
- Diameter in mm : from 13 to 24.2.



PERF	Size	Kg
161	302 x 144 x 40 mm	0.835

Ring stick and rings with 4 graduations (stick) and 2 graduations (rings).
Delivered in a wooden box.
- French calibration : from 1 to 36 (stick and rings).
- Circumference in mm : from 41 to 76 (stick and rings).
- American calibration : 1 to 15 (stick only).
- Diameter in mm : from 13 to 24.2 (stick only).



PERF	Kg
163A	0.020

Plastic ring gauge with 1 graduation (29 rings).
- American calibration : 1 to 15.



PERF	Size	Kg
021	Ø 28 x 97 mm	0.055

Bottle for acids.



PERF	Size	Kg
080	75 x 54 x 12 mm	0.015

Diamond shovel with handle.




PERF	Size	Kg
024	Ø 65 x 68 mm	0.290

Jar for washing stones with inside basket.



PERF	Size	Kg
095	Ø 16 x 16 mm	0.006
096	Ø 23 x 19 mm	0.017

Cleaning basket for small parts.



ASSORTMENT


PERF	Length	Kg
025	140 mm	0.120

Assortment of 12 files.
Delivered in a plastic pouch.



PERF	Size	Kg
193	70 x 50 x 40 mm	0.210

Oil cup stand with 3 containers and folding lid.



ASSORTMENT

PERF	Ø drills	Packaging size	Kg
030	0.30...1.00 mm	75 x 50 mm	0.005

Assortment of 15 drills.
Delivered in a plastic pouch.



PERF	Size	Kg
195	Ø 53 x 18.5 mm	0.030

Plastic oiler with 1 lid and 3 recesses.

OTHER ARTICLES



PERF	Size	Kg
196	Ø 68 x 29 mm	0.035

Silicon grease with applicator for gaskets.



PERF	Size	Kg
008P	190 x 20 mm	0.050

Hand brush with acrylic handle, black bristle 4 rows.



PERF	Length	Kg
370	130 mm	0.020

Scalpel delivered without blade.

Spare part :

PERF	Item	Kg
370-A	Blade	0.005



PERF	Length	Kg
372	130 mm	0.105

Automatic steel centre-punch.



PERF	Size	Kg
690	185 x 50 x 47 mm	0.110

Spirit lamp with a wick.

Spare part :

PERF	Item	Kg
MSA29.651-A	Wick, length 200 mm	0.009