

ALUMINIUM HOROTEC® SCREWDRIVERS, STANDARD BLADES

WATCHMAKER screwdrivers. Knurled anodised ALUMINIUM handle, ergonomic head in black POM and interchangeable stainless steel blade.



ASSORTMENT

MSA	Ø blades	Kg
01.020-C	0.50 - 0.60 - 0.80 - 1.00 - 1.20 - 1.40 - 1.60 - 2.00 - 2.50 - 3.00 mm	0.270

Assortment of 10 watchmaker screwdrivers MSA01.020-xxx :
- Turning stand
- Non-skid base
- Colour coded hole for fast identification.

Delivered with 10 stainless steel spare blades MSA01.215-xxx stored in the central compartment of the stand.



ASSORTMENT

MSA	Ø blades	Kg
01.020-E	0.60 - 0.80 - 1.00 - 1.20 - 1.40 - 1.60 - 2.00 - 2.50 - 3.00 mm	0.227

Assortment of 9 watchmaker screwdrivers MSA01.020-xxx.

Livré dans 1 coffret en bois avec 9 mèches de rechange MSA01.215-xxx en acier inoxydable et 2 vis de fixation MSA01.218-V.



ASSORTMENT

MSA	Ø blades	Kg
01.020-F	0.60 - 0.80 - 1.00 - 1.20 mm	0.029
01.020-G	0.80 - 1.00 - 1.20 - 1.40 mm	0.029

Assortment of 4 watchmaker screwdrivers MSA01.020-xxx.

Delivered in 1 plastic pouch.

ALUMINIUM HOROTEC® SCREWDRIVERS, STANDARD BLADES



ASSORTMENT

MSA	Ø blades	Kg
01.020-A	0.60 - 0.80 - 1.00 - 1.20 - 1.40 mm	0.111

Assortment of 5 watchmaker screwdrivers MSA01.020-xxx.
Delivered in a plastic box with foam cut-out.



ASSORTMENT

MSA	Ø blades	Kg
01.020-B	1.00 - 1.20 - 1.40 - 1.60 - 2.00 mm	0.116

Assortment of 5 watchmaker screwdrivers MSA01.020-xxx.
Delivered in a plastic box with foam cut-out.



ASSORTMENT

MSA	Ø blades	Kg
01.020-D	0.80 - 1.00 - 1.20 - 1.40 - 1.60 mm	0.114

Assortment of 5 watchmaker screwdrivers MSA01.020-xxx.
Delivered in a plastic box with foam cut-out.

ALUMINIUM HOROTEC® SCREWDRIVERS, STANDARD BLADES



MSA		Ø blades	Model	Kg
01.020-050		0.50 mm	Orange	0.007
01.020-060		0.60 mm	Natural	0.007
01.020-080		0.80 mm	Yellow	0.007
01.020-100		1.00 mm	Black	0.020
01.020-120		1.20 mm	Red	0.020
01.020-140		1.40 mm	Dark grey	0.020
01.020-160		1.60 mm	Violet	0.020
01.020-200		2.00 mm	Green	0.020
01.020-250		2.50 mm	Blue	0.020
01.020-300		3.00 mm	Brown	0.020

Watchmaker screwdriver.
- Knurled anodised aluminium handle
- Ergonomic head in black POM
- Interchangeable stainless steel blade.
Delivered individually in a pouch with mounted blade.



Antimagnetic blades, see page 01-13.

MSA	Ø	Kg	MSA	Ø	Kg
01.215-050	0.50 mm	0.001	01.215-140	1.40 mm	0.003
01.215-060	0.60 mm	0.003	01.215-150	1.50 mm	0.003
01.215-070	0.70 mm	0.003	01.215-160	1.60 mm	0.003
01.215-080	0.80 mm	0.003	01.215-180	1.80 mm	0.003
01.215-090	0.90 mm	0.003	01.215-200	2.00 mm	0.003
01.215-100	1.00 mm	0.003	01.215-250	2.50 mm	0.003
01.215-110	1.10 mm	0.003	01.215-300	3.00 mm	0.003
01.215-120	1.20 mm	0.003	01.215-350	3.50 mm	0.003
01.215-130	1.30 mm	0.003			

Stainless steel interchangeable blade for watchmaker screwdrivers
MSA01.020-xxx. Hardness 54 ± 2 HRC.



MSA	Ø blades	Kg
01.201-M	2x 0.50 - 0.60 - 0.70 - 0.80 - 1.00 mm	0.065

Plastic tube containing 21 stainless steel blades MSA01.215-xxx for
watchmaker screwdrivers MSA01.020-xxx. Hardness 54 ± 2 HRC.



MSA	Kg
01.218-V	0.001

Spare screws for :
- Watchmaker screwdrivers MSA01.020-xxx.

STAINLESS STEEL HOROTEC® SCREWDRIVERS, STANDARD BLADES

The absolutely best WATCHMAKER screwdrivers ! Knurled STAINLESS STEEL handle, hexagonal swivel large diameter head mounted on ball bearings and interchangeable stainless steel blade.



ASSORTMENT

MSA	Ø blades	Kg
01.218-E	0.50 - 0.60 - 0.70 - 0.80 - 1.00 - 1.20 - 1.40 - 1.50 - 1.60 - 2.00 - 2.50 - 3.00 mm	0.820

Assortment of 12 watchmaker screwdrivers MSA01.218-xxx :
 - Turning stand in solid aluminium with ball bearing
 - Non-skid base
 - Colour coded holes for fast identification.

Delivered with 21 stainless steel spare blades MSA01.215-xxx stored in the central compartment of the stand.

Stand size : Ø 90 x height 41 mm.



ASSORTMENT

MSA	Ø blades	Kg
01.218-C	0.60 - 0.80 - 1.00 - 1.20 - 1.40 - 1.60 - 2.00 - 2.50 mm	0.406

Assortment of 8 watchmaker screwdrivers MSA01.218-xxx :
 - Turning stand in solid aluminium
 - Non-skid base.

Delivered with 8 stainless steel spare blades MSA01.215-xxx stored in the central compartment of the stand.

Stand size : Ø 60 x height 39 mm.



ASSORTMENT

MSA	Ø blades	Kg
01.218-D	0.60 - 0.80 - 1.00 - 1.20 - 1.40 - 2.00 mm	0.293

Assortment of 6 watchmaker screwdrivers MSA01.218-xxx :
 - Sturdy aluminium stand
 - 6 coloured heads for quick identification.

Delivered with 6 stainless steel spare blades MSA01.215-xxx.

Stand size : 110 x 35 x 36 mm.

STAINLESS STEEL HOROTEC® SCREWDRIVERS, STANDARD BLADES



ASSORTMENT



MSA	Ø blades	Kg
01.218-A	0.60 - 0.80 - 1.00 - 1.20 - 1.40 - 1.60 - 2.00 - 2.50 - 3.00 mm	0.242

Assortment of 9 watchmaker screwdrivers MSA01.218-xxx.
Delivered in a wooden case with 9 stainless steel spare blades MSA01.215-xxx and 2 fixing screws MSA01.218-V.

MSA		Ø blades	Head colour	Kg
01.218-050		0.50 mm	Orange	0.020
01.218-060		0.60 mm	Light grey	0.020
01.218-070		0.70 mm	Dark blue	0.020
01.218-080		0.80 mm	Yellow	0.020
01.218-090		0.90 mm	Rose	0.020
01.218-100		1.00 mm	Black	0.020
01.218-110		1.10 mm	Pastel yellow	0.020
01.218-120		1.20 mm	Red	0.020
01.218-130		1.30 mm	Light green	0.020
01.218-140		1.40 mm	Dark grey	0.020
01.218-150		1.50 mm	Salmon	0.020
01.218-160		1.60 mm	Violet	0.020
01.218-180		1.80 mm	Orange	0.020
01.218-200		2.00 mm	Green	0.020
01.218-250		2.50 mm	Blue	0.020
01.218-300		3.00 mm	Brown	0.020

Watchmaker screwdriver.
- Knurled stainless steel handle
- Hexagonal swivel large diameter anodized aluminium head mounted on ball bearings
- Interchangeable stainless steel blade.
Delivered individually with screwed blade.



Antimagnetic blades, see page 01-13.

MSA	Ø	Kg	MSA	Ø	Kg
01.215-050	0.50 mm	0.001	01.215-140	1.40 mm	0.003
01.215-060	0.60 mm	0.003	01.215-150	1.50 mm	0.003
01.215-070	0.70 mm	0.003	01.215-160	1.60 mm	0.003
01.215-080	0.80 mm	0.003	01.215-180	1.80 mm	0.003
01.215-090	0.90 mm	0.003	01.215-200	2.00 mm	0.003
01.215-100	1.00 mm	0.003	01.215-250	2.50 mm	0.003
01.215-110	1.10 mm	0.003	01.215-300	3.00 mm	0.003
01.215-120	1.20 mm	0.003	01.215-350	3.50 mm	0.003
01.215-130	1.30 mm	0.003			

Stainless steel interchangeable blade for watchmaker screwdrivers MSA01.218-xxx. Hardness 54 ± 2 HRC.
See assortment MSA01.201-M with 21 blades on page 01-3.



MSA	Kg
01.218-V	0.001

Spare screws for :
- Watchmaker screwdrivers MSA01.218-xxx
- Enlargement rings MSA01.218-Txxx.

STAINLESS STEEL HOROTEC® SCREWDRIVERS, STANDARD BLADES



MSA	Model	Ø	Use with	Kg
01.218-T450	Small	4.50 mm	Screwdriver Ø 0.50...1.50 mm	0.002
01.218-T500	Medium	5.00 mm	Screwdriver Ø 1.60...2.00 mm	0.002
01.218-T550	Large	5.50 mm	Screwdriver Ø 2.50...3.00 mm	0.002

Aluminium enlargement ring for watchmaker screwdrivers, allowing better grip for screwing and unscrewing.

Size : Ø 8 x length 20 mm.



MSA		Ø blades	Head colour	Kg
01.219-050		0.50 mm	Orange	0.023
01.219-060		0.60 mm	Light grey	0.023
01.219-070		0.70 mm	Dark blue	0.023
01.219-080		0.80 mm	Yellow	0.023
01.219-090		0.90 mm	Rose	0.023
01.219-100		1.00 mm	Black	0.023
01.219-110		1.10 mm	Pastel yellow	0.023
01.219-120		1.20 mm	Red	0.023
01.219-130		1.30 mm	Light green	0.023
01.219-140		1.40 mm	Dark grey	0.023
01.219-150		1.50 mm	Salmon	0.023
01.219-160		1.60 mm	Violet	0.023
01.219-180		1.80 mm	Orange	0.023
01.219-200		2.00 mm	Green	0.023
01.219-250		2.50 mm	Blue	0.023
01.219-300		3.00 mm	Brown	0.023

Watchmaker screwdriver MSA01.218-xxx.

Delivered in 1 plastic pouch with 1 tube containing 3 stainless steel blades.



MSA	Ø blades	Kg
01.216-050	0.50 mm	0.003
01.216-060	0.60 mm	0.003
01.216-070	0.70 mm	0.003
01.216-080	0.80 mm	0.003
01.216-090	0.90 mm	0.003
01.216-100	1.00 mm	0.003
01.216-110	1.10 mm	0.003
01.216-120	1.20 mm	0.003
01.216-130	1.30 mm	0.003
01.216-140	1.40 mm	0.003
01.216-150	1.50 mm	0.003
01.216-160	1.60 mm	0.003
01.216-180	1.80 mm	0.003
01.216-200	2.00 mm	0.003
01.216-250	2.50 mm	0.003
01.216-300	3.00 mm	0.003
01.216-350	3.50 mm	0.003

Plastic tube containing 3 stainless steel blades for watchmaker screwdrivers MSA01.218-xxx.

Other Ø and shapes available upon request and according to quantities.

STAINLESS STEEL HOROTEC® SCREWDRIVERS, STANDARD BLADES



ASSORTMENT

MSA	Ø blades	Kg
01.218-G	0.60 - 0.80 - 1.00 - 1.20 mm	0.080

Assortment of 4 watchmaker screwdrivers MSA01.218-xxx.
Delivered in 1 plastic pouch.



ASSORTMENT

MSA	Ø blades	Kg
01.218-B	0.60 - 0.80 - 1.00 - 1.20 - 1.40 mm	0.100

Assortment of 5 watchmaker screwdrivers MSA01.218-xxx.
Delivered in 1 plastic pouch.



ASSORTMENT

MSA	Ø blades	Kg
01.218-F	1.00 - 1.20 - 1.40 - 1.60 - 2.00 mm	0.100

Assortment of 5 watchmaker screwdrivers MSA01.218-xxx.
Livré dans 1 pochette en plastique.



ASSORTMENT

MSA	Ø blades	Kg
01.218-H	0.60 - 0.80 - 1.00 - 1.20 - 1.60 - 2.50 mm	0.120

Assortment of 6 watchmaker screwdrivers MSA01.218-xxx.
Delivered in 1 plastic pouch.

STAINLESS STEEL HOROTEC® SCREWDRIVERS, "T" SHAPE BLADES



ASSORTMENT

MSA	Ø blades	Kg
01.214	0.60 - 0.70 - 0.80 - 1.00 - 1.20 - 1.40 - 1.50 - 1.60 - 1.80 - 2.00 mm	0.210

Assortment of 10 watchmaker screwdrivers MSA01.214-xxx.
Delivered in a plastic box with 10 "T" shaped stainless steel spare blades MSA01.220-xxx and 2 fixing screws MSA01.218-V.




MSA	Head colour	Ø blades	Kg
01.214-050	Orange	0.50 mm	0.020
01.214-060	Light grey	0.60 mm	0.020
01.214-070	Dark blue	0.70 mm	0.020
01.214-080	Yellow	0.80 mm	0.020
01.214-090	Rose	0.90 mm	0.020
01.214-100	Black	1.00 mm	0.020
01.214-110	Pastel yellow	1.10 mm	0.020
01.214-120	Red	1.20 mm	0.020
01.214-130	Light green	1.30 mm	0.020
01.214-140	Dark grey	1.40 mm	0.020
01.214-150	Salmon	1.50 mm	0.020
01.214-160	Violet	1.60 mm	0.020
01.214-180	Orange	1.80 mm	0.020
01.214-200	Dark green	2.00 mm	0.020

Watchmaker screwdriver.

- Knurled stainless steel handle
- Hexagonal swivel large diameter anodized aluminium head mounted on ball bearings
- Interchangeable "T" shape stainless steel blade.

Delivered individually with screwed blade.



* hardened-blue steel

MSA	A	Ø B	C	Length	Kg
01.220-050	0.10 mm	0.50 mm	0.15 mm	18 mm	0.003
01.220-060	0.12 mm	0.60 mm	0.15 mm	18 mm	0.003
01.220-070	0.14 mm	0.70 mm	0.18 mm	18 mm	0.003
01.220-080	0.14 mm	0.80 mm	0.18 mm	18 mm	0.003
01.220-090	0.14 mm	0.90 mm	0.18 mm	18 mm	0.003
01.220-100	0.14 mm	1.00 mm	0.18 mm	21 mm	0.003
01.220-110	0.14 mm	1.10 mm	0.18 mm	21 mm	0.003
01.220-120	0.14 mm	1.20 mm	0.18 mm	21 mm	0.003
01.220-130	0.16 mm	1.30 mm	0.20 mm	21 mm	0.003
01.220-140	0.16 mm	1.40 mm	0.20 mm	23 mm	0.003
01.220-150	0.16 mm	1.50 mm	0.20 mm	23 mm	0.003
01.220-160	0.16 mm	1.60 mm	0.20 mm	23 mm	0.003
01.220-180	0.20 mm	1.80 mm	0.25 mm	23 mm	0.003
01.220-200	0.20 mm	2.00 mm	0.25 mm	25 mm	0.003
01.202-T250 *	-	2.50 mm	-	25 mm	0.001
01.202-T300 *	-	3.00 mm	-	25 mm	0.001

Stainless steel interchangeable "T" shape blade for watchmaker screwdrivers MSA01.214-xxx. Hardness 54 ± 2 HRC.




MSA	Head colour	Ø blades	Kg
01.418-120	Red	1.20 mm	0.014
01.418-150	Salmon	1.50 mm	0.014
01.418-200	Green	2.00 mm	0.014
01.418-250	Blue	2.50 mm	0.017
01.418-300	Brown	3.00 mm	0.017

Watchmaker screwdriver with Phillips blade.

- Knurled stainless steel handle
- Hexagonal swivel large diameter anodized aluminium head mounted on ball bearings
- Interchangeable stainless steel Philips blade.

Delivered individually with screwed blade.



MSA	Ø	Kg
01.403-1.2	1.20 mm	0.001
01.403-1.5	1.50 mm	0.001
01.403-2.0	2.00 mm	0.001
01.403-2.5	2.50 mm	0.002
01.403-3.0	3.00 mm	0.002

Stainless steel interchangeable Philips blade for watchmaker screwdrivers MSA01.404-x.x. Hardness 54 ± 2 HRC.




MSA	Ø blades	Kg
01.418	1.20 - 1.50 - 2.00 - 2.50 - 3.00 mm	0.061

Assortment of 5 watchmaker screwdrivers with Phillips blade MSA01.418-xxx.

Delivered in 1 plastic pouch.

ASSORTMENT



MSA	Ø blades	Kg
01.018-150	1.50 mm	0.066
01.018-200	2.00 mm	0.066
01.018-250	2.50 mm	0.066
01.018-300	3.00 mm	0.066

Large watchmaker screwdriver.

- Knurled stainless steel handle Ø 10 mm, length 95 mm
- Swivel large diameter (Ø 19 mm) anodized aluminium red head mounted on ball bearings and interchangeable stainless steel blade.

Delivered individually with screwed blade.

Spare parts :

MSA	Item	Kg
01.019-150	Blade Ø 1.50 mm, length 37 mm, body Ø 3 mm	0.002
01.019-200	Blade Ø 2.00 mm, length 37 mm, body Ø 3 mm	0.002
01.019-250	Blade Ø 2.50 mm, length 37 mm, body Ø 3 mm	0.002
01.019-300	Blade Ø 3.00 mm, length 37 mm, body Ø 3 mm	0.002