PRECITEC QUALITY

POLYTEC

This range of polishing machines with its modern and ergonomic design has superior technical characteristics (most powerful motor in its class) and differs from other devices in numerous points.

Six different models are currently available with 1 or 2 workstations.
- Extremely user-friendly
- Folding plexiglas protection cover over the working area
- Provides exceptionally good absorption performance with its revised air transfer
- Polishing with this machine provides fully professional conditions of work and guarantees you performance, reliability and longevity
- Regardless of the pressure applied on the brushes, the torque remains constant (no decrease in rotation speed)
- A complete list of spare parts available like spindles, adaptors, filters and protections.

2 spindles

TOUCH-SENSITIVE



MSA	Voltage	Speeds	Rotations/minute	Size WxDxH	Kg
23.005	230 V	Adjustable *	300…3'000	680 x 370 x 460 mm	43.200

Features :
- Vacuum : 750 m3/hour (each side)
- Lighting : 4x 9 LED 1600 Lumen (each side)
- Ø brush : 160 mm maximum
- Motor power : 0.55 kW, constant torque
- Power supply : 230 V (50 Hz).

** Adjustable speed from 300 to 3000 rotations/minute in steps of 5 rotations/minute.*
The selected speed is shown on the display.

2 spindles



MSA23.003



MSA23.004

MSA	Voltage	Speeds	Rotations/minute	Size WxDxH	Kg
23.003	230 V	2	1'500 - 3'000	680 x 370 x 460 mm	52.000
23.004	230 V	Adjustable *	300...3'000	680 x 370 x 460 mm	49.000

Features :
- Vacuum : 750 m3/hour (each side)
- Lighting : 4x 9 LED 1600 Lumen (each side)
- Ø brush : 160 mm maximum
- Motor power : 0.55 kW, constant torque
- Power supply : 230 V (50 Hz).

** Adjustable speed from 300 to 3000 rotations/minute with a VARIO button.*



MSA23.000



MSA23.001



MSA23.002

MSA	Voltage	Speeds	Rotations/minute	Size WxDxH	Kg
23.000	230 V	1	3'000	460 x 370 x 460 mm	34.000
23.001	230 V	2	1'500 - 3'000	460 x 370 x 460 mm	38.000
23.002	230 V	Adjustable *	300…3'000	460 x 370 x 460 mm	34.000

Features :
- Vacuum : 750 m3/hour (each side)
- Lighting : 4x 9 LED 1600 Lumen (each side)
- Ø brush : 160 mm maximum
- Motor power : 0.55 kW, constant torque
- Power supply : 230 V (50 Hz).

** Adjustable speed from 300 to 3000 rotations/minute with a VARIO button.*



MSA	Speeds	Rotations/minute	Size WxDxH	Kg
23.600	2	1'500 - 3'000	310 x 240 x 285 mm	13.500

Polishing motor.
Motor power : 0.50 kW.
Power supply : 220/240 V.



(1)

Spare parts :

MSA		Item	Kg
23.600-A	*(1)*	Right-sided tapered spindle	0.067
23.600-B		Left-sided tapered spindle	0.067



MSA	Size WxDxH	Kg
23.601	250 x 240 x 285 mm	3.100

Dust collector for polishing motor MSA23.600.

Spare parts for the polishing machines PRECITEC®.



MSA	Size	Kg
23.000-A	227 x 216 mm	0.143

Plexiglas protection.



MSA	Size	Kg
23.000-B	265 x 190 x 16 mm	0.026

Fibre filtre.



MSA	Size	Kg
23.000-C	258 x 178 x 48 mm	0.106

Cartridge filtre.



MSA	Size	Kg
23.000-D	Ø 68 x 140 mm	0.683

Grinding wheel.




MSA	Size	Kg
23.000-E	Ø 34 x 145 mm	0.228

Right-sided tapered spindle.




MSA	Size	Kg
23.000-F	Ø 34 x 145 mm	0.228

Left-sided tapered spindle.



MSA	Size	Kg
23.000-G	165 x 36 mm	0.041

Left LED.



MSA	Size	Kg
23.000-H	165 x 36 mm	0.041

Right LED.



MSA	Model	Size	Kg
23.000-I	Left side	230 x 370 x 230 mm	1.380
23.000-J	Right side	230 x 370 x 230 mm	1.380

Protection cover.



MSA	Size	Kg
23.000-K	27 x 40 x 37 mm	0.015

Power switch On/Off.